State of New Mexico Energy, Minerals and Natural Resources Department

Michelle Lujan Grisham Governor

Sarah Cottrell Propst Cabinet Secretary

Gabriel Wade, Acting Director Oil Conservation Division



Todd E. Leahy, JD, PhD Deputy Secretary

New Mexico Oil Conservation Division approval and conditions listed below are made in accordance with OCD Rule 19.15.7.11 and are in addition to the actions approved by BLM on the following 3160-4 or 3160-5 form.

Operator Signature Date: 1/9/2019 Well information: **Hilcorp Energy Company** 30-045-08926 PAN AMERICAN FEDERAL GAS COM B #001 **Application Type:** Drilling/Casing Change Location Change P&A Recomplete/DHC (For hydraulic fracturing operations review EPA Underground injection control Guidance #84; Submit Gas Capture Plan form prior to spudding or initiating recompletion operations) Other: Conditions of Approval: Notify the OCD 24hrs prior to beginning operations. This recomplete will require a density exception unless the Pictured Cliffs is plugged in

- 30-045-30710 PAN AMERICAN FEDERAL GAS COM B #003
- The initial CIBP must be placed no higher than 50' above the existing perforations.
- A Mechanical integrity test (MIT) must be performed from the initial CIBP to verify the integrity of the well. The pressure test must meet the requirements of 19.15.25.14 NMAC.
 - 24hr notice is required to be provided to the agencies prior to performing the MIT.
- After the MIT is performed a second temporary isolating device may be set up near the requested recomplete interval without additional OCD approval to protect the casing from the completion pressures.
- From the initial CIBP perform and submit a cement bond log (CBL) to the agencies for review and approval prior to perforating the formation.
- If needed, submit a proposed remediation plan to the agencies for review and approval prior to starting remediation.

NMOCD Approved by Signature

2/21/19

1601 2 1 21

Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED OMB No. 1004-0137

	BUREAU OF LAND MAN	NAGEMENT		Expires: J	uly 31, 2010			
		Farmington Bureau of Land	Field ¢ d Mana	5. Lease Serial No.	NM048574			
SUN	IDRY NOTICES AND REPO		-	6. If Indian, Allottee or Tribe Na				
	e this form for proposals t well. Use Form 3160-3 (A							
	IBMIT IN TRIPLICATE - Other ins			7. If Unit of CA/Agreement, Na	me and/or No.			
1. Type of Well								
Oil Well	X Gas Well Other			8. Well Name and No.	- I I O O D 4			
2. Name of Operator				9. API Well No.	Federal Gas Com B 1			
2. Name of Operator	Hilcorp Energy Compa	iny			15-08926			
3a. Address		3b. Phone No. (include area co	ode)	10. Field and Pool or Explorator	ry Area			
382 Road 3100, Aztec, N	NM 87410	505-599-3400		Aztec Pictured	Cliffs/Basin Dakota			
4. Location of Well (Footage, Sec., T.,I Surface Unit O (L	R.,M., or Survey Description) Lot 15) 790' FSL & 1730' FE	EL, Sec. 31, T30N, R11		11. Country or Parish, State San Juan ,	New Mexico			
12. CHECK	THE APPROPRIATE BOX(ES)	TO INDICATE NATURE (OF NOT	ICE, REPORT OR OTHE	R DATA			
TYPE OF SUBMISSION		TYPE (OF ACT	ΓΙΟΝ				
X Notice of Intent	Acidize	Deepen	Pr	oduction (Start/Resume)	Water Shut-Off			
	Alter Casing	Fracture Treat	Re	eclamation	Well Integrity			
Subsequent Report	Casing Repair	New Construction	X Re	ecomplete	Other			
	Change Plans	Plug and Abandon	Te	emporarily Abandon				
Final Abandonment Notice	Convert to Injection	Plug Back	W	ater Disposal				
Attach the bond under which the w following completion of the involve Testing has been completed. Final determined that the site is ready for Hilcorp Energy Compar with the existing Dakota application will be subn	onally or recomplete horizontally, give work will be performed or provide the lived operations. If the operation results I Abandonment Notices must be filed or final inspection.) The plans to recomplete the a formation. Attached is the nitted and approved prior formed after surface disturbing the provided after surface disturbing the surface distu	Bond No. on file with BLM/BIA in a multiple completion or recoonly after all requirements, inclu e subject well in the Pic he PC C-102, recompleto to commingling. A clo	a. Require completion ading reclared ctured ete pro-	ed subsequent reports must be fi in a new interval, a Form 3160- amation, have been completed an Cliffs formation and d cedure & wellbore sch	led within 30 days 4 must be filed once and the operator has lownhole commingle nematic. The DHC			
** This new PC complet currently Temporarily A Aztec Pictured Cliffs pro	ion will replace the Pan A bandoned. The TA'd zone oration unit in SE/4 Sec. 3	merican Federal Gas C will not be returned to 1.**	o produ PPROVA	uction without a densi	ty exception for the			
LD C104 FOR Densite	EB 0 1 2019 Trict III	OPERATO AUTHORI	OPERATOR FROM OBTAINING ANY OTHER AUTHORIZATION REQUIRED FOR OPERATIONS ON TEDERAL AND INDIAN LANDS					
14. I hereby certify that the foregoing is	A PHONOMORPHIA	ed)						
Cherylene Weston	7,		tions/D	Regulatory Technician	- Sr			
Cherytene Weston		The Opera	110115/ N	regulatory reclinician	- 51.			
Signature Marylene	LULGON	Date [-9]	-19					
	THIS SPACE FO	D EEDEDAL OD STAT	EOFF	ICE LISE				

that the applicant holds legal or equitable fitle to those rights in the subject lease which would Office entitle the applicant to conduct operations thereon. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Title

Conditions of approval, it any, are attached. Approval of this notice does not warrant or certify

Approved by

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico **Energy, Minerals and Natural** Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form C-102 August 1, 2011

Permit 262035

best

ME	=1 1	OC	ATIC	MC	ΛNI	7	10	P	F	AC.	F	D	FF	NC	ΔT	TIC.	M	DI	Δ.	Т
VVC		 -	AIIL	114	HIM	, F	40	Γ		-11				л	HI		// /		-	

1. API Number	2. Pool Code	3. Pool Name						
30-045-08926	71280	AZTEC PICTURED CLIFFS (GAS)						
4. Property Code	5. Property Name	6. Well No.						
321826	PAN AMERICAN FEDERAL GAS COM B	001						
7. OGRID No.	8. Operator Name	9. Elevation						
372171	HILCORP ENERGY COMPANY	5856						

10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County		
. 0	31	30N	11W	15	790	S	1730	E		SAN	
Lot 15									JUAN		

11. Bottom Hole Location If Different From Surface

111 = 414111 11414 = 44411 11411									
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated Acres 155.25 - SE/4		13. Joint or Infil	<u>l</u>	14. Consolidation	on Code	15. Order No.			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

knowledge and belief, mineral interest in the this well at this location interest, or to a volunta by the division.	OPERATOR CERTIFICATION In information contained herein is true and complete to the best of my and that this organization either owns a working interest or unleased land including the proposed bottom hole location(s) or has a right to drill in pursuant to a contract with an owner of such a mineral or working ary pooling agreement or a compulsory pooling order heretofore entered when the proposed by the computation of the proposed by the propo
	SURVEYOR CERTIFICATION a well location shown on this plat was plotted from field notes of actual or under my supervision, and that the same is true and correct to the bes JAMES P. LEESE
Date of Survey:	1/25/1962
Certificate Number:	1463

Pan American Federal Gas Com B #1

Section 31-T30N-R11W

API#: 30-045-08926

PC Recompletion Procedure

1/9/2019

Procedure:

- 1. MIRU Service rig and associated equipment, test BOP.
- 2. TOOH w/ 2 3/8" tubing set at 6543'.
- 3. Set bridge plug at approximately 2210' to isolate existing perforations.
- 4. ND BOP, NU frac stack and test frac stack to frac pressure.
- 5. Perforate and frac the Pictured Cliffs. Estimated interval: 2069'-2110'.
- 6. Cleanout to isolation plug. Flow test PC.
- 7. Cleanout to PBTD.
- 8. TIH and land production tubing. Get a commingled flow rate.
- 9. Release service rig and turn well over to production.



Current Schematic

Well Name: PAN AMERICAN FEDERAL GAS COM B #1

	Surface Legial Location T30N-R11W-S31			State Province New Mexico	Wel Configuration Type Vertical
5:858:00	5.871.00	ra-Grand Distance (f) 13.00	kth-Casing Flange Dis	ance it. I co-Tuong man	per Claserce (f)

