State of New Mexico Energy, Minerals and Natural Resources Department

Michelle Lujan Grisham Governor

Sarah Cottrell Propst Cabinet Secretary

Gabriel Wade, Acting Director Oil Conservation Division



Todd E. Leahy, JD, PhD Deputy Secretary

New Mexico Oil Conservation Division approval and conditions listed below are made in accordance with OCD Rule 19.15.7.11 and are in addition to the actions approved by BLM on the following 3160-5 form.

Operator Signature Date: **Original APD 6/17/2016** Sundry Extension Date 12/21/2018

WELL INFORMATION:

a steel closed loop system.

BP AMERICA PRODUCTION COMPANY 30-045-35788 NORTHEAST BLANCO UNIT 601 #001H

Conditions of Approval: (See the below checked and handwritten conditions) Notify Aztec OCD 24hrs prior to casing & cement. Hold C-104 for directional survey & "As Drilled" Plat O Hold C-104 for NSL, NSP, DHC, O Spacing rule violation. Operator must follow up with change of status notification on other well to be shut in or abandoned Regarding the use of a pit, closed loop system or below grade tank, the operator must comply with the following as applicable: A pit requires a complete C-144 be submitted and approved prior to the construction or use of the pit, pursuant to 19.15.17.8.A A closed loop system requires notification prior to use, pursuant to 19.15.17.9.A A below grade tank requires a registration be filed prior to the construction or use of the below grade tank, pursuant to 19.15.17.8.C Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string Submit Gas Capture Plan form prior to spudding or initiating recompletions operations. Regarding Hydraulic Fracturing, review EPA Underground Injection Control Guidance 84 Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in

√	Well-bore communication is regulated under 19.15.29 NMAC. This requires well-bore Communication to be reported in accordance with 19.15.29.8.
√	Comply with current regulations at time of spud Prior to production operator needs to be in compliance with RULE 19.15.5.9

NMOCD Approved by Signature

2/15/19
Date

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM	M AF	PRO	VC	ED
OMB	NO.	100	4-0	137
Evnires	Iani	1213/	31	201

	Expires:	January	31
Lease	Serial No.		

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					5. Lease Serial No. NMSF079043		
					6. If Indian, Allottee	or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agre	eement, Name and/or No.	
Type of Well Oil Well	er					8. Well Name and No NEBU 601 COM	
2. Name of Operator BP	Contact: E-Mail: Naomi.Azu	NAOMI AZUL ılai@bpx.com	Al			9. API Well No. 30-045-35788	
3a. Address 1199 MAIN AVENUE SUITE 1 DURANGO, CO 81301	3b. Phone No. Ph: 970-232		(include area code) 10. Field and Pool of BASIN DAKO				
4. Location of Well (Footage, Sec., T.	, R., M., or Survey Description)				11. County or Parish	, State
Sec 32 T31N R7W Mer NMP SWSE 797FSL 2295FEL SAN JUAN					SAN JUAN CC	OUNTY, NM	
12. CHECK THE AF	PROPRIATE BOX(ES)	TO INDICAT	TE NATU	JRE OF	NOTICE,	REPORT, OR OT	HER DATA
TYPE OF SUBMISSION			T	YPE OF	ACTION	Commence of the second	
■ Notice of Intent	☐ Acidize	☐ Deep	en		☐ Producti	on (Start/Resume)	■ Water Shut-Off
	☐ Alter Casing	☐ Hydr	raulic Frac	cturing	□ Reclama	tion	■ Well Integrity
☐ Subsequent Report	□ Casing Repair	□ New	Construct	tion	□ Recomp	lete	Other
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug	and Aban	don	☐ Tempora	rily Abandon	
	☐ Convert to Injection	Plug	Back		☐ Water D	isposal	¥
13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. BP respectfully requests a two year extension on the APD for the subject well.							
		4			kon-allilaro+ a	NMOCD	*
						11111009	
FEB 0 4 2019							
DISTRICT 11)							
tPD oxtension approved. Timel extension date 12/19/2020							
14. I hereby certify that the foregoing is true and correct. Electronic Submission #448771 verified by the BLM Well Information System For BP, sent to the Farmington Committed to AFMSS for processing by VIRGINIA BARBER on 01/29/2019 ()							
Name (Printed/Typed) NAOMI A	ZULAI		Title F	REGULA	ATORY ANA	ALYST	
Signature (Electronic S	Submission)		Date 1	12/21/20)18		
THIS SPACE FOR FEDERAL OR STATE OFFICE USE							

Dave Mankiewicz Approved By

AFM-Minerals

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

