## State of New Mexico Energy, Minerals and Natural Resources Department

Michelle Lujan Grisham Governor

Sarah Cottrell Propst Cabinet Secretary

Todd E. Leahy, JD, PhD Deputy Secretary Adrienne Sandoval, Division Director Oil Conservation Division



New Mexico Oil Conservation Division approval and conditions listed below are made in accordance with OCD Rule 19.15.7.11 and are in addition to the actions approved by BLM on the following 3160-5 form.

Operator Signature Date: **Original APD 6/22/15** Sundry Extension Date 5/22/2019

WELL INFORMATION:

DJR OPERATING, LLC 30-043-21253 LYBROOK COM D22 2306 #002H

Conditions of Approval:
(See the below checked and handwritten conditions)
Notify Aztec OCD 24hrs prior to casing & cement.
✓ Hold C-104 for directional survey & "As Drilled" Plat
O Hold C-104 for NSL, NSP, DHC,
O Spacing rule violation. Operator must follow up with change of status notification on other well to be sh in or abandoned
Regarding the use of a pit, closed loop system or below grade tank, the operator must comply with the following as applicable:
A pit requires a complete C-144 be submitted and approved prior to the construction or use of the pit, pursuant to 19.15.17.8.A
A closed loop system requires notification prior to use, pursuant to 19.15.17.9.A
A below grade tank requires a registration be filed prior to the construction or use of the below grade tank, pursuant to 19.15.17.8.C
Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
Submit Gas Capture Plan form prior to spudding or initiating recompletions operations.
Regarding Hydraulic Fracturing, review EPA Underground Injection Control Guidance 84

Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system.

Well-bore communication is regulated under 19.15.29 NMAC. This requires well-bore Communication to be reported in accordance with 19.15.29.8.

Comply with current regulations at time of spud
Prior to production operator needs to be in compliance with RULE 19.15.5.9

NMOCD Approved by Signature

Ketheric Brete

6/3/19 Date Form 3160-5 (June 2015)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS on not use this form for proposals to drill or to re-enter ar

5. Lease Serial No. NMNM112953

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.				6. If Indian, Allottee o	or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2				7. If Unit or CA/Agree	ement, Name and/or No.	
Type of Well     ☐ Gas Well ☐ Other					8. Well Name and No. LYBROOK D22-2	
2. Name of Operator Contact: AMY ARCHULETA DJR OPERATING, LLC E-Mail: aarchuleta@djrllc.com					9. API Well No. 30-043-21253	
3a. Address 1 ROAD 3263 AZTEC, NM 87410	1 ROAD 3263				10. Field and Pool or Exploratory Area COUNSELORS GALLUP DAKOTA	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  Sec 22 T23N R06W NWNW 1015FNL 649FWL 36.214866 N Lat, 107.462460 W Lon				11. County or Parish, State RIO ARRIBA COUNTY, NM		
12. CHECK THE AP	PROPRIATE BOX(ES)	TO I	NDICATE NATURE OI	NOTICE	, REPORT, OR OTH	HER DATA
TYPE OF SUBMISSION	TYPE OF ACTION					
<ul> <li>☑ Notice of Intent</li> <li>☐ Subsequent Report</li> <li>☐ Final Abandonment Notice</li> </ul>	☐ Acidize ☐ Alter Casing ☐ Casing Repair ☐ Change Plans ☐ Convert to Injection		☐ Deepen ☐ Hydraulic Fracturing ☐ New Construction ☐ Plug and Abandon ☐ Plug Back	☐ Reclam	plete rarily Abandon	<ul><li>□ Water Shut-Off</li><li>□ Well Integrity</li><li>☑ Other</li></ul>
13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.  This APD was transferred to DJR Operating, LLC from Encana Oil and Gas on 12-28-2018. DJR is requesting a one year extension to allow time to drill this well.						
requesting a one year extensi	on to allow time to drill this	3 WCII			WMO	CD
MAY 3 1 2019						
					DISTRIC	T 111_

\* FINAL extension approved until 6/10/2020.

14. I hereby certify that the foregoing is true and correct.  Electronic Submission #466301 verifie  For DJR OPERATING, LLC  Committed to AFMSS for processing b	c, sent to the Farmington					
Name (Printed Typed) AMY ARCHULETA	Title REGULATORY					
Signature (Electronic Submission)  THIS SPACE FOR FEDERA	Date 05/22/2019 AL OR STATE OFFICE USE					
Approved By Approved By	Title AFM D	ato 5/23/19				
Conditions of approval, if any are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office FF6	/				

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

\*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\*

