

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.***SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. JIC120
2. Name of Operator HILCORP ENERGY COMPANY		6. If Indian, Allottee or Tribe Name JICARILLA APACHE
Contact: ETTA TRUJILLO E-Mail: ettrujillo@hilcorp.com		7. If Unit or CA/Agreement, Name and/or No.
3a. Address 382 ROAD 3100 AZTEC, NM 87410	3b. Phone No. (include area code) Ph: 713-209-2400	8. Well Name and No. JICARILLA 14
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 31 T26N R4W SESE		9. API Well No. 30-039-22343-00-S1
		10. Field and Pool or Exploratory Area WEST LINDRITH
		11. County or Parish, State RIO ARRIBA COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

Hilcorp Energy performed a bradenhead repair on the subject well per the attached summary report, current wellbore schematic and MIT chart.

NMOCB

NOV 06 2019

DISTRICT III

14. I hereby certify that the foregoing is true and correct.	
Electronic Submission #490753 verified by the BLM Well Information System For HILCORP ENERGY COMPANY, sent to the Rio Puerco Committed to AFMSS for processing by JOHN HOFFMAN on 11/04/2019 (20JH0007SE)	
Name (Printed/Typed) ETTA TRUJILLO	Title OPERATIONS REGULATORY TECH SR
Signature (Electronic Submission)	Date 11/01/2019

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By ACCEPTED	JOHN HOFFMAN Title PETROLUUM ENGINEER	Date 11/04/2019
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Rio Puerco

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

10/21/2019 – (SITP-190psi, SICP-190psi, SIBH-60psi) MIRU. ND WH. NU BOP. PT. Test good. Tag 20' of fill @ 7654'. TOO H w/2-3/8" tbg. SIW. SDFN.

10/22/2019 - (SITP-0psi, SICP-120psi, SIBH-70psi) Round trip csg scraper. Set 4-1/2" RBP @ 7442' (top perf @ 7492).

10/23/2019 – (SITP-0psi, SICP-0psi, SIBH-20psi) TIH w/pkr set @ 7432', PT RBP to 660#, test good. PT above pkr f/7432' to surface w/580#, test good. PT above pkr f/7432' to surface w/250#, test good. TOO H w/pkr. RU Wireline. Run CBL f/7442' to surface. All PT were run w/BH open. Light blow on BH. SDFN.

10/24/2019 – Sufficient cmt isolation between the top perf @ 7492' and surface. Notified & received verbal approval from Brandon Powell (NMOCD), Joe Killins (BLM) and Orson Harrison (JOGA). NMOCD request to run Noise Log. RU Wireline. Run Noise Log f/1700' to surface to determine where possible inflow was occurring. Adequate cmt isolation and casing integrity were verified and was concluded that this wellbore had very good integrity. SIW. SDFN.


10/25/2019 – (SITP-0psi, SICP-0psi, SIBH-20psi) MIT csg 580# for 30mins (BH open). Test good. TIH and pull RBP. PU BHA & TIH drifting tbg.

10/28/2019 - (SITP-600psi, SICP-600psi, SIBH-0psi) TIH tag fill @ 7643'. Establish circ w/air mist 1200 CFM w/10bbbls wtr 1gal foamer, 1gal inhibitor. CO 7643' to 7645'. TIH & land 242jts 2-3/8" 4.7# J-55 @ 7593', SN @ 7592'. ND BOP. NU WH. RD. Rig released.

Well Name: JICARILLA #14

API / UWI 3003922343	Surface Legal Location 031-026N-004W-P	Field Name DK	Route 1406	State/Province NEW MEXICO	Well Configuration Type Vertical
Ground Elevation (ft) 6,783.00	Original KB/RT Elevation (ft) 6,794.00	KB-Ground Distance (ft) 11.00	KB-Casing Flange Distance (ft) 11.00	KB-Tubing Hanger Distance (ft) 11.00	

Vertical, Original Hole, 11/1/2019 8:57:33 AM



Hilcorp
BW 101
API # 30-039-22343

