

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
0 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
March 12, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank

Operator: BP AMERICA PROD. CO. Telephone: (505) 326-9200

Address: 200 Energy Court, Farmington, NM 87410

Facility or well name: TAPPLS #4 API #: 30-045-07412 U/L or Qtr/Qt M Sec 16 T 28N R 8W

County: San Juan Latitude 36.65628 Longitude 107.69252 NAD: 1927 1983 Surface Owner Federal State Private Indian

| | | |
|--|---|-----------|
| Pit Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> SEPARATOR Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> STEEL TANK Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Volume _____ bbl | Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: <u>N/A</u> Double-walled with leak detection? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If not, explain why not. | |
| Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) | Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 20 100 feet or more (0 points) | |
| Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) | Yes (20 points) No (0 points) 0 | |
| Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) | Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 10 1000 feet or more (0 points) | |
| Ranking Score (Total Points) | | 30 |

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: onsite offsite If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .

Date: 06/03/04

Printed Name/Title: Jeff Blagg - P.E. # 11607 Signature: [Signature]

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: JAN 09 2006

Date: _____

Printed Name/Title: DEPUTY OIL & GAS INSPECTOR, DIST. 9 Signature: [Signature]



| | | |
|-------------------|---|---------------------------|
| CLIENT: <u>BP</u> | BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199 | LOCATION NO: <u>81400</u> |
| | | COCR NO: <u>12230</u> |

S

FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: 1 of 1

| | |
|---|--------------------------------------|
| LOCATION: NAME: <u>TAPP LS</u> WELL #: <u>4</u> TYPE: <u>SEP</u> | DATE STARTED: <u>5-27-04</u> |
| QUAD/UNIT: <u>M SEC: 16 TWP: 28N RING: 8W PM: NM CNTY: SJ ST: NM</u> | DATE FINISHED: <u>5-27-04</u> |
| QTR/FOOTAGE: <u>800'S (840'W) 215'W</u> CONTRACTOR: <u>FLINT (JODY)</u> | ENVIRONMENTAL SPECIALIST: <u>JCB</u> |

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: 0

DISPOSAL FACILITY: NA REMEDIATION METHOD: NA

LAND USE: RANGE - BLM LEASE: SF078499 FORMATION: PC/MV

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 69 FT. N13E FROM WELLHEAD.

DEPTH TO GROUNDWATER: < 50 NEAREST WATER SOURCE: > 100 NEAREST SURFACE WATER: < 100

NMOC D RANKING SCORE: 30.208 NMOC D TPH CLOSURE STD: 100 PPM

SOIL AND EXCAVATION DESCRIPTION:

OVM CALIB. READ. = 52.0 ppm
 OVM CALIB. GAS = 100 ppm RF = 0.52
 TIME: 1305 am/pm DATE: 5-27-04

SOIL TYPE: (SAND) SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____

SOIL COLOR: Yellow Tan

COHESION (ALL OTHERS): (NON COHESIVE) SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): (LOOSE) FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY (SLIGHTLY MOIST) MOIST / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: YES / (NO) EXPLANATION - _____


HC ODOR DETECTED: YES / (NO) EXPLANATION - _____

SAMPLE TYPE: (GRAB) COMPOSITE - # OF PTS. _____

ADDITIONAL COMMENTS: PIT w/ 45 BBL steel tank, P11 tank, dig test hole w/ BACKHOE. Will set 95 BBL steel tank @ this site, in this location.

CLOSED

| FIELD 418.1 CALCULATIONS | | | | | | | |
|--------------------------|----------|---------|------------|----------|----------|---------|-------------|
| SAMP. TIME | SAMP. ID | LAB NO. | WEIGHT (g) | mL FREON | DILUTION | READING | CALC. (ppm) |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |



| OVM READING | |
|-------------|-----------------------|
| SAMPLE ID | FIELD HEADSPACE (ppm) |
| 1 @ 8' | 0.0 |
| 2 @ | |
| 3 @ | |
| 4 @ | |
| 5 @ | |

NOT APPLICABLE

| LAB SAMPLES | | |
|----------------------|----------|------|
| SAMPLE ID | ANALYSIS | TIME |
| 1 @ 8' | TPH CL | 1300 |
| <u>(BOTH PASSED)</u> | | |

TRAVEL NOTES: CALLOUT: 5/27/04 1145 ONSITE: 5/27/04 1245

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


| | | | |
|----------------------|-----------------|---------------------|-----------|
| Client: | Blagg / BP | Project #: | 94034-010 |
| Sample ID: | 1 @ 8' | Date Reported: | 06-03-04 |
| Laboratory Number: | 28887 | Date Sampled: | 05-27-04 |
| Chain of Custody No: | 12230 | Date Received: | 06-01-04 |
| Sample Matrix: | Soil | Date Extracted: | 06-02-04 |
| Preservative: | Cool | Date Analyzed: | 06-03-04 |
| Condition: | Cool and Intact | Analysis Requested: | 8015 TPH |


| Parameter | Concentration (mg/Kg) | Det. Limit (mg/Kg) |
|------------------------------|--------------------------|--------------------------|
| Gasoline Range (C5 - C10) | ND | 0.2 |
| Diesel Range (C10 - C28) | ND | 0.1 |
| Total Petroleum Hydrocarbons | ND | 0.2 |

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Tapp LS 4 Sep Pit.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW


Total Chloride


| | | | |
|----------------|-----------------|-------------------|-----------|
| Client: | Blagg / BP | Project #: | 94034-010 |
| Sample ID: | 1 @ 8' | Date Reported: | 06-02-04 |
| Lab ID#: | 28887 | Date Sampled: | 05-27-04 |
| Sample Matrix: | Soil | Date Received: | 06-01-04 |
| Preservative: | Cool | Date Analyzed: | 06-01-04 |
| Condition: | Cool and Intact | Chain of Custody: | 12230 |

| Parameter | Concentration (mg/Kg) |
|----------------|-----------------------|
| Total Chloride | 69.0 |

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Tapp LS 4 Sep Pit.


Analyst


Review