

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
20 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources


Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐  
Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒



Operator: BP AMERICA PROD. CO. Telephone: (505) 326-9200  
Address: 200 Energy Court, Farmington, NM 87410  
Facility or well name: FLORANCE #22 API #: 30-045-08550 U/L or Qtr/Qtr H Sec 12 T 29 R 9W  
County: San Juan Latitude 36.74147 Longitude 107.72385 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

Pit	Below-grade tank	
Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> ABANDONED Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Volume _____ bbl	Volume: _____ bbl Type of fluid: _____ Construction material: <u>N/A</u> Double-walled with leak detection? Yes <input type="checkbox"/> If not, explain why not.	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points) 0
	100 feet or more	(0 points)
Vellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	(0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points) 10
	1000 feet or more	(0 points)
Ranking Score (Total Points)		10

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☒.

Date: 08/06/04

Printed Name/Title Jeff Blagg - P.E. # 11607 Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: JAN 09 2006

ate: \_\_\_\_\_

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. 3 Signature Brancher Powell

CLIENT: <u>BP</u>	<b>BLAGG ENGINEERING, INC.</b> <b>P.O. BOX 87, BLOOMFIELD, NM 87413</b> <b>(505) 632-1199</b>	LOCATION NO: <u>80789</u> COCR NO: <u>12692</u>
-------------------	---	--

<b>FIELD REPORT: PIT CLOSURE VERIFICATION</b>		PAGE No: <u>1</u> of <u>1</u>
---	--	-------------------------------

LOCATION: NAME: <u>FLORANCE</u> WELL #: <u>22</u> TYPE: <u>ABANDON</u>	DATE STARTED: <u>8-3-04</u>
QUAD/UNIT: <u>H</u> SEC: <u>12</u> TWP: <u>29N</u> RNG: <u>9W</u> PM: <u>NM</u> CNTY: <u>SS</u> ST: <u>NM</u>	DATE FINISHED: <u>8-3-04</u>
QTR/FOOTAGE: <u>1690'N/900'E</u> SE/PE CONTRACTOR: <u>HO (SUNQUIM)</u>	ENVIRONMENTAL SPECIALIST: <u>JCB</u>

EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>0</u>
DISPOSAL FACILITY: <u>NA</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>
LAND USE: <u>RANGE - BLM</u> LEASE: <u>NM073130</u> FORMATION: <u>MV</u>

FIELD NOTES & REMARKS: <u>PIT LOCATED APPROXIMATELY 102 FT. N71E FROM WELLHEAD.</u>
DEPTH TO GROUNDWATER: <u>&gt;100</u> NEAREST WATER SOURCE: <u>&gt;1000</u> NEAREST SURFACE WATER: <u>&lt;100</u>
NMOCD RANKING SCORE: <u>10</u> NMOCD TPH CLOSURE STD: <u>1000</u> PPM

SOIL AND EXCAVATION DESCRIPTION:	OVM CALIB. READ. = <u>54.0</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>1400</u> am/pm DATE: <u>8-3-04</u>
----------------------------------	--

SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER \_\_\_\_\_  
SOIL COLOR: Yellow tan  
COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE  
CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE  
PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC  
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD  
MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED  
DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - \_\_\_\_\_  
HC ODOR DETECTED: YES / NO EXPLANATION - \_\_\_\_\_

SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS. \_\_\_\_\_  
ADDITIONAL COMMENTS: Pit previously backfilled. Dig Test hole @ Pit location w/ BACKHOE. NO EVIDENCE OF CONTAMINATION.

CLOSED

FIELD 418.1 CALCULATIONS							
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

<p>SCALE</p> <p>0 FT</p> <p><b>PIT PERIMETER</b></p> <p>RAISED Surface (1' AG)</p>	<p style="text-align:center"><b>OVM READING</b></p> <table border="1" style="width:100%"><tr><th>SAMPLE ID</th><th>FIELD HEADSPACE (ppm)</th></tr><tr><td>1 @ 6'</td><td>0.0</td></tr><tr><td>2 @</td><td> </td></tr><tr><td>3 @</td><td> </td></tr><tr><td>4 @</td><td> </td></tr><tr><td>5 @</td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr></table> <p style="text-align:center"><b>LAB SAMPLES</b></p> <table border="1" style="width:100%"><tr><th>SAMPLE ID</th><th>ANALYSIS</th><th>TIME</th></tr><tr><td>DE6</td><td>TPH</td><td>135</td></tr><tr><td colspan="3" style="text-align:center"><u>PASSED</u></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></table>	SAMPLE ID	FIELD HEADSPACE (ppm)	1 @ 6'	0.0	2 @		3 @		4 @		5 @												SAMPLE ID	ANALYSIS	TIME	DE6	TPH	135	<u>PASSED</u>								
SAMPLE ID	FIELD HEADSPACE (ppm)																																					
1 @ 6'	0.0																																					
2 @																																						
3 @																																						
4 @																																						
5 @																																						
SAMPLE ID	ANALYSIS	TIME																																				
DE6	TPH	135																																				
<u>PASSED</u>																																						

<p><b>PIT PROFILE</b></p> <p style="text-align:center">NOT APPLICABLE</p>
---

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW  
T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES: CALLOUT: <u>8/3/04</u> ONSITE: <u>8/3/04</u>
--

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 6'	Date Reported:	08-06-04
Laboratory Number:	29857	Date Sampled:	08-03-04
Chain of Custody No:	12692	Date Received:	08-04-04
Sample Matrix:	Soil	Date Extracted:	08-05-04
Preservative:	Cool	Date Analyzed:	08-06-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Florance 22 Abandon.**

  
Analyst

  
Review