District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure

Oil Conservation Division 1220 South St. Francis Dr. office

Is pit or below-grade tan Type of action: Registration of a pit o	ak covered by a "general plan"? Yes 🔀 No or below-grade tank 🗌 Closure of a pit or below-gra	de tank 🔀					
Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: CORNELL A 1 API#:	ne:	Sec 10 T 29N R 12W					
Surface Owner: Federal	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes						
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)					
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more Ranking Score (Total Points)	(20 points) (10 points) (0 points)					
If this is a pit closure: (1) Attach a diagram of the facility showing the pit' your are burying in place) onsite offsite offsite, name of facility remediation start date and end date. (4) Groundwater encountered: No offsite offsite, name of facility remediation start date and end date. (4) Groundwater encountered: No offsite offsite, name of facility.	Yes If yes, show depth below ground surface	description of remedial action taken including					
See Attached Documentation							
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date: 11/01/2005 Printed Name/Title Jeffrey C, Blagg, Agent Signature Signature C Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
Approval: Printed Name/Title DEC 1 6 2005 Signature							

CLIENT: BP	_ Р.О. ВОХ	G ENGINEERING, INC. 87, BLOOMFIELD, NM 87413 505) 632-1199			13	ATION NO:	B1121 -		
FIELD REPORT: PIT CLOSURE VERIFICATION						PAGE No:/ of/_			
QUAD/UNIT: D SEC: 10 TWP: Z9N RNG: 12W PM: NM CNTY: 5J ST:					DATE	STARTED: FINISHED:	1/8/03		
QTR/FOOTAGE: 1180'N	1 1				ENVIR	ONMENTAL ALIST:	NV		
EXCAVATION APPRO	ΟΧ. <u>~A</u> FT. x	FT.	x <u>~A</u> FT	. DEEP. CL	IBIC YARD	AGE: _	NA		
DISPOSAL FACILITY: DN-SITE REMEDIATION METHOD: CLOSE AS IS									
	- BLM		NM 07				DK		
FIELD NOTES & REM	ARKS: PIT LOC	ATED APPROX	MATELY 8	FT	587€	FROM	WELLHEAD.		
DEPTH TO GROUNDWATER: 2					URFACE WAT	ER:	<u> </u>		
			P!	OVM CALIB.	READ. = 5/	1, 9 ppm	CHECK		
SOIL AND EXCAVATION DESCRIPTION:				OVM CALIB.	OVM CALIB. GAS = /00 ppm , RF = 0.52				
SOIL TYPE: GANDI SILTY SAND I SILT I SILTY CLAY I GRAVEL I OTHER									
SOIL COLOR: PALE	TO MGO. YEL	I. BROWN	<i></i>	OROCK - F	PRIE YELL	BROWN	5		
CONESTENCY (NON CONESTE				COHESIVE					
CONSISTENCY (NON COHESIVE PLASTICITY (CLAYS): NON PLA				HIGHLY PLASTI	С				
PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC									
MOISTURE: DRY / SLIGHTLY MO			R SATURATED						
DISCOLORATION/STAINING OBS		PLANATION							
SAMPLE TYPE: GRABY COMPO	SITE + # OF PTS.								
ADDITIONAL COMMENTS: CO						CK - VER	y HARD,		
BETTOM COMPETENT. NO THE ANALYSIS WAS CONDICTED COMPETENT. NO THE ANALYSIS WAS CONDICTED									
			LD 418.1 CALC			,			
SCALE SAMP.	TIME SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)		
0 FT									
PIT PERIMI	ETER N			<u> </u>	PIT F	ROFIL	E.		
1 100.		OVM							
TANK	,	SAMPLE	READING SAMPLE FIELD HEADSPACE						
7.7		1@ 7	(ppm)	4					
	ero.	2 @		_					
	BERM	3 @		4					
(3)	} \	4 @ 5 @		-					
1 / h	K 22'			~ ا	OT AF	PLICAB	4		
70				-					
WELL HEAD	——————————————————————————————————————								
	\			-					
FORMER STEEL TANK	P.D.,	CAMPLE	AMPLES						
LDS. SAMPLE	~ 4.5°	SAMPLE AI	NALYSIS TIME						
T.B. ~ 6.5' ~ 0.5'	,		/ 333						
8.6. B.T.B			·	-					
P.D. = PIT DEPRESSION; B.G. = BEI T.H. = TEST HOLE; ~ = APPROX.; T.	OW GRADE; B = BELOV B. = TANK BOTTOM			-					
TRAVEL NOTES: CALLOUT: 1/8/03-MORN. ONSITE: 1/8/03-AFTER.									