District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Type of action: Registration of a pit of	or below-grade tank Closure of a pit or below-grade	de tank 🔀	
Operator: Dugan Production Corn Tele	enhone: (505)325-1821 e-mail address:		
Operator: Dugan Production Corp Telephone: (505)325-1821 e-mail address: Address: P.O. Box 420, Farmington, New Mexico 87401			
Facility or well name: Ohwada No. 2 API #: 30-04			
County: San Juan Latitude 36.27676 Longitude			
		10/10/20	
Pit	Below-grade tank	E. W. In In Co.	
	Volume: bbl Type of fluid:	The state of the s	
Workover ☐ Emergency ☐	Construction material:	MAY 2006	
Lined Unlined 🔀	Volume:bbl Type of fluid:	, explain why not.	
Liner type: Synthetic Thicknessmil Clay		MAY 2006 explain why not.	
Pit Volume 105 ± bbl	V.		
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points) 0	
high water elevation of ground water.)	100 feet or more	(0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0	
water source, or less than 1000 feet from an other water sources.)	1 1 200 C	(20 : : : : : : :	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points) 0	
	1000 feet or more	(0 points)	
	Ranking Score (Total Points)	0	
f this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicate	te disposal location: (check the onsite box if	
our are burying in place) onsite 🔀 offsite 🗌 If offsite, name of facility_	· ·		
emediation start date and end date. (4) Groundwater encountered: No 🛣			
ttach soil sample results and a diagram of sample locations and excavation	• •	(0)	
Additional Comments:	5.		
14' x 14' x 3'± deep unlined production pit, center located 66 feet No	orth 55° West of wellhand		
Use backhoe to dig test trenches across pit and collect samples. Submit of	center & 4-point side composites to laboratory for testil	ng.	
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date: 5/17/06			
	Signature Left C	- Algo	
Printed Name/Title <u>Jeffrey C Blagg, Agent</u> Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the contents the operator of its responsibility for compliance with a	s of the pit of tank contaminate ground water or any other federal, state, or local laws and/or	
Approval: Printed Name/Title Approval: One of Gas Inspection, One	Signature Levry	Date: MAY 1 9 2006	

30-045-29112	6.27676 × 107.796	zo	
والمتعارف	GG ENGINEERING,	<u> </u>	LOCATION NO:
CLIENT: DUGAN P.O. BOX	(87, BLOOMFIELD,	NM 87413	
	(505) 632-1199		COCR NO: 14647
FIELD REPORT: PIT CI	OSURE VERIFIC	CATION	PAGE No: of
LOCATION: NAME: OHWADA	WELL#: 2 TYPE:	SEP	DATE STARTED: 5-3-06
QUAD/UNIT: C SEC: 33 TWP: 24N RI			DATE FINISHED: 5-3-06
OTR/FOOTAGE: 385 FNL × 2085 FL			ENVIRONMENTAL JCB
EXCAVATION APPROX FT.	x <u>//A</u> FT. x <u>///A</u> FT.	DEEP. CUBIC	YARDAGE:O
	A REMEDIAT		Clase AS 15
LAND USE: RANGE - BLM	LEASE: NM 90843	FOR	RMATION: GP
FIELD NOTES & REMARKS: PIT LO	CATED APPROXIMATELY	e FT. NE	55W FROM WELLHEAD.
DEPTH TO GROUNDWATER: > 100 NEAREST	WATER SOURCE: SWOO	_ NEAREST SURFAC	E WATER: > (000
NMOCD RANKING SCORE: O NMOCD TP	H CLOSURE STD: <u>5000</u> PPM		
SOIL AND EXCAVATION DESCRIP	TION:	OVM CALIB. READ. OVM CALIB. GAS =	
		TIME: 0615 (am)pm DATE: 5-3-06
SOIL TYPE: SAND/SILTY SAND SILT/SILTY SOIL COLOR:	CLAY / CLAY / GRAVEL / OTHE	R	
COHESION (ALL OTHERS): NON COHESIVE / SLIGHT		OHESIVE	
CONSISTENCY (NON COHESIVE SOILS); LOOSD/FIR PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTICITY		HIGHLY PLASTIC	
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM /	STIFF / VERY STIFF / HARD	MONET LACTO	ļ
MOISTURE: DRY (SLIGHTLY MOIST MOIST WET IS DISCOLORATION/STAINING OBSERVED: (ES) NO E	ATURATED / SUPER SATURATED	3x= 4n 6	P/4.
HC ODOR DETECTED: (YES) NO EXPLANATION -	MINDE		\
SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS	- 14'X14'X3'ED	on Unlined	PIT USE BACKHOF
to DIG IN	No Pit + Collect SAU	iples,	
	FIELD 418.1 CALCU	II ATIONS	
SCALE SAMP. TIME SAMP. ID			JTIONREADING CALC. (ppm)
SAMI TENED STATE	LAB NO. WEIGHT (b)	IIIL PREGIT DIEC	TIONEBADING CADE. (ppin)
0 FT			
PIT PERIMETER		P	PIT PROFILE
	OVM		
lμ΄	READING SAMPLE FIELD HEADSPACE	-	
	1D (ppm) 1 @		
	2 <u>@</u> 3 <u>@</u>	-	- M
	4 @	-	(A
A (C) 14 A	5 @ Ce7' 0.0	1,11	1
	4-Pt 01 1.0	$\frac{1}{3}$	
] [[7 7 7
]	
	LAB SAMPLES	1 4	
10,1	SAMPLE ANALYSIS TIME		
'we'	COT 1/B/CL 0950 4-PA " 0950	7 3	
۲		-	
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELO T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM)W	-	
TRAVEL NOTES: CALLOUT:	ONSITE: <u>5</u>	-3-06	



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Ohwada 2 - Sep	Date Reported:	05-08-06
Laboratory Number:	37029	Date Sampled:	05-03-06
Chain of Custody No:	14647	Date Received:	05-04-06
Sample Matrix:	Soil	Date Extracted:	05-04-06
Preservative:	Cool	Date Analyzed:	05-05-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.3	0.2
Diesel Range (C10 - C28)	10.4	0.1
Total Petroleum Hydrocarbons	10.7	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Pit Closures C @ 7'.

Analyst Walter

Sheel Wall



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Ohwada 2 - Sep	Date Reported:	05-08-06
Laboratory Number:	37030	Date Sampled:	05-03-06
Chain of Custody No:	14647	Date Received:	05-04-06
Sample Matrix:	Soil	Date Extracted:	05-04-06
Preservative:	Cool	Date Analyzed:	05-05-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.3	0.2
Diesel Range (C10 - C28)	2.6	0.1
Total Petroleum Hydrocarbons	2.9	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Pit Closures 4 Pt @ 7'.

Musture of Walters
Analyst

Club Wall



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Ohwada 2 - Sep	Date Reported:	05-08-06
Laboratory Number:	37029	Date Sampled:	05-03-06
Chain of Custody:	14647	Date Received:	05-04-06
Sample Matrix:	Soil	Date Analyzed:	05-05-06
Preservative:	Cool	Date Extracted:	05-04-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	1.8	
Toluene	13.6	1.7	
Ethylbenzene	ND	1.5	
p,m-Xylene	15.2	2.2	
o-Xylene	4.4	1.0	
Total BTEX	33.2		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Pit Closures C@7'.

Misture m Weeters

Sleul Wall



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Ohwada 2 Sep	Date Reported:	05-08-06
Laboratory Number:	37030	Date Sampled:	05-03-06
Chain of Custody:	14647	Date Received:	05-04-06
Sample Matrix:	Soil	Date Analyzed:	05-05-06
Preservative:	Cool	Date Extracted:	05-04-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	1.8	
Toluene	7.8	1.7	
Ethylbenzene	11.1	1.5	
p,m-Xylene	16.3	2.2	
o-Xylene	4.7	1.0	
Total BTEX	39.9		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Pit Closures 4 Pt @ 7'.

Musture m Woltes

Leule Walle



Chloride

Blagg / Dugan Project #: 94034-010 Client: Date Reported: Sample ID: Ohwada 2 - Sep 05-05-06 Lab ID#: 37029 Date Sampled: 05-03-06 Sample Matrix: Soil Date Received: 05-04-06 Preservative: Cool Date Analyzed: 05-05-06 Condition: Cool and Intact Chain of Custody: 14647

Parameter

Concentration (mg/Kg)

Total Chloride

2,060

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Pit Closures C @ 7'.

Analyst

Mister of Walters Review



Chloride

Client: Sample ID: Lab ID#:

Blagg / Dugan Ohwada 2 - Sep 37030

Project #: Date Reported: Date Sampled:

94034-010 05-05-06 05-03-06

Sample Matrix: Preservative:

Soil Cool Date Received: Date Analyzed:

05-04-06 05-05-06

Condition:

Cool and Intact

Chain of Custody:

14647

Parameter

Concentration (mg/Kg)

Total Chloride

1,180

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Pit Closures 4 - Pt @ 7'.