

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0137  
Expires: March 31, 2007

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.  
NMNM 106646

6. Indian, Allottee or Tribe Name

**SUBMIT IN TRIPLICATE- Other instructions on reverse side.**

RECEIVED  
070 FARMINGTON NM

1. Type of Well  
 Oil Well     Gas Well     Other

7. If Unit or CA/Agreement, Name and/or No.  
NM

2. Name of Operator  
W.W. OIL & GAS, INC.

8. Well Name and No.  
RIGHT ANGLE FEDERAL #1

3a. Address  
1000 W. APACHE STREET FARMINGTON, NM 87401

3b. Phone No. (include area code)  
505-566-9100

9. API Well No.  
30-043-20991

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
1980<sup>1</sup>/<sub>2</sub> and 2277' FSL of Section 19 ( Sec. 19, T20N, R2W, NMPM )

10. Field and Pool, or Exploratory Area  
WILDCAT

11. County or Parish, State  
SANDOVAL, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION					
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off		
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity		
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other		
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon			
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal			

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomplate in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

DRILLED TO A TOTAL DEPTH 4950', LOST CIRCULATION & COULD NOT REGAIN CIRCULATION.

PLUG & ABANDON ON 04/07/2006    See attached procedure

FINISHED P/A ON 04/11/2006



14. I hereby certify that the foregoing is true and correct  
Name (Printed/Typed)

OLIN GLOVER

Title SECRETARY

Signature

Date

6/20/06

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by Original Signed: Stephen Mason  
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

JUN 21 2006

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

NMOC

WW. Oil & Gas  
 #1 Right Angle Well  
 2277' FSL + 1980' W  
 Sec R-20N-2W

Note: All plugs inside casing must use 50% excess cement

- Note: All plugs in the open hole must use 100% excess cement

Mesaverde @  
 1172'

Gallup @  
 3470

Dakota @  
 4728

