Submit 3 Copies To Appropriate District Office	Fine	
District I 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural Resources	May 27, 2004 WELL API NO.
<u>District II</u> 1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION DIVISION	30-045-33299  5. Indicate Type of Lease
District III 1000 Rio Brazos Rd., Aztec, NM 87410	strict III 1220 South St. Francis Dr.	
District IV 1220 S. St. Francis Dr., Santa Fe, NM	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
87505 SUNDRY NOTICES AND REPORTS ON WELLS 7. Lease Name or Unit Agreement Name		
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		Sadie
1. Type of Well: Oil Well Gas Well Other		8. Well Number 002
2. Name of Operator McElvain Oil & Gas Properties, Inc.		9. OGRID Number 22044
3. Address of Operator		10. Pool name or Wildcat
1050 17 <sup>th</sup> Street, Suite 1800, Denver, C	O 80265	Basin Fruitland Coal
4. Well Location Unit Letter M: 1095 feet from the South line and 800 feet from the West line		
Section 8 Township 30N Range 11W NMPM San Juan County		
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		
Pit or Below-grade Tank Application ☐ or Clos	97' GR ure □	
Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water		
Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material		
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data		
NOTICE OF INTENTION TO:  PERFORM REMEDIAL WORK   PLUG AND ABANDON   REMEDIAL WORK   ALTERING CASING   COMMENCE DRILLING OPNS.   P AND A   PULL OR ALTER CASING   MULTIPLE COMPL   CASING/CEMENT JOB		
OTHER:	☐ OTHER: Spud	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.		
4/13/06 Spudded Well @ 16:45.  Drilled 12 ¼" hole to 232". Ran 5 Jts 8 5/8" 24# J-55 csg & set @ 229' KB.  Cemented as follows:  160 sx Type 5 w/ 3% CC, 15.6 ppg, 1.18 Yield. 13 bbls to surface.  Pressure Tested BOP, CSG, & manifold; @ 50 PSI to 600 PSI.		
Pressure Tested BOP, CSG, & manifold; @ 50 PSI to 600 PSI.		OIL OIL OIL 3
		E. C. 25 2 22 12 12 12 12 12 12 12 12 12 12 12 1
		The sale of the sa
I hereby certify that the information above	e is true and complete to the best of my knowledg	a and haliaf I fourther could about a later to the
grade tank has been/will be constructed or closed	l according to NMOCD guidelines , a general permit	or an (attached) alternative OCD-approved plan .
SIGNATURE With Emy	TITLEEngineering Tech	DATE_07/05/2006
Type or print name Deborah Powell For State Use Only	,	
APPROVED BY: A. Villanu	TEPUTY OIL & GAS IN	
Conditions of Approval (if any):	eva TITLE	DATE/UL 0 7 2006