

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004
For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: XTO ENERGY INC. Telephone: (505)-324-1090 e-mail address: _____
Address: 2700 FARMINGTON AVE.. BLDG. K. SUITE 1. FARMINGTON. NM 87401
Facility or well name: DAVIDSON GC G #1 API #: 30-045- 07325 U/L or Qtr/Qtr H Sec 21 T 28N R 10W
County: SAN JUAN Latitude 36.64993 Longitude 107.89472 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

Pit Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> <u>BLOW</u> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: <u>NA</u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 0 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 0 1000 feet or more (0 points)
Ranking Score (Total Points) 0	

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: PIT LOCATED APPROXIMATELY 150 FT. S26E FROM WELL HEAD
PIT EXCAVATION: WIDTH NA ft., LENGTH NA ft., DEPTH NA ft.
PIT REMEDIATION: CLOSE AS IS: ☒, LANDFARM: ☐, COMPOST: ☐, STOCKPILE: ☐, OTHER ☐ (explain)
Cubic yards: NA
BEDROCK BOTTOM

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date: 12/08/04




Printed Name/Title Jeff Blagg - P.E. # 11607 Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 6
Printed Name/Title _____ Signature [Signature] Date: MAR 27 2006

30-045-07325

36.64993 x 107.89472

CLIENT: <u>XTO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>CT129</u> COCR NO: <u>13359</u>																																
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																
LOCATION: NAME: <u>DAVIDSON GC G WELL #1</u> TYPE: <u>BLW</u> QUAD/UNIT: <u>H SEC: 21 TWP: 28N RNG: 10W PM: NM CNTY: SJ ST: NM</u> QTR/FOOTAGE: <u>1850 FNL x 790 FEL SEINE</u> CONTRACTOR: <u>KELCO (THOMAS)</u>		DATE STARTED: <u>12-3-04</u> DATE FINISHED: <u>12-3-04</u> ENVIRONMENTAL SPECIALIST: <u>JCB</u>																																
EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>0</u>																																		
DISPOSAL FACILITY: <u>NA</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>																																		
LAND USE: <u>RANGE - BLM</u> LEASE: <u>SF-077383</u> FORMATION: <u>DK</u>																																		
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>150</u> FT. <u>S26E</u> FROM WELLHEAD.																																		
DEPTH TO GROUNDWATER: <u>>100</u> NEAREST WATER SOURCE: <u>>1000</u> NEAREST SURFACE WATER: <u>>1000</u> NMOCD RANKING SCORE: <u>0</u> NMOCD TPH CLOSURE STD: <u>5000</u> PPM <u>53.0</u>																																		
SOIL AND EXCAVATION DESCRIPTION: <div style="float: right; border: 1px solid black; padding: 5px; margin-top: 10px;"> OVM CALIB. READ. = <u>1045</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>1045</u> am/pm DATE: <u>12/3</u> </div>																																		
SOIL TYPE: SAND / SILTY SAND / SILT (<u>SILTY CLAY</u>) CLAY / GRAVEL / OTHER <u>BEDROCK SANDSTONE @ 7' BG</u> SOIL COLOR: <u>DARK TAN</u> COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE (<u>COHESIVE</u>) / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): LOOSE / <u>FIRM</u> / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / <u>FIRM</u> / STIFF / VERY STIFF / HARD MOISTURE: DRY / (<u>SLIGHTLY MOIST</u>) / MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: (<u>YES</u>) NO EXPLANATION - <u>4' - 7' - lite GRAY</u> HC ODOR DETECTED: (<u>YES</u>) NO EXPLANATION - <u>MODERATE</u> SAMPLE TYPE: <u>GRAB</u> COMPOSITE - # OF PTS. <u>—</u> ADDITIONAL COMMENTS: <u>27 x 24 x 2' Deep section Pit</u> <div style="border: 1px solid black; padding: 2px; display: inline-block;">BEDROCK BOTTOM</div> <u>USE BACKHOE TO DIG Test Trench. Hit Firm Bedrock.</u> <u>S.S. @ 7' BG</u>																																		
FIELD 418.1 CALCULATIONS																																		
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>			SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																								
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																											
SCALE  0 1 FT	PIT PERIMETER 	PIT PROFILE 																																
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">OVM READING</th> </tr> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> <th></th> </tr> </thead> <tbody> <tr><td>1 @ 7'</td><td>360</td><td></td></tr> <tr><td>2 @</td><td></td><td></td></tr> <tr><td>3 @</td><td></td><td></td></tr> <tr><td>4 @</td><td></td><td></td></tr> <tr><td>5 @</td><td></td><td></td></tr> </tbody> </table>			OVM READING			SAMPLE ID	FIELD HEADSPACE (ppm)		1 @ 7'	360		2 @			3 @			4 @			5 @													
OVM READING																																		
SAMPLE ID	FIELD HEADSPACE (ppm)																																	
1 @ 7'	360																																	
2 @																																		
3 @																																		
4 @																																		
5 @																																		
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">LAB SAMPLES</th> </tr> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr> <td>1 @ 7'</td> <td>TPH</td> <td>1410</td> </tr> <tr> <td></td> <td>BTX</td> <td></td> </tr> <tr> <td></td> <td><u>PASSED</u></td> <td></td> </tr> </tbody> </table>			LAB SAMPLES			SAMPLE ID	ANALYSIS	TIME	1 @ 7'	TPH	1410		BTX			<u>PASSED</u>																		
LAB SAMPLES																																		
SAMPLE ID	ANALYSIS	TIME																																
1 @ 7'	TPH	1410																																
	BTX																																	
	<u>PASSED</u>																																	
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM																																		
TRAVEL NOTES: CALLOUT: <u>12/3/04</u> ONSITE: <u>12/3/04</u>																																		

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / XTO	Project #:	94034-010
Sample ID:	1 @ 7'	Date Reported:	12-08-04
Laboratory Number:	31377	Date Sampled:	12-03-04
Chain of Custody No:	13359	Date Received:	12-06-04
Sample Matrix:	Soil	Date Extracted:	12-07-04
Preservative:	Cool	Date Analyzed:	12-08-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	15.2	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	15.2	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Davidson GC G #1 Blow Pit.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / XTO	Project #:	94034-010
Sample ID:	1 @ 7'	Date Reported:	12-08-04
Laboratory Number:	31377	Date Sampled:	12-03-04
Chain of Custody:	13359	Date Received:	12-06-04
Sample Matrix:	Soil	Date Analyzed:	12-08-04
Preservative:	Cool	Date Extracted:	12-07-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	213	1.8
Toluene	241	1.7
Ethylbenzene	341	1.5
p,m-Xylene	456	2.2
o-Xylene	151	1.0
Total BTEX	1,400	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	95 %
	1,4-difluorobenzene	95 %
	Bromochlorobenzene	95 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Davidson GC G #1 Blow Pit.


Analyst


Review