Form 3160-3

FORM APPROVED

(August 1999) UNITED ST		OMB No. 1004 Expires November			
DEPARTMENT OF T BUREAU OF LAND N	5. Lease Serial No. CONTRACT 452	, 71 			
APPLICATION FOR PERMIT	6. If Indian, Allottee or Tribe JICARILLA APACHE				
la. Type of Work: 🛛 DRILL 🔲 REENTER	7. If Unit or CA Agreement, N	Name and No.			
1b. Type of Well: ☐ Oil Well ☑ Gas Well ☐ Oth	1b. Type of Well: ☐ Oil Well				
	KATHY L SCHNEEBECK E-Mail: BPMIBlackHills@banko1.com	9. API Well No. 30-039-	<u>(35845)</u> 29462		
3a. Address 350 INDIANA STREET, SUITE 400 GOLDEN, CO 80401	3b. Phone No. (include area code) Ph: 303.820.4480 Fx: 303.820.4124	10. Field and Pool, or Exploratory E BLANCO/PICTURED CLIFFS			
4. Location of Well (Report location clearly and in accordance	nce with any State requirements.*)	11. Sec., T., R., M., or Blk. an	nd Survey or Area		
At surface SENE 1400FNL 1000FEL At proposed prod. zone SENE 1400FNL 1000FEL		Sec 8 T29N R3W Mer	NMP		
14. Distance in miles and direction from nearest town or post of 57 MILES FROM BLOOMFIELD, NEW MEXICO	office*	12. County or Parish RIO ARRIBA	13. State NM		
 Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 1,000' FEL (LEASE LINE) 	16. No. of Acres in Lease 2560.00	17. Spacing Unit dedicated to 160.00 NE/U	this well		
 Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft. 1,700' FROM JICARILLA 451-9 11 	19. Proposed Depth 4000 MD	20. BLM/BIA Bond No. on file NMB000230			
21. Elevations (Show whether DF, KB, RT, GL, etc. 7016 GL	.22. Approximate date work will start 03/16/2005	23. Estimated duration			
	24. Attachments				
The following, completed in accordance with the requirements of	Onshore Oil and Gas Order No. 1, shall be attached to t	his form:			
 Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest Systes SUPO shall be filed with the appropriate Forest Service Off 	Item 20 above). Sm Lands, the 5. Operator certification	ons unless covered by an existing cormation and/or plans as may be	•		
25. Signature (Electronic Submission)	Name (Printed/Typed) KATHY L SCHNEEBECK Ph: 303.820.4480		Date 02/14/2005		
Title PERMIT AGENT FOR BLACK HILLS					
Approved by (Signature) (gallie Cit)	Name (Printed/Typed)		Date /2 /6 6		
Title AFM	Office #5				
Application approval does not warrant or certify the applicant holoperations thereon. Conditions of approval, if any, are attached.	lds legal or equitable title to those rights in the subject le	ase which would entitle the applic	cant to conduct		
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, n States any false, fictitious or fraudulent statements or representati		make to any department or agen	cy of the United		

Additional Operator Remarks (see next page)

Electronic Submission #54091 verified by the BLM Well Information System For BLACK HILLS GAS RESOURCES, INC, sent to the Rio Puerco

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED

DISTRICT I 1825 N. French Dr., Hobbs, N.M. 58240

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102 Revised August 15, 2000

DISTRICT II 611 South Pirst, Artesia, N.M. 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, N.M. 87410

2040 South Pacheco, Santa Pe, NM 87505

160 acres - NE/4

OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505 Submit to Appropriate District Office State Lease — 4 Copies Fee Lease — 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

30-03	Mumber 9 - 24	9462		"Pool Code 72400		E. Blanco /	*Pool Name Pictured C1	1ffs	
*Property Co -24245		45			Property JICARILLA 4				II Mumber 24
*OGRID No. 013925				ВІ	*Operator ACK HILLS GA				El-wallon 7016'
					¹⁰ Surface	Location			
OL or lot no.	Section 8	Township 29-N	Bange 3-W	Lot Idn	Peet from the 1400	North/South Ime NORTH	Feet from the	East/Vest line EAST	County RIO ARRIBA
			" Bott	om Hole	Location 1	f Different Fro	m Surface		
UL or lot no.	Section	Township	Range	lot ldn	Feet from the	North/South line	Peet from the	Bast/West line	County
¹³ Dedicated Acres			¹³ Joint or	h#W	⁵⁴ Consolidation C	ode	¹⁹ Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	GIR. COR. FD. 2 1/2 GC. 1917 GJO	5.89-59-44 W 2641.11 (W)	1400	00 -03 - 00 - 00 - 00 - 00 - 00 - 00 -	17 OPERATOR CERTIFICATION J. hereby certify that the deformation conducted legals to true and complete to the boad of my branchedge and belief. Lacky Shinkeline Signature
	Long	36-44-34.6 N (NAD) 07=10-07.3 W (NAD)	83) 83)	1000	Kathy L. Schneebeck Printed Name Permit Agent for Black Hills Title February 10, 2005
				OTTR COR FD 2 1/2 BC 1917 GLO	Date 18 SURVEYOR CERTIFICATION [having writh that the well location throm, on this plat was plotted from field makes of actual serious made by
					SEFTENCEN NE VODA SEFTENCEN VE VODA Date of The Care
LOT 1	LOT 2	Lot 3		LOT 4	14851 Certificate Number

District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenuc, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office.

Form C-144 June 1, 2004


Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No
Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank

Operator: Black Hills Gas Resources, Inc.	Telephone: 720-210-1300 e-mai	l address cmaybee@bhep.com			
Address: 300 Indiana St. Suite 400, Golden, CQ 80401					
Facility or well name: Jicarilla 452-08-24. API #:	the contract of the contract o	Sec 8 T 29N R 3W			
County: Rio Arriba Latitude 36° 44' 34.6" Longitude 107° 10'		Federal □ State □ Privatc □ Indian 🛛			
<u>Pu</u>	Below-grade tank				
Type: Drilling Production Disposal	Volume: bbl Type of fluid:				
Workover ☐ Emergency ☐	Construction material:	la de n de rimanta de la compa nta de la compansión de l			
Lined 🕅 Unities 🐒 🔗	Double-walled, with leak detection? Yes 🔲 If not, explain why not.				
Liner type: Synthetic Thicknessmil Clay 🗵					
Pit Volume <u>#17.811</u> bbl					
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)			
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)			
	L00 feet or more	(CO-points)			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	(O points)			
	Less than 200 feet	(20 points)			
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 harasana ==	(O points)			
	Ranking Score (Total Points)	7 0 points			
<u>If this is a pit closure:</u> (1) attach a diagram of the facility showing the pit					
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility_					
remediation start date and end date. (4) Groundwater encountered: No 🔲	Yes [] If yes, show depth below ground surface	ft: and attach sample results (5)			
Attach soil sample results and a diagram of sample locations and excavation	ns.				
Additional Comments:					
	BARROTTA A BATTA A BATTA A BATTA				
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guidelin					
Date: <u>02/10/05</u>					
Printed Name/Title Kathy L. Schneebeck / Permit Agent for Black Hills		Kathy & Schnel Ock			
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the con the operator of its responsibility for compliance w	tents of the pit or tank contaminate ground water or ith any other federal, state, or local laws and/or			
	1 / 1/				
Approval: DEPUTY OIL & GAS INSPECTOR, DIST. (59)	\ \\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\				
Printed Name/Title	Signature / V ///				

WELL PAD CROSS-SECTIONAL DIAGRAM BLACK HILLS GAS RESOURCES COMPANY: __ JICARILLA 452-08 No. 24 LEASE: __ 1400' FNL 1000' FWL FOOTAGE: ___ SEC.: ____8 7016 **ELEVATION:** _ NOTE: DAGGETT ENTERPRISES, INC. IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES. NEW MEXICO ONE CALL TO BE NOTIFIED 48 HOURS PRIOR TO EXCAVATION OR CONSTRUCTION. ELEV. A-A' C/L 7050 7040 7030 7020 7010 7000 6990 EFEA' B-B, C/L 7050 7040 7030 7020 7010 7000 6990 ELEV. C-C' C/L Daggett Enterprises, Inc. Surveying and Oil Field Services P. 0. 8xx 15088 · Famington, 188 82401 Phone (505) 256-1772 · Fax (505) 226-6019 NEW MEXICO L.S.: 14831 7050 DIAGRAM 7040 8 7030 WELL 7020 MN331PLB 7010

7000

6990



Black Hills Gas Resources, Inc. Jicarilla 452-08 24 1,400' FNL 1,000' FEL (SE/4 NE/4) Sec. 8 T29N R3W Rio Arriba County, New Mexico

Lease: Contract 452

DRILLING PROGRAM

This Application for Permit to Drill (APD) was initiated under the NOS process as stated in Onshore Order No. 1 and supporting Bureau of Land Management (BLM) documents. This NOS process includes an onsite meeting which was held on October 12, 2004, as determined by BLM, Bureau of Indian Affairs (BIA) and Jicarilla Oil & Gas Administration (JOGA), and at which time the specific concerns of Black Hills Gas Resources, Inc. (Black Hills), BLM, BIA and JOGA were discussed.

BLACK HILLS RESPECTFULLY REQUESTS THAT ALL INFORMATION REGARDING THIS WELL BE KEPT CONFIDENTIAL.

SURFACE FORMATION – San Jose

GROUND ELEVATION - 7,016'

ESTIMATED FORMATION TOPS - (Water, oil, gas and/or other mineral-bearing formations)

San Jose	Surface	Sandstone, shales & siltstones
Nacimiento	1,977'	Sandstone, shales & siltstones
Ojo Alamo	3,185'	Sandstone, shales & siltstones
Fruitland	3,611'	Sandstone, shales & siltstones
Pictured Cliffs	3,700'	Sandstone, shales & siltstones
Lewis	3,808'	Sandstone, shales & siltstones

TOTAL DEPTH 4,000'

Estimated depths of anticipated fresh water, oil, or gas:

Tertiary

surface	Gas
1,977'	Gas
3,185'	Gas
3,611'	Gas
3,700'	Gas
	1,977' 3,185' 3,611'

CASING PROGRAM

Depth	Hole Diameter	Casing Diameter	Casing Weight and Grade	Cement
0'-250'	12-1/4"	8-5/8"	J-55 24# ST&C New	To surface (±175 sxs Class B)
0' - T.D.	7-7/8"	5-1/2"	J-55 15.5# LT&C New	TD to surface (±630 sxs lite or 65:35 poz and ±270 sxs 50:50 poz)*

^{*} Actual cement volume to be determined by caliper log.

Yields: Class B yield = $1.18 \text{ ft}^3/\text{sx}$

65:35 Poz yield = $1.62 \text{ ft}^3/\text{sx}$ 50:50 Poz yield = $1.26 \text{ ft}^3/\text{sx}$

All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and protected.

PRESSURE CONTROL

BOPs and choke manifold will be installed and pressure tested before drilling out under surface casing (subsequent pressure test will be performed whenever pressure seals are broken), and then will be checked daily as to mechanical operating condition. BOP's will be pressure tested at least once every 30 days. Ram type preventors and related pressure control equipment will be pressure tested to 1,000 psi. Annular type preventor will be pressure tested to 50% of the rated working pressure, not to exceed 1,000 psi. All casing strings will be pressure tested to 0.22 psi/ft. or 1,000 psi, whichever is greater, not to exceed 70% of internal yield.

BOP to be either double gate rams or an annular preventor as per Onshore Order No. 2.

Statement on Accumulator System and Location of Hydraulic Controls

The drilling rig has not yet been selected for this well. Selection will take place after approval of this application. Manual and/or hydraulic controls will be in compliance with Onshore Order No. 2 for 2M systems.

A remote accumulator will be used. Pressures, capacities, location of remote hydraulic and manual controls will be identified at the time of the BLM supervised BOP test.

MUD PROGRAM

0' - 250' Fresh water – M.W. 8.5 ppg, Vis 30-33
250' - TD Fresh water - Low solids non-dispersed
M.W. 8.5 – 9.2 ppg

Vis - 28 - 50 sec

W.L. 15cc or less

Sufficient mud materials to maintain mud properties, control lost circulation and to contain "kick" will be available at wellsite.

AUXILIARY EQUIPMENT

- A) A Kelly cock will be kept in the drill string at all times
- B) Inside BOP or stab-in valve (available on rig floor)
- C) Mud monitoring will be visually observed

LOGGING, CORING, TESTING PROGRAM

A) Logging:

DIL- CNL-FDC-GR - TD - BSC (GR to surface)

Sonic (BSC to TD)

B) Coring:

None

C) Testing:

Possible DST - None anticipated. Drill stem tests may be run on shows of interest

ABNORMAL CONDITIONS

A) Pressures:

No abnormal conditions are anticipated

Bottom hole pressure gradient – 0.31 psi/ft

B) Tem

Temperatures: No abnormal conditions are anticipated

C) H_2S :

None anticipated

D) E

Estimated bottomhole pressure: 1,240 psi

ANTICIPATED START DATE

March 16, 2005

COMPLETION

The location pad will be of sufficient size to accommodate all completion activities and equipment. A string of 2-3/8" J-55 4.7#/ft tubing will be run for a flowing string. A Sundry Notice will be submitted with a revised completion program if warranted.

2-M SYSTEM Black Hills Gas Resources, Inc.

ANNULAR PREVENTOR MAY BE SUBSTITUTED FOR DOUBLE GATE PREVENTORS BOP PRESSURE TEST TO 1,000 PSI

