<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144 June 1, 2004

office

Pit or Be	low-Grad	<u>e Tank</u>	Registra	<u>ition or</u>	Closure

	or below-grade tank Closure of a pit or below-g						
Operator: BP America Production Company Telephor	ne: (505)326-9200 e-mail address:						
Address: 200 Energy Ct, Farmington, NM 87401							
Facility or well name: Sorey A #2 API#:	ROOA526790 U/L or Otr/Otr A	- Sec 35 T32N R11W					
		NAD: 1927 🗌 1983 🗍					
Surface Owner: Federal State Private Indian							
Pit	Below-grade tank						
	Volume: bbl Type of fluid:						
Workover ☐ Emergency ☐	Construction material:						
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.						
Liner type: Synthetic Thicknessmil Clay							
Pit Volumebbl							
	Less than 50 feet	(20 points)					
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)					
high water elevation of ground water.)	100 feet or more	(0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)					
water source, or less than 1000 feet from all other water sources.)	No	(0 points)					
	Less than 200 feet	(20 points)					
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)					
imgation canais, ditches, and perennial and epnemeral watercourses.)	1000 feet or more	(0 points)					
	Ranking Score (Total Points)						
If this is a pit closure: (1) Attach a diagram of the facility showing the pit							
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility							
remediation start date and end date. (4) Groundwater encountered: No 🔲		ft. and attach sample results.					
(5) Attach soil sample results and a diagram of sample locations and excava	tions.						
Additional Comments:							
See Attached Documentation							
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline							
has been will be constructed of closed according to NitOCD guidening	es (a, a, a, b, c) and (a, c) and (a, c) and (a, c)	native OCD-approved pian					
Date: 11/01/2005							
Printed Name/Title	ture Jeffy C. Shey	Σ					
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or							
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
Approval: FELYON ON A BAS MISSISTIME AND		660 · · ·					
Approval: Printed Name/Title Signature Signature DEC 1 9 2005							
	Communication Co	Date.					

CLIENT: BP BLAGG ENGINEER P.O. BOX 87, BLOOMFII (505) 632-	ELD, NM 87413						
FIELD REPORT: PIT CLOSURE VE	RIFICATION PAGE No: 1 of 1						
LOCATION: NAME: STOREY A WELL #: 2 TYPE: SEP. DATE STARTED: 8/20/07							
QUAD/UNIT: A SEC: 35 TWP: 322 RNG: 11W PM: 1							
DIR/FOOTAGE: 1040/2/800/E MEINE CONTRACTOR: HIG	NOESERT (HEBER) ENVIRONMENTAL NV						
EXCAVATION APPROX. NA FT. x NA FT. x NA	FT. DEEP. CUBIC YARDAGE: NA						
DISPOSAL FACILITY: REMEDIATION METHOD:STE							
LAND USE: RANGE-BLAND LEASE: NO	1048 FORMATION: PC						
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMA	TELY 81 FT. N25€ FROM WELLHEAD						
DEPTH TO GROUNDVATER: 2100 NEAREST WATER SOURCE: >10	DO' NEAREST SURFACE WATER: >1000						
NMOCD RANKING SCORE: NMOCD TPH CLOSURE STD: 500							
SOIL AND EXCAVATION	DVM CALIB. READ. 53.5 ppm						
DESCRIPTION:	TIME: 8:05 @ DATE: 8(20 02						
SOIL TYPE: (SAND) / SILTY SAND / SILT / SILTY CLAY / CLA	(/ GRAVEL / OTHER BEDROCK (SAMDTONE)						
SOIL COLOR: PALE YELL BADWA COHESION (ALL OTHERS): NON COHESIVE SLIGHTLY COHESIV	BEDROCK - SAME						
CONSISTENCY (NON COHESINE SOILS): COOSE / CIRD / DENSE							
PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / CO	HESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC						
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / MOISTURE: (DR) / SIGHTLY MOIST / WET / SATURAT	/ (.CONELL)						
DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATIO							
HC DDOR DETECTED: YES / ND EXPLANATION							
ADDITIONAL COMMENTS. NO TPH ANKLYSIS WAS	CONDUCTED.						
BEDROCK BOTTON							
FIELD 418.1 CALCULATIONS							
SCALE SAMP. TIME SAMPLE I.D. LAB NO: WEIGH	T (g) ml. FREON DILUTION READING CALC. ppm						
O FT							
PIT PERIMETER AN OVM	PIT PROFILE						
RESULTS							
SAMPLE FIELD HEA	SSPACE (m)						
1 9 4.5 0.0	The state of the s						
BERM 3 @							
7.H. N.5' 5 e							
B.P.D. 12'	NOT APPLICABLE						
P.O.							
						~3,	
B. G. LAB SAMPLE SAMPLE AMAINSIS	TIME						
WELL HEAD	1145						
	-						
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE							
T.H. = TEST HOLE; ~ = APPROX.; B = BELOW TRAVEL NOTES:							
TRAVEL NOTES: CALLOUT: 8/20/02 - MORN. ONSITE: 8/26/02 - MORN.							
: 1 00 /02 /00							

revised: 02/27/02

bei1005C.skd