District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tar Type of action: Registration of a pit	nk covered by a "general plan"? Yes 🔀 No or below-grade tank 🔲 Closure of a pit or below-gra	ade tank 🔀	
Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: Herry WDB#1 API#:	ne: <u>(505)326-9200</u> e-mail address:	Sec 31 T 30N R 9 W	
Surface Owner: Federal State Private Indian			
Pit Type: Drilling Production Disposal Workover Emergency Lined Unlined Liner type: Synthetic Thicknessmil Clay Pit Volumebbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)	
	Ranking Score (Total Points)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit your are burying in place) onsite offsite If offsite, name of facility_remediation start date and end date. (4) Groundwater encountered: No (5) Attach soil sample results and a diagram of sample locations and excava-	Yes If yes, show depth below ground surface	description of remedial action taken including	
Additional Comments:			
See Attached Documentation	DEC 2 RECEIVE ON COMS OF DIST.	005 (326)	
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline			
Date: 11/01/2005 Printed Name/Title Jeffrey C. Blagg, Agent Signal Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the contents		
Approval: Printed Name/Title	Signature BL &M	DEC 1 9 2005	

CLIENT: BP	BLAC P.O. BOX		NEERING OMFIELD			ATION NO	:B0045
OLIENT.		(505) 632		,	4	R NO:	10234
FIELD REPORT	: PIT CL	OSURE	VERIFI	CATIO			of _/
LOCATION: NAME: HEATH	W.D. B	WELL#:	TYPE	BLOW (ZZ) DATE	STARTED: _	9-13-02
QUAD/UNIT: A SEC: 31	TWP:30N RNO	3:9W PM:	NM CNTY: S	ST: NM		_	9-13-02
QTR/FOOTAGE: 9961N/	990€ N	IE (NE CONTE	RACTOR: FLIN	T (Dome	ENVIR	ONMENTAL ALIST:	ICB
EXCAVATION APPROX							0
DISPOSAL FACILITY:	NA	9,	REMEDIA	TION METH	OD: _	CLOSE	As 15
LANDUSE: RANGE -	Bun	LEASE:/	15 076	337	FORMATI	ON: <u>N</u>	\ <u>V</u>
FIELD NOTES & REMAR			CIMATELY 9	•			
DEPTH TO GROUNDWATER: >/(>1000 500k)		URFACE WAT	ER:	<u></u>
NMOCD RANKING SCORE:	NMOCD TPH	CLOSURE STD:	3000 pp				
SOIL AND EXCAVATION	N DESCRIPT	ΓΙΟΝ:		OVM CALIB.			
				TIME: 13/2	SAO - 23	DATE:	9-13-02
SOIL TYPE SAND SILTY, SAI		CLAY / CLAY /	GRAVEL / OTH				
SOIL COLOR: COLOR COHESION (ALL OTHERS): (NON C		Y COLLEGIATE I CO	UECNE AMOUNT	COLLEGIAL			
CONSISTENCY (NON COHESIVE SO				COHESIVE			
PLASTICITY (CLAYS): NON PLASTI				HIGHLY PLAST	IC		
DENSITY (COHESIVE CLAYS & SILT						LOSED	<u></u>
MOISTURE: DRY (SLIGHTLY MOIS			R SATURATED		9	20300)
DISCOLORATION/STAINING OBSER HC ODOR DETECTED: YES NO		PLANATION					
					1	<u></u>	
SAMPLE TYPE: GRAB COMPOSIT ADDITIONAL COMMENTS: EA	RIHEN PIT	- 018 7=	ist Treuch	~ → Sa	ple u	/ BAE	thre
SCALE SAME TO		FIE	ELD 418.1 CALC	ULATIONS			
SCALE SAMP. TE	ME SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	G CALC. (ppm)
0 FT							
			1			505	
PIT PERIMET	ER	٦ ^	\		PITF	ROFIL	<u>.E</u>
1 1/2	*	1	VM ADING				
12"	7	SAMPLE	FIELD HEADSPACE	-			
	ال مير ال مير	1@6	(ppm)	_			
11	اا جسدا	2 @					
1		3 @ 4 @		_			
		5@		-			
12" 🔞							
				\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	T AP	PUCAB	` -
	1			3			
)			-			
14 7		0.440.	AMPLES				
SAMPLE ANALYSIS TIME #166 7PH 1310							
PD. SAM	11721	166 /	1310	-			
(4'B6)	(6 ¹ B6)	(A)	SED)				
P.D. = PIT DEPRESSION; B.G. = BELOV	V GRADE; B = BELOW	v		_			
T.H. = TEST HOLE; ~ = APPROX.; T.B.	- IANK BULLUM	_1		I			
TRAVEL NOTES:	Noon 9.	-13-oz	_ ONSITE:	12.	7-13-0		

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	#1 @ 6'	Date Reported:	09-17-02
Laboratory Number:	23823	Date Sampled:	09-13-02
Chain of Custody No:	10234	Date Received:	09-13-02
Sample Matrix:	Soil	Date Extracted:	09-16-02
Preservative:	Cool	Date Analyzed:	09-17-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	. ND	0.1	
Total Petroleum Hydrocarbons	ND	0.2	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

W.D. Heath B #1 Blow Pit (III)

) 70 0

Mister of Walters Analyst

Doviou