District I 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank

Type of action. Registration of a pic-	or determ Brade mark Colorate of a pie or determ Bra		
Operator: BP America Production Company Telephor	ne: (505)326-9200 e-mail address:		
Address: 200 Energy Ct, Farmington, NM 87401	- Maii address.		
Facility or well name: Keys 6C A#1 API#: 3	30045 1/230 U/L or Otr/Otr	Sec 27 T32N RIOW	
1 - J	Longitude		
Surface Owner: Federal State Private Indian			
Pit	Below-grade tank		
Type: Drilling Production Disposal	Volume:bbl Type of fluid:		
Workover Emergency	Construction material:		
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.		
Liner type: Synthetic Thicknessmil Clay _			
Pit Volumebbl.			
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)	
high water elevation of ground water.)	100 feet or more	(0 points)	
	Yes	(20 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)	
water source, or less than 1000 feet from all other water sources.)			
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)	
	1000 feet or more	(0 points)	
	Ranking Score (Total Points)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'	s relationship to other equipment and tanks. (2) Indica	te disposal location: (check the onsite box if	
your are burying in place) onsite [] offsite [] If offsite, name of facility_	. (3) Attach a general d	escription of remedial action taken including	
remediation start date and end date. (4) Groundwater encountered: No 🗌			
(5) Attach soil sample results and a diagram of sample locations and excavar			
Additional Comments:	2017		
See Attached Documentation	(5.,	4	
DEC 2005			
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that the	ne above-described pit or below-grade tank	
has been/will be constructed or closed according to NMOCD guideline	s 🔼, a general permit 🔲, or añ (áttachéd) álternat	ive OCD-approved plan .	
Date: 11/01/2005	1		
Printed Name/Title Jeffrey C. Blagg, Agent Signat	ure fally C. Oligy		
Your certification and NMOCD approval of this application/closure does r	not relieve the operator of liability should the contents		
otherwise endanger public health or the environment. Nor does it relieve to regulations.	e operator or its responsibility for compliance with an	ij omoi icuciai, state, di tocat laws allu/di	
Approval: ESTIT 61 & GAS INSTECTOR, DIST.	Signature BADM	DEC 1 9 2005	
Printed Name/Title	Signature 03-8h 0-11	Date: 1 9 Z003	



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Blagg / BP	Project #:	94034-010
Blow C @ 10'	Date Reported:	11-13-02
24254	Date Sampled:	11-12-02
10423	Date Received:	11-13-02
Soil	Date Extracted:	11-13-02
Cool	Date Analyzed:	11-13-02
Cool and Intact	Analysis Requested:	8015 TPH
	Concentration	Det. Limit
	(mg/Kg)	(mg/Kg)
5 - C10)	ND	0.2
- C28)	ND	0.1
	Blow C @ 10' 24254 10423 Soil Cool Cool and Intact	Blow C @ 10' 24254 10423 Soil Cool Cool and Intact Concentration (mg/Kg) Date Reported: Date Sampled: Date Received: Date Extracted: Date Analyzed: Analysis Requested:

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Keys GC A1.

Analyst Property

Mister m Wasters

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865