District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No 🗆

Type of action: Registration of a pit	or below-grade tank Closure of a pit or below-gra	de tank 🔀		
Operator: BP America Production Company Telephor	ne:(505)326-9200e-mail address:			
Address: 200 Energy Ct, Farmington, NM 87401	- 1303/320-3200 - Mail add 600.			
Facility or well name: Day A LS#13 API#:	3004500789 W. or Otr/Otr \	Sec B T 29N R BW		
County: San Juan Latitude Longitude NAD: 1927 1983 Surface Owner: Federal State Private Indian				
Pit	Below-grade tank			
Type: Drilling Production Disposal	Volume:bbl Type of fluid:			
Workover    Emergency	Construction material:			
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.			
Liner type: Synthetic Thickness mil Clay	Double Walled, Will load decoded 1 to 2 11 log oxplain may los			
Pit Volumebbl				
	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)		
high water elevation of ground water.)	100 feet or more	( 0 points)		
	Yes	(20 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	No	( 0 points)		
water source, or less than 1000 feet from all other water sources.)		( o points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)		
	1000 feet or more	( 0 points)		
	Ranking Score (Total Points)			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'	s relationship to other equipment and tanks. (2) Indica	ate disposal location: (check the onsite box if		
your are burying in place) onsite _ offsite _ If offsite, name of facility				
remediation start date and end date. (4) Groundwater encountered: No []				
(5) Attach soil sample results and a diagram of sample locations and excava		V		
Additional Comments:	1113	19202733		
C-Austana	(2)			
See Attached Documentation	DE(	2005		
	e Aic	EIVED A		
		MS. Day.		
	40			
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify that the	e above described pit or below-grade tank		
has been/will be constructed or closed according to NMOCD guideline	es 🔀, a general permit 🔲, or an (attached) alterna	tive OCD-approved plan □.		
Date: 11/01/2005	1			
	ure fully C. Sligg			
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or				
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Annoyali	,	/ 050		
Approval:  Printed Name/Title SEPUTY OIL & GAS INSPECTOR, DIST.	Signature Branch Sell	Date: UEC 1 9 2005		

3004520789 BP LOCATION NO. BIOIZ BLAGG ENGINEERING, INC. CLIENT: P.O. BOX 87, BLOOMFIELD, NM 87413 C.O.C. NO: 10043 (505) 632-1199FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: DATE STARTED: 7-1-02 LS WELL #: 13 TYPE: SEP LOCATION: NAME: DAY A DATE FINISHED: 7-1-02 QUAD/UNIT: N SEC: 8 TWP: 29N RNG: 8W PM: NM CNTY: SJ ST: NM ENVIRONMENTAL JCB QTR/FOOTAGE: 990'S/1619'W SEISW CONTRACTOR: L+L (DAN) EXCAVATION APPROX. 13 FT. x 18 FT. x 2 FT. DEEP. CUBIC YARDAGE: \_\_\_\_ DISPOSAL FACILITY: \_\_\_/\/A REMEDIATION METHOD: COSE AS IS 078414 FORMATION: LAND USE: RANGE -BLM LEASE: FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 22 FT. 585°E FROM WELLHEAD. DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000 NMDCD RANKING SCORE: \_\_\_\_\_ NMDCD TPH CLOSURE STD: 5000 PPM OVM CALIB. READ. /31.6 ppm SOIL AND EXCAVATION OVM CALIB. GAS = 750 ppm RF = 0.52 DESCRIPTION: TIME: 1003 am/pm DATE: 7-1-02 SOIL TYPE: (SAND) SILTY SAND / SILTY SILTY CLAY / CLAY / GRAVEL / OTHER S.S. Branck (C) 4'
SOIL COLOR: DAK ORANGE TAN COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS) (LODSE) FIRM / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY / SLIGHTLY MOIST / MOIST / VET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION -HC ODOR DETECTED YES / NO ) EXPLANATION -\_ SAMPLE TYPE: GRAB COMPOSITE -# OF PTS. DIG- TEST TRENCI-1 ADDITIONAL COMMENTS Borrom FIELD 418.1 CALCULATIONS SCALE SAMP. TIME SAMPLE I.D. WEIGHT (g) ml. FREON DILUTION READING CALC. ppm LAB No: FT PROFILE PIT PERIMETER PIT OVM RESULTS FIELD HEADSPACE PID (ppm) SAMPLE √ઝ Α LAB SAMPLES रम्प्रधार TIME ANALYSIS 0956 (2'BG) 2025EV P.D. = PIT DEPRESSION; B.G. = BELOW GRADE T.H. = TEST HOLE; ~ = APPROX.; B = BELOW TRAVEL NOTES: CALLOUT: 7-1-02 0830 ONSITE: 7-1-02 0945



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Sep C @ 4'	Date Reported:	07-02-02
Laboratory Number:	23207	Date Sampled:	07-01-02
Chain of Custody No:	10043	Date Received:	07-01-02
Sample Matrix:	Soil	Date Extracted:	07-02-02
Preservative:	Cool	Date Analyzed:	07-02-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Day A LS #13.

Analyst C. Oylere

Misterie m Warters Review