District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure Is nit or below-grade tank covered by a "general plan"? Yes No

	or below-grade tank \(\text{ Closure of a pit or below-gra}\)		
Operator: BP America Production Company Telepho	no: (505)224 0200 a mail address:		
A11			
Facility or well name: Childers #18 API#:	3254525573 W/ or Otr/Otr B	Sec T3IN RIIW	
	Longitude		
Surface Owner: Federal State Private Indian			
Pit	Below-grade tank		
Type: Drilling Production Disposal			
Workover Emergency	Construction material:		
Lined [] Unlined []	Double-walled, with leak detection? Yes If not, explain why not.		
Liner type: Synthetic Thickness mil Clay	,		
Pit Volumebbl			
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)	
high water elevation of ground water.)	100 feet or more	(0 points)	
	Voc	(20 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes No	(0 points)	
water source, or less than 1000 feet from all other water sources.)	140	(o ponts)	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)	
inigation canais, anones, and percinial and epitemeral watercourses.)	1000 feet or more	(0 points)	
	Ranking Score (Total Points)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks. (2) Indica	ate disposal location: (check the onsite box if	
your are burying in place) onsite offsite If offsite, name of facility			
remediation start date and end date. (4) Groundwater encountered: No []			
(5) Attach soil sample results and a diagram of sample locations and excava			
Additional Comments:	and the second	1 18 19 (1) (7)	
See Attached Documentation		EC 2008 3	
	- On	~~~~	
	C VILL	AMS ON.	
	(O) (U)	UST. 3	
·	No.		
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that it	he above described pit or below-grade tank	
has been/will be constructed or closed according to NMOCD guideline	es 🔀, a general permit 🗌, or an (attached) alterna	tive OCD-approved plan .	
D	A	•	
Date: 11/01/2005	11 Mm C. She		
Printed Name/Title <u>Jeffrey C. Blagg, Agent</u> Signal		- C. d	
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	the operator of its responsibility for compliance with a	of the pit of tank contaminate ground water or ny other federal, state, or local laws and/or	
Approval: OIL & GAS INSPECTOR, DIST.	111	DEC 1 9 2005	
Printed Name/Title	Signature Brand Wall	Date:	

Form C-144 June 1, 2004

5004525573 BLAGG ENGINEERING, INC. BP LOCATION NO. 80964

CETERITY	P.O. BOX		OMFIELD, 332-1199		C.O.C. NO: 9896	
FIELD REP	ORT: PIT CI	LOSURE	VERIF	ICATION		
OLIAD/LINITE & SE	CHILDERS EC: 1 TWP: 312	RNG: I(L)	PM. Hm CN	TY ST ST.NY	DATE STARTED: 5/10/02 DATE FINISHED:	
QTR/FOOTAGE: No	20/10/150/E NULLE	CONTRACTO	R: HIGH DES	ert – Heber	ENVIRONMENTAL SPECIALIST:	
EXCAVATION APPROX	X <i>NA</i> _ FT. x _ <i>N</i>	79 FT. x	<i>NA</i> _ FT.	DEEP. CUI	BIC YARDAGE: NA	
					HOD: CLOSE 43 15	-
					FORMATION: OK	
					. <u>547€</u> FROM WELLHE	AD.
				-	FACE WATER: >1000'	
	O NMOCD TPH	CLUSURE STD:	PPI		READ. 52.7 ppm	\neg
SOIL AND EXCA DESCRIPTION:	VATION				GAS = 100 ppm RF = 0.	52
	TILZ / GIVAS AT ITS	SILTY CLAY	/ CLAY / GF		R BEORDOK (SANDSTONE)	,—
SOIL COLOR:	BROWNISH TO	MED. GRA	4			
	RS): NON COHESIVE / OHESIVE SOILS): (LOOS				HEL COHEZIAE	
	NON PLASTIC / SLIGH CLAYS & SILTS): SOFT				ASTIC / HIGHLY PLASTIC	Ì
MOISTURE: DRY / SL	IGHTLY MOIST / MOIST	/ WET / S	ATURATED / :	SUPER SATURA		
	ING DBSERVED: YES / YES / NO EXPLANA		ANATION	MEO. GRAY		
SAMPLE TYPE: GRAE	B/ COMPOSITE - # OF	PTS	5	red sample	FROM BEDROCK SURFAC	٠ عر
BEDROCK						_
		FIE	ELD 418.1 CA	ALCULATIONS	_	-
SCALE SA	MP. TIME SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON [DILUTION READING CALC. pp	m
O FT						
	CRIMETER AN			D D	IT PROFILE	
11111			VM			
1	merer run	RES	ULTS FIELD HEADSPACE	_		
	<u>k</u> wi-	1 @ 5'	PID (ppm)			
1	17	2 @ 3 @				
	serm T	4 @ 5 @				
WELL _				1 14	T APPLICABLE	
HEAD						
	711			-		
T.H.		LAB S	AMPLES			
~ Z B.P.⊅ -	P.O.	SAMPLE AN	ALYSIS TIME	=		
J., 1	~ 3' B.&.		SED !	_		
PD = PIT DEPRESSION	J.J .	1 1/1/5		—		
	N. B.G. = RELOW GRADE					
TRAVEL NOTES:	N; B.G. = BELOW GRADE = APPROX.; B = BELOW ALLOUT: 5/002		ONSITE:	5/10/02-		

revised: 02/27/02



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 5'	Date Reported:	05-14-02
Laboratory Number:	22715	Date Sampled:	05-10-02
Chain of Custody No:	9896	Date Received:	05-10-02
Sample Matrix:	Soil	Date Extracted:	05-13-02
Preservative:	Cool	Date Analyzed:	05-14-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Childers #1E Abandoned Pit

Grab Sample.

Analyst C. Gymen

(hister of Letters