District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

| Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🗵 | | | | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|
| Operator: McElvain Oil and Gas Telephone: | (505) 327-2679 e-mail address: | | | | | | |
| Address: 3001 Northridge Dr., Farmington, New Mexico, 87401 | <u> </u> | | | | | | |
| | | | | | | | |
| | 36.423988 Longitude -107.04318 | NAD::1923 ☐ | | | | | |
| | 30.423988 Longitude -107.04316 | | | | | | |
| Surface Owner: Federal State Private Indian | | | | | | | |
| Pit | Below-grade tank | AUG 2008 PECEIVEL EXPLAIN WAY TO COMS. ON DIST. 3 | | | | | |
| Type: Drilling ☑ Production ☐ Disposal ☐ | Volume:bbl Type of fluid: | AUG 2000 | | | | | |
| Workover ☐ Emergency ☐ | Construction material: | m Racely | | | | | |
| Lined Unlined 🛛 | Double-walled, with leak detection? Yes If not, | explan why not | | | | | |
| Liner type: Synthetic Thicknessmil Clay | | | | | | | |
| Pit Volume 10 bbl | | The state of the s | | | | | |
| Depth to ground water (vertical distance from bottom of pit to seasonal | Less than 50 feet | (20 points) (2/29757) | | | | | |
| high water elevation of ground water.) | 50 feet or more, but less than 100 feet | (10 points) | | | | | |
| , | 100 feet or more | (0 points) 0 | | | | | |
| Wellhead protection area: (Less than 200 feet from a private domestic | Yes | (20 points) | | | | | |
| water source, or less than 1000 feet from all other water sources.) | No | (0 points) 0 | | | | | |
| water source, or less tank 1000 for Hollian outer water sources, | Less than 200 feet | (20 points) | | | | | |
| Distance to surface water: (horizontal distance to all wetlands, playas, | 200 feet or more, but less than 1000 feet | l` • ′ | | | | | |
| irrigation canals, ditches, and perennial and ephemeral watercourses.) | | (10 points) (0 points) 0 | | | | | |
| | 1000 feet or more | | | | | | |
| | Ranking Score (Total Points) | 0 | | | | | |
| If this is a pit closure: (1) Attach a diagram of the facility showing the pit's | s relationship to other equipment and tanks. (2) Indica | te disposal location: (check the onsite box if | | | | | |
| your are burying in place) onsite 🔲 offsite 🗀 If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end | | | | | | | |
| date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth belo | w ground surfaceft. and attach sample | results. | | | | | |
| (5) Attach soil sample results and a diagram of sample locations and excavat | ions. | | | | | | |
| Additional Comments: | | | | | | | |
| The soils tested clean and no soil remediation was required. | | , | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | _ | | | | | | |
| | | | | | | | |
| I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . | | | | | | | |
| | | | | | | | |
| Date: $\frac{8/8/06}{\sqrt{1000}}$ | | | | | | | |
| Printed Name/Title Mr. Bob Fielder, Petroleum Engineer Consultant Signature / Labour C. Tuva | | | | | | | |
| Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or | | | | | | | |
| regulations. | | | | | | | |
| | | | | | | | |
| Approval: | | | | | | | |
| Printed Name Title Date: AUG 1 0 2006 | | | | | | | |
| | | | | | | | |

| CLIENT: McElvam | Ei | VIROTEC | H INC. | | LUCATIO |]N ND: |
|-------------------------------------------------------------------------|----------------------|---------------------------------------------------------------------------|--------------------------|--------------------|-----------------------------------------|------------------------------|
| | ENVIROI 5 FAI | MENTAL SCIENTIST 796 U.S. HIGHWA RMINGTON, NEW M PHONE: (505) 63 | Y 64-3014 EXICO 87401 | | | .C. ND: |
| FIELD REPOR | CT: CLOS | URE V | ERIFIC | CATION | | o: of |
| LOCATION: NAME: EIK CON | | | | | | TED: 5/17/06 HED: 5/17/06 |
| QTR/FOOTAGE: 1565 FS | | | ** | | ENVIRONME SPECIALIST: | NTALGNU |
| EXCAVATION APPROX | | | REMEDIATI | EP. CUBI ON METHFO | | |
| FIELD NOTES & REMAR DEPTH TO GROUNDWATER: >100 NMOCD RANKING SCORE: U | NEAREST WATER | SOURCE: >1 | 000 N | EAREST SURFA | CE WATER: 2 | DNE : |
| SOIL AND EXCAVATIO | N DESCRIPTION | <u></u> | | _X | PIT_ABA STEEL_T | NDUNED ANK INSTALLED |
| * | | FIE | <u> LD 418.1 CA</u> | | | |
| | TIME SAMPLE 1 | | WEIGHT (g) | mL. FREON [| OILUTION REA | ADING CALC. ppm |
| SCALE | 13 24 Cempus | I TP | 3.0 | | 10 10 | 4 4160 |
| O FT PIT PERIM | ETER | OVM RESULT | na · | PIT | PROF | ILE |
| 144 | Blow Pit 4 5 5 723 1 | LAB SAMP | HEADSPACE D (ppm) | 3 1 2 1 | · • • • • • • • • • • • • • • • • • • • | |
| TRAVEL NOTES: CALLOUT: | | | DNSITE: | | | |

•



CONTINUOUS CALIBRATION EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Cal. Date:

17-May-06

| Parameter | Standard Concentration mg/L | Concentration Reading mg/L | |
|-----------|-----------------------------------|----------------------------------|--|
| TPH | 100 | | |
| | 200 | 205 | |
| | 500 | | |
| | 1000 | | |

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

Analyst

Date

Review

Date



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

McElvain Oil and Gas

Composite sample 2' BGS

Project #:

06039-002-001

Sample No.:

1

Date Reported:

5/31/2006

Sample ID:

Soil

Date Sampled: 5

5/17/2006

Sample Matrix:

Cool

Date Analyzed:
Analysis Needed:

5/17/2006 TPH-418.1

Preservative:

Condition:

Cool and Intact

| | | Det. |
|-----------|---------------|---------|
| | Concentration | Limit |
| Parameter | (mg/kg) | (mg/kg) |

Total Petroleum Hydrocarbons

4,160

50.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of V

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Elk Com 1B

Instrument callibrated to 200 ppm standard. Zeroed before each sample

Analyst

Review