<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II

District III

District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \text{No} \subseteq \)
faction. Bonistation of a mit on holour and a tank [ Classes of a mit or holour and a tank [

Type of action: Registration of a pit of	or below-grade tank   Closure of a pit or below-grad	ac talk to	
Operator: Robert L. Bayless, Producer LLC Telephone: (505) 326 2659 e-mail address: hguerrero@rlbayless.com			
Address: P.O.BOX 168 Farmington, NM 87402			
Facility or well name: Marron #11 API #: 30-045-33137 U/L or Qtr/Qtr NWSW Sec 24 T 27N R 8W			
County: San Juan Latitude	36.55678 ° N Longitude 107.63	8867° W NAD: 1927 ☐ 1983 ☐	
Surface Owner: Federal State Private Indian			
Pit	Below-grade tank	60 mm 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
Type: Drilling \( \subseteq \text{Production} \subseteq \text{Disposal} \subseteq \)	Volume:bbl Type of fluid:		
Workover ☐ Emergency ☐	Construction material: AUG 2008		
Lined 🛭 Unlined 🗍	Double-walled, with leak detection? Yes If not, explain why not. SECEIVED		
Liner type: Synthetic  Thickness mil Clay	Volume:bbl Type of fluid:		
Pit Volume 3600 Bbl		E DIST. 3	
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)	
high water elevation of ground water.)	100 feet or more X	( 0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	
water source, or less than 1000 feet from all other water sources.)	No X	( 0 points)	
	Less than 200 feet	(20 points)	
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more X	( 0 points)	
•	Bouling Score (Total Brings)		
	Ranking Score (Total Points)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if			
your are burying in place) onsite 🗌 offsite 🔲 If offsite, name of facility (3) Attach a general description of remedial action taken including			
remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.			
(5) Attach soil sample results and a diagram of sample locations and excavations.			
Additional Comments:			
Fruitland coal well drilled with fresh water mud.			
	<b>*</b>		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank			
has been/will be constructed or closed according to NMOCD guidelines \( \bigcirc\), a general permit \( \bigcirc\), or an (attached) alternative OCD-approved plan \( \bigcirc\).			
Date: 08/09/2006			
Printed Name/Title Habib Guerrero	Signature		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.			
Approval: @ZPUW OIL & GAS INSPECTOR, DIST. @P	Signature Brah TM	AUG 1 0 2006	