Submit 3 Copies To Appropriate District	State of New	Mexico		Form C-103
Office District I	Energy, Minerals and I	Natural Resources		May 27, 2004
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.	
District II 1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVAT	ION DIVISION	30-045-33768 5. Indicate Type of Least	SA
District III	1220 South St.	Francis Dr.	STATE	FEE 🔯
1000 Rio Brazos Rd., Aztec, NM 87410 District IV	Santa Fe, NN	M 87505	6. State Oil & Gas Leas	
1220 S. St. Francis Dr., Santa Fe, NM 87505			35732	
SUNDRY NOTION (DO NOT USE THIS FORM FOR PROPOSITION OF THE PROPOSALS.)		RPLUG BACK TOVATO	7. Lease Name or Unit Memgem Walters 34	Agreement Name
	Gas Well 🛛 Other	ECIONES IN MIN	8. Well Number	1
2. Name of Operator San Juan Resources, Inc		TO TOWN S	9. OGRID Number	20208
3. Address of Operator		(8 mar 12 00 6)	10. Pool name or V	Vildcat
c/o Dean Collins, 4201 Terrace Dri	ve, Farmington NM 87402	LEFE TO THE	Blanco Mesa Verde/Bas	in Dakota
4. Well Location				
Unit LetterI:_	1980feet from the	South line and line	feet from the _	Eastline
Section 34	Township 32N	Range 13W	NMPM San Juan	County
	5777' GR	r DR, RKB, RT, GR, etc.)		
Pit or Below-grade Tank Application O				
Pit typeDepth to G	<u> </u>	m nearest fresh water well	Distance from nearest	surface water
Pit Liner Thickness: mil			onstruction Material	
12. Check A	appropriate Box to Indica	te Nature of Notice,	Report or Other Data	
NOTICE OF IN	TENTION TO:	SUB	SEQUENT REPOR	T OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORK	K 🔲 ALTE	RING CASING
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRI		DA 🗆
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMENT	ΓJOB ⊠	
OTHER: Change Location		OTHER:		
13. Describe proposed or compl	eted operations. (Clearly state	e all pertinent details, and	l give pertinent dates, incl	uding estimated date
of starting any proposed wo or recompletion.	rk). SEE RULE 1103. For M	ultiple Completions: Att	tach wellbore diagram of p	proposed completion
8/17-9/1/2006: Drilled 7-7/8" he float collar, 36 jts 4-1/2" 11.6# N 14.80' marker jt, 82 jts 4-1/2" 11 Cemented w/ 350 sx 65/35/G/PO followed by 400 sx 50/50/G/PO Displaced w/ 60 bbls water and w/ 650 sx 65/35/G/POZ w/ 6% g 5#/sx gilsonite, ¼#/sx flocele. D 25 bbls cement to surface after 1 rig.	N-80 LT&C csg, 46 jts 4-1/2" 1.6# J-55 LT&C csg and 1 jt 4- DZ w/ 6% gel, 5#/sx gilsonite, Z w/ 2% gel, 5#/sx gilsonite, ½ 47 bbls mud. Bumped plug. Figel, 5#/sx gilsonite, ½ 4/sx floce Displaced w/ 54 bbls water. Bu	11.6# J-55 LT&C csg, D' -1/2" 11.6# N-80 LT&C '/4#/sx flocele, 0.5% Hala 4#/sx flocele, 0.1% CFR- Float held. Opened DV to ele, WT 12.4 ppg, yield Imped plug. w/ 1052 psi.	V tool, 3 jts 4-1/2" 11.6#.csg to 6947' DV tool is @ad 9 and 0.1% HR5 WT 1:3 and 0.2% Halad 9 WT 100l and circulated 7 hrs. 22.16 followed by 50 sx Cl. Plug down @ 1705 hrs 9	J-55 LT&C csg, 20 3592'. 1st Stage: 2.4 ppg, yield 1.96 13.5 ppg, yield 1.30. 2rd Stage: Cemented lass G w/ 1% CaCl, 2/1/2006. Circulated
NOTE: Circulated 10 bbls ceme	nt to surface on surface cemer	nt job 8/15/2006		
I hereby certify that the information a grade tank has been will be constructed or c	hove is true and complete to the losed according to MMOCD guideli	he best of my knowledge ines ⊠, a general permit □ o	e and belief. I further certify or an (attached) alternative OC	y that any pit or below- CD-approved plan [].
SIGNATURE SIGNATURE	Colling TITLE	EAgent	DAT	E_Sept 4, 2006
Type or print name Dean C. Collin For State Use Only				
		ress: collinsd@zianet.co	•	No. (505) 320-6425
APPROVED BY: / / / / / / / / / / / / / / / / / / /		<u> </u>	•	No. (505) 320-6425 SEP 0 6 2006
APPROVED BY: / / JOAN Conditions of Approval (if any): Ne		<u> </u>	•	