

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank

Operator: Dugan Production Corp Telephone: (505)325-1821 e-mail address: _____
Address: P.O. Box 420, Farmington, New Mexico 87401
Facility or well name: Bronze Medal No. 1 API #: 30-045-26435 U/L or Qtr/Qtr D Sec 3 T 23N R 10W
County: San Juan Latitude 36.26175 Longitude 107.88846 NAD: 1927 1983 Surface Owner Federal State Private Indian

Pit	Below-grade tank	
Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume <u>102 ±</u> bbl	Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not: _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points) 0
	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	(0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points) 0
	1000 feet or more	(0 points)
Ranking Score (Total Points)		0

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite offsite If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
12' x 12' x 4'± deep unlined production pit, center located 66 feet North 35° West of wellhead.
Use Backhoe to dig into pit and sample.
Collect 4-point composite soil sample from sidewalls and single point sample from pit center for laboratory testing.
Propose to fill pit with clean fill and close in place as is.
See attached field sampling report and laboratory test reports.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .
Date: August 23, 2006
Printed Name/Title Jeff Blagg, Agent Signature Jeff Blagg
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. # Signature Brandon Powell Date: SEP 05 2006
Printed Name/Title _____

CLIENT: <u>DUGAN</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: _____
		COCR NO: <u>1342</u>

FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: 1 of 1

LOCATION: NAME: <u>BRONZE MEDAL</u> WELL#: <u>1</u> TYPE: <u>SEP</u>	DATE STARTED: <u>8-14-06</u>
QUAD/UNIT: <u>D SEC: 3 TWP: 23N RNG: 10W PM: NM CNTY: SJ ST: NM</u>	DATE FINISHED: <u>8-14-06</u>
QTR/FOOTAGE: <u>490 FNL x 970 FWL</u> CONTRACTOR: <u>R.W. Miller</u>	ENVIRONMENTAL SPECIALIST: <u>JCB</u>

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: 0

DISPOSAL FACILITY: NA REMEDIATION METHOD: CLOSE AS IS

LAND USE: RANGE - NAV. ALLOTTED LEASE: N00-C-14-20-7307 FORMATION: GAL

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 66 FT. N35W FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000

NMOC D RANKING SCORE: 0 NMOC D TPH CLOSURE STD: 5000 PPM

SOIL AND EXCAVATION DESCRIPTION:

OVM CALIB. READ. = 53.1 ppm;
 OVM CALIB. GAS = 100 ppm RF = 0.52
 TIME: 0620 (am/pm) DATE: 8-14-06

SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER CLAYSTONE @ 9'

SOIL COLOR: LITE TAN

COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD


MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - FROM PIT BASE TO 9' - GRAY STREAKING

HC ODOR DETECTED: YES / NO EXPLANATION - MODERATE TO 9'


SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS. _____

ADDITIONAL COMMENTS: 12' x 12' x 4' ± Deep Unlined Pit. USE BACKHOE TO DIG INTO PIT & collect SAMPLES.

SCALE 

FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)




OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @	
2 @	
3 @	
4 @	
5 @	
(4) @ 10'	81
(C) @ 10'	96

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
4- Pout	T/B/CL	0945
C	"	1005



TRAVEL NOTES: CALLOUT: _____ ONSITE: 8/14/06

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	4 - Point @ 10'	Date Reported:	08-17-06
Laboratory Number:	38163	Date Sampled:	08-14-06
Chain of Custody No:	1342	Date Received:	08-15-06
Sample Matrix:	Soil	Date Extracted:	08-15-06
Preservative:	Cool	Date Analyzed:	08-16-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.2	0.2
Diesel Range (C10 - C28)	13.2	0.1
Total Petroleum Hydrocarbons	13.4	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Bronze Medal #1 Sep Pit.**


Analyst


Review

ENVIROTECH LABS

PRactical SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	C @ 10'	Date Reported:	08-17-06
Laboratory Number:	38164	Date Sampled:	08-14-06
Chain of Custody No:	1342	Date Received:	08-15-06
Sample Matrix:	Soil	Date Extracted:	08-15-06
Preservative:	Cool	Date Analyzed:	08-16-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	14.5	0.1
Total Petroleum Hydrocarbons	14.5	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Bronze Medal #1 Sep Pit.**


Analyst


Review

ENVIROTECH LABS

PRactical SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	08-16-06 QA/QC	Date Reported:	08-17-06
Laboratory Number:	38150	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	08-16-06
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept Range
Gasoline Range C5 - C10	07-11-05	1.7724E+004	1.7742E+004	0.10%	0 - 15%
Diesel Range C10 - C28	07-11-05	1.4576E+003	1.4605E+003	0.20%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	0.3	0.3	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	249	99.6%	75 - 125%
Diesel Range C10 - C28	0.3	250	249	99.4%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 38150 - 38154 and 38161 - 38164.


Analyst


Review

ENVIROTECH LABS

PRactical SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	4 - Point @ 10'	Date Reported:	08-17-06
Laboratory Number:	38163	Date Sampled:	08-14-06
Chain of Custody:	1342	Date Received:	08-15-06
Sample Matrix:	Soil	Date Analyzed:	08-16-06
Preservative:	Cool	Date Extracted:	08-15-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	13.3	1.8
Toluene	8.1	1.7
Ethylbenzene	93.7	1.5
p,m-Xylene	28.7	2.2
o-Xylene	7.9	1.0
Total BTEX	152	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Bronze Medal #1 Sep Pit.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	C @ 10'	Date Reported:	08-17-06
Laboratory Number:	38164	Date Sampled:	08-14-06
Chain of Custody:	1342	Date Received:	08-15-06
Sample Matrix:	Soil	Date Analyzed:	08-16-06
Preservative:	Cool	Date Extracted:	08-15-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	13.5	1.8
Toluene	5.5	1.7
Ethylbenzene	41.8	1.5
p,m-Xylene	2.9	2.2
o-Xylene	ND	1.0
Total BTEX	63.7	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Bronze Medal #1 Sep Pit.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	08-16-BTEX QA/QC	Date Reported:	08-17-06
Laboratory Number:	38161	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	08-16-06
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF:	%Diff.	Blank Conc:	Detect Limit
Benzene	2.6600E+007	2.6653E+007	0.2%	ND	0.2
Toluene	3.4785E+007	3.4854E+007	0.2%	ND	0.2
Ethylbenzene	1.4652E+007	1.4682E+007	0.2%	ND	0.2
p,m-Xylene	5.9045E+007	5.9163E+007	0.2%	ND	0.2
o-Xylene	2.8032E+007	2.8088E+007	0.2%	ND	0.1


Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff.	Accept Range	Detect Limit
Benzene	13.7	13.5	1.5%	0 - 30%	1.8
Toluene	24.0	24.0	0.0%	0 - 30%	1.7
Ethylbenzene	31.8	31.7	0.3%	0 - 30%	1.5
p,m-Xylene	34.1	33.8	0.9%	0 - 30%	2.2
o-Xylene	29.2	29.1	0.3%	0 - 30%	1.0


Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	13.7	50.0	63.7	100.0%	39 - 150
Toluene	24.0	50.0	73.7	99.6%	46 - 148
Ethylbenzene	31.8	50.0	81.6	99.8%	32 - 160
p,m-Xylene	34.1	100	134	99.9%	46 - 148
o-Xylene	29.2	50.0	79.0	99.7%	46 - 148

ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 38161 - 38164.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW


Chloride


Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	4 - Point @ 10'	Date Reported:	08-16-06
Lab ID#:	38163	Date Sampled:	08-14-06
Sample Matrix:	Soil	Date Received:	08-15-06
Preservative:	Cool	Date Analyzed:	08-15-06
Condition:	Cool and Intact	Chain of Custody:	1342

Parameter	Concentration (mg/Kg)
Total Chloride	1,108

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Bronze Medal #1 Sep Pit.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	C @ 10'	Date Reported:	08-16-06
Lab ID#:	38164	Date Sampled:	08-14-06
Sample Matrix:	Soil	Date Received:	08-15-06
Preservative:	Cool	Date Analyzed:	08-15-06
Condition:	Cool and Intact	Chain of Custody:	1342


Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

648

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Bronze Medal #1 Sep Pit.**


Analyst


Review

