

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes  No

Type of action: Registration of a pit or below-grade tank  Closure of a pit or below-grade tank

Operator: Dugan Production Corp Telephone: (505)325-1821 e-mail address: \_\_\_\_\_  
 Address: P.O. Box 420, Farmington, New Mexico 87401  
 Facility or well name: Chacra No. 2 API #: 30-043-20309 U/L or Qtr/Qtr 0 Sec 21 T 22N R 7W  
 County: Sandoval Latitude 36.12091 Longitude 107.57683 NAD: 1927  1983  Surface Owner Federal  State  Private  Indian

<b>Pit</b> Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume <u>53 ±</u> bbl	<b>Below-grade tank</b> Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____
--	--

RCVD DEC 14 06  
OIL CONS. DIV.  
DIST. 3

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)	
	50 feet or more, but less than 100 feet	(10 points)	0
	100 feet or more	( 0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)	
	No	( 0 points)	0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)	
	200 feet or more, but less than 1000 feet	(10 points)	0
	1000 feet or more	( 0 points)	
<b>Ranking Score (Total Points)</b>			0

**If this is a pit closure:** (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite  offsite  If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No  Yes  If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5)

Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:  
10' x 10' x 3'± deep unlined production pit, center located at approximately 50 Feet North 15° West of wellhead  
Use backhoe to dig into pit and sample. Submit 5-point composite sample from pit walls and base  
for laboratory testing.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .  
 Date: December 11, 2006

Printed Name/Title Jeffrey C Blagg, Agent Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:  
 Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. #77 Signature [Signature] Date: DEC 14 2006

CLIENT: <u>DUGAN</u>	<b>BLAGG ENGINEERING, INC.</b> P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: _____ COCR NO: <u>14725</u>
----------------------	---	---

**FIELD REPORT: PIT CLOSURE VERIFICATION** PAGE No: 1 of 1

LOCATION: NAME: <u>CHACRA</u> WELL #: <u>2</u> TYPE: <u>SEP</u>	DATE STARTED: <u>11-13-06</u>
QUAD/UNIT: SEC: <u>21</u> TWP: <u>22N</u> RNG: <u>7W</u> PM: <u>NM</u> CNTY: <u>SN</u> ST: <u>NM</u>	DATE FINISHED: <u>11-13-06</u>
QTR/FOOTAGE: <u>1160 FSL x 1600 FEL</u> CONTRACTOR: <u>SIERRA - Harold</u>	ENVIRONMENTAL SPECIALIST: <u>JLB</u>

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: 0

DISPOSAL FACILITY: NA REMEDIATION METHOD: CLOSE AS IS

LAND USE: RANGE-BLM LEASE: NM 25821 FORMATION: CHACRA

**FIELD NOTES & REMARKS:** PIT LOCATED APPROXIMATELY 50 FT. N15W FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000

NMOC D RANKING SCORE: 0 NMOC D TPH CLOSURE STD: 5000 PPM

**SOIL AND EXCAVATION DESCRIPTION:**

OVM CALIB. READ. = <u>53.1</u> ppm
OVM CALIB. GAS = <u>100</u> ppm RF = 0.52
TIME: <u>0630</u> am/pm DATE: <u>11/13</u>

SOIL TYPE: (SAND) SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER \_\_\_\_\_

SOIL COLOR: TAN

COHESION (ALL OTHERS): (NON COHESIVE) SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): (LOOSE) / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: (DRY / SLIGHTLY MOIST) MOIST / WET / SATURATED / SUPER SATURATED


DISCOLORATION/STAINING OBSERVED: YES (NO) EXPLANATION - \_\_\_\_\_

HC ODOR DETECTED: YES (NO) EXPLANATION - \_\_\_\_\_

SAMPLE TYPE: GRAB (COMPOSITE) # OF PTS. 5


ADDITIONAL COMMENTS: 10' x 10' x 3' ± Deep Unlined Pit. USE Backhoe to dig into pit & sample.

FIELD 418.1 CALCULATIONS							
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)



**OVM READING**

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @	
2 @	
3 @	
4 @	
5 @	
5-PE @	0.0



**LAB SAMPLES**

SAMPLE ID	ANALYSIS	TIME
5-PE	T/B/CL	1140

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES: CALLOUT: \_\_\_\_\_ ONSITE: 11/13/06

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Chacra #2	Date Reported:	11-24-06
Laboratory Number:	39216	Date Sampled:	11-13-06
Chain of Custody No:	14725	Date Received:	11-17-06
Sample Matrix:	Soil	Date Extracted:	11-20-06
Preservative:	Cool	Date Analyzed:	11-24-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Pit Closures 5-Point Composite**

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Chacra #2	Date Reported:	11-24-06
Laboratory Number:	39216	Date Sampled:	11-13-06
Chain of Custody:	14725	Date Received:	11-17-06
Sample Matrix:	Soil	Date Analyzed:	11-24-06
Preservative:	Cool	Date Extracted:	11-20-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	15.5	1.5
p,m-Xylene	20.7	2.2
o-Xylene	2.2	1.0
<b>Total BTEX</b>	<b>38.4</b>	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Pit Closures 5-Point Composite

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Chacra #2	Date Reported:	11-21-06
Lab ID#:	39216	Date Sampled:	11-13-06
Sample Matrix:	Soil	Date Received:	11-17-06
Preservative:	Cool	Date Analyzed:	11-21-06
Condition:	Cool and Intact	Chain of Custody:	14725


Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

130

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Pit Closures 5-Point Composite

  
Analyst

  
Review