

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to  
appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe  
office

RCVD DEC 27 06

**Pit or Below-Grade Tank Registration or Closure**

OIL CONS. DIV.

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>BP America Production Company</u> Telephone: <u>(505)326-9200</u> e-mail address: _____		
Address: <u>200 Energy Ct, Farmington, NM 87401</u>		
Facility or well name: <u>CORNELL E #1E</u> API #: <u>30045 24283</u> U/L or Qtr/Qtr <u>F</u> Sec <u>12</u> T <u>29 N</u> R <u>12 W</u>		
County: <u>San Juan</u> Latitude _____ Longitude _____ NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/>		
Surface Owner: Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>		
<b>Pit</b> Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	<b>Below-grade tank</b> Volume: _____ bbl Type of fluid: <u>MA</u> Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If no, explain why not. _____	DIST. 3
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) ( 0 points) <u>0</u>
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) ( 0 points) <u>0</u>
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points) <u>0</u>
Ranking Score (Total Points)		<u>0</u>

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
See Attached Documentation

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. 4

Signature Bonnie D. Pull

Date: DEC 27 2006

CLIENT:

BP

**BLAGG ENGINEERING, INC.**  
**P.O. BOX 87, BLOOMFIELD, NM 87413**  
**(505) 632-1199**

LOCATION NO: 81157

COCR NO: 10647

**FIELD REPORT: PIT CLOSURE VERIFICATION**

PAGE No: 1 of 1

LOCATION: NAME: CORNELL E WELL #: 1 E TYPE: SEP/BLOW

DATE STARTED: 2-19-03

DATE FINISHED: 2-19-03

QUAD/UNIT: F SEC: 12 TWP: 29N RNG: 12W PM: NM CNTY: SJ ST: NM

ENVIRONMENTAL SPECIALIST: JCB

QTR/FOOTAGE: 1750'N/1770'W SELW CONTRACTOR: FLINT (BEN)

EXCAVATION APPROX. 15 FT. x 15 FT. x 17 FT. DEEP. CUBIC YARDAGE: 30±

DISPOSAL FACILITY: ONSITE REMEDIATION METHOD: LF

LAND USE: RANGE - Blm LEASE: NM073793 FORMATION: DK

FIELD NOTES &amp; REMARKS: PIT LOCATED APPROXIMATELY 120' FT. S27°W FROM WELLHEAD.

DEPTH TO GROUNDWATER: &gt;100 NEAREST WATER SOURCE: &gt;1000 NEAREST SURFACE WATER: &gt;1000

NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM

**SOIL AND EXCAVATION DESCRIPTION:**

OVM CALIB. READ. = 129.8 ppm  
 OVM CALIB. GAS = 250 ppm RF = 0.52  
 TIME: 1100 am/pm DATE: 2-19-03

SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER SANDSTONE BEDROCK @ 7' BG

SOIL COLOR: GRAY/BLACK

COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): LOOSE FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS &amp; SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: YES NO EXPLANATION: GRAY TO BLACK

HC ODOR DETECTED: YES NO EXPLANATION: STRONG

SAMPLE TYPE: GRAB COMPOSITE - # OF PTS.

ADDITIONAL COMMENTS: EARTHEN PIT. EXCAVATE TO FIRM SANDSTONE BEDROCK @ 7' BG.

BEDROCK BOTTOM

SAMPLE PIT Bottom Center w/ BACKHUE. LANDFARM SOILS on site.  
 Set 95° Barrel steel tank in EXCAVATION.

SCALE




FT

## FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

## PIT PERIMETER

## PIT PROFILE




## OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 7'	361
2 @	
3 @	
4 @	
5 @	

## LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
107	TPH/BTEX	1310
		1510
BOTH PASSED		



P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW  
 T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES:

CALLOUT: 2/19/03 01420 ONSITE: 2/19/03 1450

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client: Blagg / BP  
Sample ID: 1 @ 7'  
Laboratory Number: 24892  
Chain of Custody No: 10647  
Sample Matrix: Soil  
Preservative: Cool  
Condition: Cool and Intact


Project #: 94034-010  
Date Reported: 02-21-03  
Date Sampled: 02-19-03  
Date Received: 02-20-03  
Date Extracted: 02-21-03  
Date Analyzed: 02-21-03  
Analysis Requested: 8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	193	0.2
Diesel Range (C10 - C28)	29.1	0.1
Total Petroleum Hydrocarbons	222	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Cornell E #1E - Sep/Blow.

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client: Blagg / BP  
Sample ID: 1 @ 7'  
Laboratory Number: 24892  
Chain of Custody: 10647  
Sample Matrix: Soil  
Preservative: Cool  
Condition: Cool & Intact

Project #: 94034-010  
Date Reported: 02-21-03  
Date Sampled: 02-19-03  
Date Received: 02-20-03  
Date Analyzed: 02-21-03  
Date Extracted: 02-21-03  
Analysis Requested: BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	96.7	1.8
Toluene	296	1.7
Ethylbenzene	308	1.5
p,m-Xylene	1,620	2.2
o-Xylene	703	1.0
Total BTEX	3,020	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99 %
	1,4-difluorobenzene	99 %
	Bromochlorobenzene	99 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Cornell E #1E - Sep/Blow.

  
Analyst

  
Review

CLIENT: BPBLAGG ENGINEERING, INC.  
P.O. BOX 87, BLOOMFIELD, NM 87413  
(505) 632-1199LOCATION NO: 81157C.O.C. NO: 13397

## FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: CORNELL E WELL #: 1E PITS: SEP./BLWDATE STARTED: 3/22/05QUAD/UNIT: F SEC: 12 TWP: 29N RNG: 12W PM: NM CNTY: SJ ST: NM

DATE FINISHED: \_\_\_\_\_

QTR/FOOTAGE: SE/NW CONTRACTOR: \_\_\_\_\_ENVIRONMENTAL  
SPECIALIST: NV

SOIL REMEDIATION:

30

REMEDICATION SYSTEM: LANDFARM

APPROX. CUBIC YARDAGE: \_\_\_\_\_

LAND USE: RANGE - BLMLIFT DEPTH (ft): 1-2

## FIELD NOTES &amp; REMARKS:

NMDCD RANKING SCORE: 0 NMDCD TPH CLOSURE STD: 5,000 ppmDEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1,000SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER \_\_\_\_\_SOIL COLOR: PALE YELL. ORANGE TO LT. MED. GRAYCOHESION (ALL OTHERS): (NON COHESIVE) / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARDMOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATEDDISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION: VARYING GRAY IN SAMP. PTS. (2), (4), & (5)HC ODOR DETECTED: YES / NO EXPLANATION: \_\_\_\_\_SAMPLING DEPTHS (LANDFARMS): 12-18 (INCHES)SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS. —

ADDITIONAL COMMENTS: \_\_\_\_\_

CLOSED

## FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm

## SKETCH/SAMPLE LOCATIONS

N

DVM CALIB. READ. 51.5 ppm  
DVM CALIB. GAS = 100 ppm; RF = 0.52  
TIME: 9:15 @/pm DATE: 3/22/05

## OVM RESULTS

## LAB SAMPLES

SAMPLE ID	FIELD HEADSPACE PID (ppm)	SAMPLE ID	ANALYSIS	TIME	RESULTS
LF-1	0.0	LF-1	TPH (90/55)	1110	ND

P.C. - 2/19/03

SCALE

0 FT

TRAVEL NOTES: CALLOUT: N/AONSITE: 3/22/05

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	03-23-05
Laboratory Number:	32421	Date Sampled:	03-22-05
Chain of Custody No:	13397	Date Received:	03-22-05
Sample Matrix:	Soil	Date Extracted:	03-22-05
Preservative:	Cool	Date Analyzed:	03-23-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Cornell E #1E - Landfarm 5 Pt. Composite Sample.**

  
Analyst

  
Review