

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well ☐ Oil Well ☒ Gas Well ☐ Other		5. Lease Serial No. NMSF078460
2. Name of Operator CONOCOPHILLIPS COMPANY		6. If Indian, Allottee or Tribe Name
3a. Address 4001 PENBROOK, SUITE 346 ODESSA, TX 79762		7. If Unit or CA/Agreement, Name and/or No. NMNM78423A
3b. Phone No. (include area code) Ph: 915.368.1352		8. Well Name and No. SAN JUAN 32-7 241A
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 21 T32N R7W NESE 1850FSL 1055FEL		9. API Well No. 30-045-32407-00-X1
		10. Field and Pool, or Exploratory BASIN FRUITLAND COAL
		11. County or Parish, and State SAN JUAN COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☒ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☐ Subsequent Report	☐ Alter Casing	☐ Fracture Treat	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☒ Other
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	Surface Disturbance
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

ConocoPhillips requests to submit cathodic protection information as shown on the attached documents for this well.

ACCEPTED FOR RECORD

SEP 22 2004

FARMINGTON FIELD OFFICE
BY 12



14. I hereby certify that the foregoing is true and correct. Electronic Submission #35975 verified by the BLM Well Information System For CONOCOPHILLIPS COMPANY, sent to the Farmington Committed to AFMSS for processing by ADRIENNE BRUMLEY on 09/20/2004 (04AXB3502SE)	
Name (Printed/Typed) VICKI WESTBY	Title AGENT
Signature (Electronic Submission)	Date 09/13/2004

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____	Title _____	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

NMOC




TIERRA CORROSION CONTROL

Cathodic Protection

CATHODIC PROTECTION PLAN FOR NEW WELL

WELL NAME: S.J. 32-7#2HA LEGALS: 1-21-32-7 COUNTY: S.J.

PURPOSED C.P. SYSTEM: DRILL G.B. & SET RECT. ON SOUTH CORNER OF LOCATION THEN TRENCH @
180' WED NEB FROM RECT TO WELL HEAD



EXISTING WELLHEAD	METER HOUSE	G.B.	POWER SOURCE	CABLE	NEW WELL	OVERHEAD A.C.

COMMENTS: _____

NEAREST POWER SOURCE: A.C. BURIED UNDERGROUND DISTANCE: 425'

PIPELINES IN THE AREA: _____

TECHNICIAN: DATE: 10-15-04

Rocky Mountain Regional Headquarters

1608 Schofield Lane • Farmington, New Mexico 87401
Office: 505-326-0272 • Fax: 505-326-6755

Property : San Juan 32-7 Well #: 241A

Surface Location:

Unit: I Section: 21 Township: 32N Range: 7W

County: San Juan State: New Mexico

Footage: 1850 from the South line, 1055 from the East line.

CATHODIC PROTECTION

ConocoPhillips (COP) proposes to drill a cathodic protection deep well groundbed for the subject well. COP will drill a hole vertically at the surface large enough to accommodate 20 feet of 8 inch diameter PVC pipe for surface casing to assist in further drilling and loading. Casing may be cemented in place for stability if needed. COP will drill a 6-7/8" hole to an anticipated minimum depth of 300' (maximum depth of 500'). Cement plugs will not be used unless more than one water zone is encountered. Prior drilling history for the area indicates only one zone to that depth. If more than one water zone is encountered, notification will be made and details of cement and casing will be provided.

All drilling activity will remain on the existing well pad and a Farmington based company will be doing the drilling for ConocoPhillips.