

18-30039-07856

3489

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit NE Sec. 18 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #18
cps 2055w

Elevation 6371' Completion Date 4/8/63 Total Depth 100' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 680 lbs.

Depths anodes placed: 83', 77', 71', 65', 59'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1 RETIRED

RECEIVED
MAY 31 1991
OIL CON. DIST.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 4-8-63

WELL NAME SAN JUAN 30-6 # 18 CPS NO. 165W ²⁰⁵⁵

LOCATION NE² Sec 18 T30 N R 6 W

WORK ORDER NUMBER 189-40542-50-02

ANODE HOLE DEPTH 100

TOTAL DRILLING RIG TIME 3 Hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Rock - WM #3495

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 83, #2 77, #3 71, #4 65 ^{#5} 59

TOTAL LBS. COKE USED 680 8 sacks

ANODE OUTPUTS 12.4 VOLTS, #1 3.5, #2 3.6, #3 3.6, #4 3.2 ^{#5} 2.7

TOTAL CIRCUIT RESISTANCE: VOLTS 11.8 AMPERES 8.4 OHMS 1.4

NUMBER FEET SURFACE CABLE ~~CABLE~~ 310'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static 9/8 78R 600 N.

Installed Good All Rectifier 28V 12A

Serial No. 62C 6229


Assigned Tag No. 165W

ALL CONSTRUCTION COMPLETED

Forrester

SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

145'

SAUL TOWN 30-6 UNIT No 32

LEASE 17000000 WELL NO.

CONTRACTOR J. E. Wilson

RIG NO. D-6

REPORT NO.

DATE

MORNING

DAYLIGHT

EVENING

Driller				Total Man Hr. Cr.				Driller				Total Man Hr. Cr.			
FROM	TO	FORMATION	WT. BIT	R.P.M.	WT. BIT	R.P.M.		FROM	TO	FORMATION	WT. BIT	R.P.M.	WT. BIT	R.P.M.	
0	5	clay mud	1					110	130	clay mud	1				
5	25	clay mud	1					130	150	clay mud	1				
25	37	clay mud	1					150	170	clay mud	1				
37	110	clay mud	1					170	185	clay mud	1				

BIT NO.	NO. DC	SIZE	LENG.	BIT NO.	NO. DC	SIZE	LENG.
10				110			
10				130			
10				150			
10				170			
10				185			

TYPE	DOWN ON KELLY	SINGLES	TYPE	DOWN ON KELLY	SINGLES
clay mud			clay mud		
clay mud			clay mud		
clay mud			clay mud		
clay mud			clay mud		
clay mud			clay mud		

MAKE	TOTAL DEPTH	MAKE	TOTAL DEPTH
clay mud	240	clay mud	240
clay mud		clay mud	
clay mud		clay mud	
clay mud		clay mud	
clay mud		clay mud	

TIME	WL	VIS	TIME	WL	VIS
11:15			11:15		
11:15			11:15		
11:15			11:15		
11:15			11:15		
11:15			11:15		

SIGNED: T. J. Wilson

Company Supervisor

J. E. Wilson

REMARKS:

REMARKS:

REMARKS:

11:15 - pulled 180 used 2 mud that lower than
11:15 - pulled 60' standard hole 1 and under 500

11:15 - pulled 180 used 2 mud that lower than