30-045-24218

NORTHWESTERN NEW MEXICO

(Submit 3 Copies to OCD Aztec Office)

3590

Operator: BLACKWOOD & NICHOLS CO. Location: Unit P, Sec. 6, Twp 30N, Rng 7W. Name of Well/Wells or Pipeline Serviced NEBU 37A
Elevation 6300' Completion Date 10-1-93 Total Depth 450' Land Type* Surface: F Mineral: Fee
Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C 100', 7-7/8" Open Hole
If Casing is cemented, show amounts & types used 20 sks Portland Zia I-II
If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A
Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc. Clear, 230'.
Depths gas encountered: N/A
Type & amount of coke breeze used: Asbury Flo-Coke - 5,850#.
Depths anodes placed: 230' - 400' 23 1993
Depths vent pipes placed: TD to 4' Above Ground Level
Vent pipe perforations: Bottom - 340'
Remarks: Groundbed located 152' North of NEBU 37A wellhead.
If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.
*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.
Similar Killer

CATHODIC GROUND BED DRILLERS REPORT

STRATA NOTES DEPTII STRATA NOTE	<u> [4-37</u>	WELL#NERU#	<u>£37A</u>	•	S G TSON 1	
10' 5' 1 1 1 1 1 1 1 1 1		STRATA	NOTES	DEPTH	STRATA	NOTES
15' \\ \(\) \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	51					
20' 25' 30' 35' 44' 45' 55 66' 65 76 88' 90' 9 140'	101					
35 30' 35' 41 46' 3 45' 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	151					<u> </u>
35 30' 35' 41 46' 3 45' 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	201					
85 d 90 d 95 d						
85 d 90 d 95 d	301					
85 d 90 d 95 d	35'	,		<u> </u>	·	
85 4 90 1 130 ·	40'					
85 4 90 1 130 ·	451	2	j	_		
85 4 90 1 130 ·	50	Ce	-			
85 4 90 1 130 ·	55'		<u> </u>			
85 4 90 1 130 ·	60	6				
85 4 90 1 130 ·	65	N				
85 4 90 1 130 ·	70	· Và				
85 4 90 1 130 ·	75				·	
85 4 90 1 130 ·	80	77				
9.5	85	4				
9.5	90					
130						
				,		
			•	1		
		<u> </u>				

ER gesse munting

INSPECTOR Maty sek

CATHODIC GROUND BED DRILLERS REPORT

10-1-93

STRATA	NOTES	DEPTH	STRATA	NOTE
o Casine				:
B Stale				
no Sondefore.				
80 Santon Kale				
30 Stale				:
23: Sondstooklay				:
270 Lole				
31 Sontston Solo		·		
320 Stale				
330 Sont Horf Stale				
340 Stale				
380 Sonttone			·	
42 Slale				
450 Sodstone				
				-
		,		· ·
				
		,		
				· · · · · · · · · · · · · · · · · · ·