

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS

MA-10

NORTHWESTERN NEW MEXICO

(Submit 3 Copies to OCD Aztec Office)

30-045-27244 → #478
30-045-25409 → #78

3586

Operator: BLACKWOOD & NICHOLS CO. Location: Unit M, Sec. 21, Twp 31N, Rng 7W.Name of Well/Wells or Pipeline Serviced NEBU 478, 78Elevation 6410' Completion Date 10-5-93 Total Depth 500' Land Type* Surface: P Mineral: SF-079045Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7-7/8" Open HoleIf Casing is cemented, show amounts & types used 20 sks Portland Zia I-IIIf Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. No water.Depths gas encountered: N/AType & amount of coke breeze used: 132 sx, Asbury Graphite Flo-Coke.Depths anodes placed: 210' - 412'Depths vent pipes placed: 445' to 4' Above Ground LevelVent pipe perforations: 105' - 445'Remarks: Groundbed located 120' N 36° E of NEBU 78. WELLHEAD

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.

If Federal or Indian, add Lease Number.

Signed by: James K. AllenTitle: Operations EngineerDate: 11/19/93

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

MA-10 WELL# NEB 11#487478

S 21 T 21 N R 14

DEPTH	STRATA	NOTES	DEPTH	STRATA	NOTES
5'					
10'					
15'					
20'	NE				
25'	N				
30'	STO				
35'	✓				
40'					
45'					
50'					
55'					
60'					
65'	E				
70'	L				
75'	A				
80'	H				
85'	S				
90'					
95'					
100'	✓				

LLER

INSPECTOR

Joe Matysek

CATHODIC GROUND BED DRILLERS REPORT

11/10 WELL# NEBU# 478 + #78

S. 2/ T. 3/

[illegible]

LER

INSPECTOR