

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
March 12, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

RCVD MAR26'07
OIL CONS. DIV.
DIST. 3

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No
Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank

Operator: BP AMERICA PROD. CO. Telephone: (505) 326-9200
Address: 200 Energy Court, Farmington, NM 87410
Facility or well name: HUGHES A #3E API #: 30-045-25285 U/L or Qtr/Qt I Sec 28 T 29N R 8W
County: San Juan Latitude 36.69424 Longitude 107.67485 NAD: 1927 1983 Surface Owner Federal State Private Indian

Pit	Below-grade tank	
Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> BLOW Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Volume _____ bbl	Volume: _____ bbl Type of fluid: _____ Construction material: <u>N/A</u> Double-walled with leak detection? Yes <input checked="" type="checkbox"/> If not, explain why not.	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)	0
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points)	0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points)	0
Ranking Score (Total Points)		0

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: onsite offsite If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .

Date: 06/12/04

Printed Name/Title Jeff Blagg - P.E. # 11607 Signature [Signature]

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: MAR 26 2007

Date: _____
Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. 3 Signature [Signature]

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>81352</u> COCR NO: <u>11676</u>
-------------------	---	--

04A

FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: 1 of 1

LOCATION: NAME: <u>HUGHES</u> A WELL#: <u>3E</u> TYPE: <u>Blow</u>	DATE STARTED: <u>3/26/04</u>
QUAD/UNIT: <u>I</u> SEC: <u>28</u> TWP: <u>29N</u> RNG: <u>8W</u> PM: <u>NM</u> CNTY: <u>ST</u> ST: <u>NM</u>	DATE FINISHED: _____
QTR/FOOTAGE: <u>1635'5/540'E</u> NELSE CONTRACTOR: <u>SIERRA (will)</u>	ENVIRONMENTAL SPECIALIST: <u>NV</u>

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: NA

DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS IS

LAND USE: RANGE - LEASE: ST 078049 FORMATION: OK

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 150 FT. S36W FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'

NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM

SOIL AND EXCAVATION DESCRIPTION:

SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____

SOIL COLOR: MOD. BROWN TO LT. GRAY

COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - LT. GRAY @ BOTTOM OF TEST HOLE.

HC ODOR DETECTED: YES / NO EXPLANATION - DISCOLORED SOIL & SUM. SAMPLE.

SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS. -

ADDITIONAL COMMENTS: INSTRUCTED OPERATOR TO DIGITE & AERATE IMPACTED SOIL & LEAVE IN PLACE.


OVM CALIB. READ. = 53.4 ppm CHECK

OVM CALIB. GAS = 100 ppm RF = 0.52

TIME: 9:40 @/pm DATE: 3/26/04

CLOSED

FIELD 418.1 CALCULATIONS								
SCALE	SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)
0 FT								



OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 5.5'	1305
2 @	
3 @	
4 @	
5 @	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
DES.5	TPH (80158)	0923
"	BTEX (80218)	"

BOTH PASSED

PIT PROFILE

NOT APPLICABLE

TRAVEL NOTES: CALLOUT: 3/25/04 - MORN. ONSITE: 3/26/04 - MORN. SCHEDULED

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 5.5'	Date Reported:	03-29-04
Laboratory Number:	28222	Date Sampled:	03-26-04
Chain of Custody No:	11676	Date Received:	03-26-04
Sample Matrix:	Soil	Date Extracted:	03-29-04
Preservative:	Cool	Date Analyzed:	03-29-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	2,300	0.2
Diesel Range (C10 - C28)	47.8	0.1
Total Petroleum Hydrocarbons	2,350	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Hughes A #3E Blow Pit Grab Sample.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 5.5'	Date Reported:	03-29-04
Laboratory Number:	28222	Date Sampled:	03-26-04
Chain of Custody:	11676	Date Received:	03-26-04
Sample Matrix:	Soil	Date Analyzed:	03-29-04
Preservative:	Cool	Date Extracted:	03-29-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	149	1.8
Toluene	2,670	1.7
Ethylbenzene	1,080	1.5
p,m-Xylene	1,550	2.2
o-Xylene	2,530	1.0
Total BTEX	7,980	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96 %
	1,4-difluorobenzene	96 %
	Bromochlorobenzene	96 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Hughes A #3E Blow Pit Grab Sample.


Analyst


Review