## District I 1625 N: French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

## Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \text{No} \subseteq \)

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank		
Operator: Coleman Oil & Gas, Inc Telephon	ne: (505) 327-0356 e-mail address: mhan:	son@cog-fmn.com
Address: P.O. Drawer 3337, Farmington NM 87499		
Facility or well name: Juniper West Com 13 #42	API #: 30-045-32954 U/L or Qtr/Qtr : H	Sec: <u>13</u> T <u>24N</u> R <u>11W</u>
County: San Juan Latit	rude: 36° 18' 58" Longitude: 107° 56' 53"	NAD: 1927 ⊠ 1983 □
Surface Owner: Federal ☐ State ☐ Private ☐ Indian ☒		•
<u>Pit</u>	Below-grade tank	RCVD MAR26'07
Type: Drilling   Production   Disposal	Volume:bbl Type of fluid:	THE COME DIE
Workover ☐ Emergency ☐	Construction material:	
Lined 🖾 Unlined 🗌	Double-walled, with leak detection? Yes If not,	explain why not.
Liner type: Synthetic M Thickness: 12 mil Clay		
Pit Volume: 1200 bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	
high water elevation of ground water.)	50 feet or more, but less than 100 feet	
	100 feet or more	0 points
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	
water source, or less than 1000 feet from all other water sources.)	No	0 points
	Less than 200 feet	
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	0 points
	1000 feet of more	
	Ranking Score (Total Points)	0 points
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks. (2) Indica	te disposal location: (check the onsite box if
your are burying in place) onsite  offsite  If offsite, name of facility <u>J</u>	Juniper West Com 13 #42. (3) Attach a general descrip	otion of remedial action taken including
remediation start date and end date. (4) Groundwater encountered: No 🗵	Yes I If yes, show depth below ground surface	ft. and attach sample results.
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments:		
Free liquids were pulled and disposed of. Liner was cut off at mud line, hauled off and disposed of. Reserve pit was backfilled and reclaimed.		
Tree riquitus were puried and disposed of. Einter was cut off at mud line, naufed off and disposed of. Reserve pit was oackinied and rectaimed.		
		·
		- I
I hereby certify that the information above is true and complete to the best	t of my knowledge and belief. I further certify that the	ne above-described pit or below-grade tank
has been/will be constructed or closed according to NMOCD guidelin		
Date: Thursday, March 22, 2007	111	./
Printed Name/Title: Michael T. Hanson / Operations Engineer	Signature Muhael T. d	laror-
Your certification and NMOCD approval of this application/closure does		
otherwise endanger public health or the environment. Nor does it relieve regulations.	the operator of its responsibility for compliance with a	ny other federal, state, or local laws and/or
Approval:	2101	//
Approval:  Printed Name/Title  Printed Name/Title	Signature B. J. J.	Date: MAR 2 6 2007

Coleman O.L+ GAS, INC. Juniper WEST Com 13 442 1550' FRL & 900' FEL, SECTION 13, T24N, R11W, NMPM SAN JUAN COUNTY, NEW MEXICO GROUND BLEVATION: 6536' OH POWER-LINE FI (5) 6 F4 ZO' X 60' 2:1 Slopes Reserve Pit 8' DEEP gi 35 Wellhead to back 580°W 1151 LAYDOWN C3 (4) ① F4 115 CI 95 Mellhead 100 77. (0.20 de) 18. (0.20 de) C7 (3) 2 F4 Bi A-A' 6545' 65351 65251 B-B' 6545 6535 6525 <u>'S-C</u> 6545 6535 6525' Note: Contractor should call One-Call for location of any marked or unmarked buried pipelines or cables on well pad and/or access road at least two (2) working days prior to construction

