<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II

2301 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division

Form C-144

February 16, 2007

1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes 🖾 No

	a pit or below-grade tank  Closure of a pit or below-grade tank	ank 🗵		
Operator: Burlington Resources Tele	shone: (505) 326-9841 e-mail address: Louis.	E.Hasely@conocophillips.com		
Address: 3401 East 30th Street, Farmington, New Mexico, 87402	mone: (303/320-9841 e-mail address: Louis.	E.Haseiy@conocopninips.com		
Facility or well name: Huerfano Unit #168E API	#: 3004526677 U/L or Otr/Otr A	Sec 23 T 26N R 10W		
County: San Juan Latitus				
Surface Owner: Federal 🖾 State 🗌 Private 🗌 Indian 🗍	e 30,477/10 Longitude -107.00041			
Pit	Poloni grada tank	RCVD APR19'07		
Type: Drilling Production Disposal	Volume: 60 bbl Time of finish Brockwood Water on	Volume: 60 bbl Type of fluid: Produced Water and Incidental ONS. DIV.		
Workover   Emergency		Construction materials. Etheraless		
Lined Unlined		Construction material: Fiberglass  Double-walled, with leak detection? Yes  If not, explain why not.		
Liner type: Synthetic Thickness mil Clay	No. Tank in place prior to Rule 50.	piani wily not.		
Pit Volumebbl	No. 1 ank in place prior to Rule 50.			
TR VOIGINGOF	Less than 50 feet (f)	20 points)		
Depth to ground water (vertical distance from bottom of pit to seaso	nal	10 points)		
high water elevation of ground water.)		0 points) 0		
	100 Red of more	o ponta)		
Wellhead protection area: (Less than 200 feet from a private domes	ic Yes (	20 points)		
water source, or less than 1000 feet from all other water sources.)	No (	0 points) 0		
	Less than 200 feet (	20 points)		
Distance to surface water: (horizontal distance to all wetlands, plays	200 feet or more, but less than 1000 feet	10 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses		0 points) 0		
	Ranking Score (Total Points)	0		
If this is a pit closure: (1) Attach a diagram of the facility showing the are burying in place) onsite ☐ offsite ☐ If offsite, name of facility (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below (5) Attach soil sample results and a diagram of sample locations and expressions.	(3) Attach a general description of remedial action taken in we ground surface ft. and attach sample results.			
Additional Comments:				
		·		
The soils tested clean and no soil remediation was required.				
	77-47-4			
I hereby certify that the information above is true and complete to the has been/will be constructed or closed according to NMOCD guidest.				
Date: 3/30/07	1001 M			
Printed Name/Title Mr. Ed Hasely, Environmental Advisor	Signature & Head			
Your certification and NMOCD approval of this application/closure otherwise endanger public health or the environment. Nor does it re regulations.				
Approval:  Printed Name/Title Signature	APR 1 9 200	7		

CLIENT: Burlington	5796	IROTECH INC.  TIAL SCIENTISTS & ENGINEERS U.S. HIGHWAY 64-3014 GTON, NEW MEXICO 87401		LOCATION NO	
FIELD REPOR	RT: CLOSU	NE VERIFIC		PAGE No:	11/2
	CENU W 168 WELL 23 TWP: 26N RNG: L 1080 FEL CONTI	10 W PM: NMFACNT	Y: 5) ST: NM	DATE STARTED: 2  DATE FINISHED: 2  ENVIRONMENTAL 1	16/07 16/07
EXCAVATION APPROX	FT. x 0 F	T. x _Ø FT. DE: REMEDIATI 300452667706	EP. CUBIC ON METHOD	yardage: yardage: o:n/a mation:/3	Ø 45ih
FIELD NOTES & REMAR	O NEAREST WATER SE	APPROXIMATELY 5			WELLHEAD.
NMOCD RANKING SCORE: _O SOIL AND EXCAVATION Soil passed no Eurther exca	IN DESCRIPTION.	E STD: <u>5000</u> PPM	1 .	CHECK ONE PIT ABANDON STEEL TANK	ED
SCALE	TIME SAMPLE I.D.	FIELD 418.1 CAL LAB No: WEIGHT (g) 5.00	mL. FREON DILL	JTION READING	CALC. ppm
O FT PERIMI	10: <b>01</b> 306540 ETER	OVM		206 PROFILE	206
1 (8) 1 (8)	SAMPLID 12 1 1 2 3 4 5 5	RESULTS  E FIELD HEADSPACE PID (ppm)  AB SAMPLES  ANALYSIS TIME			
TRAVEL NOTES: CALLOUT	:	ONSITE:			

.



## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington

Project #:

92115-121-021

Sample No.:

1

Date Reported:

2/19/2007

Sample ID:

Discrete, 3' Below BG Tank

Date Sampled:

2/16/2007

Sample Matrix:

Soil

Date Analyzed:

2/16/2007

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

160

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis

of Water and Waste, USEPA Storet No. 4551, 1978.

Comments:

**Huerfano Unit # 168E** 

Instrument callibrated to 200 ppm standard. Zeroed before each sample

Analyst

Review



## CONTINUOUS CALIBRATION EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Cal. Date:

16-Feb-07

Parameter	Standard Concentration mg/L	Concentration Reading mg/L	
TPH	100		
	200	206	
	500		
	1000		

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

Analyst

Date

Review

Dat