


4-30-039-06776
183E= 30-039-25433 5060



DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Unocal Oil and Gas Operation Location: Unit I Sec. 31 Twp 27N Rng 6W

Name of Well/Wells or Pipeline Serviced Rincon Unit 183E Rincon Unit 4

Elevation 6612' Completion Date 02/01/95 Total Depth 320' Land Type* F

Casing, Sizes, Types & Depths NONE

If Casing is cemented, show amounts & types used NONE

If Cement or Bentonite Plugs have been placed, show depths & amounts used

NONE

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. NONE NOTED

Depths gas encountered: NONE

Type & amount of coke breeze used: 1650 lbs. Carbo 40

Depths anodes placed: 84', 90', 96', 102', 108', 114', 120', 126', 132', 139'

Depths vent pipes placed: 0' to 320'

Vent pipe perforations: 70' thru 300'

Remarks: Lease 079364

First Ground Bed installed on this location

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

CPS GROUND BED CONSTRUCTION WORKSHEET

CPS# 751-00311	P/L NAME (S), NUMBER (S) <i>Rincon #183E</i>					
WO #	TOTAL <i>10 Anodes</i>	VOLTS <i>12.38</i>	AMPS <i>13.1</i>	= OHMS <i>0.95</i>	DATE <i>2-1-95</i>	NAME <i>Don L.</i>

REMARKS (notes for construction log)
1650 lb of Coke Breeze

Depth
75' .2 - 80' .3 - 85' .4 - 90' 1.9 - 100' 2.1

DEPTH	LOG ANODE	ANODE #	DEPTH	LOG ANODE	ANODE #	DEPTH	LOG ANODE	ANODE #	DEPTH	LOG ANODE	ANODE #	
100	1.6		295			490			685			
105	1.7		300			495			690			
110	1.4		305			500			695			
115	1.4		310			505			700			
120	2.2		315			510			ANODE	DEPTH	NO COKE	FULLY COK'D
125	2.2		320			515			#			
130	2.1		325			520			1	139	1.4	3.1
135	1.6		330			525			2	132	2.0	5.0
140	1.3		335			530			3	126	2.4	5.9
145	.3		340			535			4	120	2.1	5.3
150	.1		345			540			5	114	1.3	3.3
155	.2		350			545			6	108	1.7	3.8
160	.2		355			550			7	102	1.6	3.7
165	TAD		360			555			8	96	2.0	4.3
170			365			560			9	90	1.8	3.9
175			370			565			10	84	1.2	2.9
180			375			570			11			
185			380			575			12			
190			385			580			13			
195			390			585			14			
200			395			590			15			
205			400			595			16			
210			405			600			17			
215			410			605			18			
220			415			610			19			
225			420			615			20			
230			425			620			21			
235			430			625			22			
240			435			630			23			
245			440			635			24			
250			445			640			25			
255			450			645			26			
260			455			650			27			
265			460			655			28			
270			465			660			29			
275			470			665			30			
280			475			670						
285			480			675						
290			485			680						

P.O. BOX 1359 - PHONE 334-6141

AZTEC, NEW MEXICO 87410

COMPANY

Ulucal

DAILY DRILLING REPORT

2-1-95

1997

WILSONIAN

SECTION:

TOWNSHIP

Figure 1

Rincon

31

27N

64

WATER AT:

Feet:

HOMEMADE!

300

DESCRIPTION OF FORMATION

[illegible]

两批人同时被捕：

Outline

Test Results