

65 - 30-039-07593
537- 30-039-25021

4536

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 22 Twp 29 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 29-7 UNIT #65, #537

cps 97w

Elevation 6783' Completion Date 12/17/62 Total Depth 130' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used n/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 935 lbs.

Depths anodes placed: 110', 104', 98', 92'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 12-17-62

WELL NAME SAN JUAN 29-7 # 65 CPS NO. 91W

LOCATION Sec 22 T29N R7W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 130

TOTAL DRILLING RIG TIME 9 hrs

DRILLING TIME FOR RECTIFIER POLE HOLE None

TYPE AND SIZE BIT USED 6 1/4 Rock # 8481

NUMBER SACKS MUD USED 6

NUMBER SACKS LOST CIRCULATION MAT'L USED 3

ANODE DEPTHS #1 110, #2 104, #3 98, #4 92

TOTAL LBS. COKE USED 935 (11 SACKS)

ANODE OUTPUTS 11.8 VOLTS, #1 3.7, #2 3.7, #3 4.4, #4 4.4

TOTAL CIRCUIT RESISTANCE: VOLTS 11.4 AMPERES 7.7 OHMS 1.48

NUMBER FEET SURFACE CABLE ~~CABLE~~ 395'

DRILLING LOG (ATTACH HERETO).


FORMATION LOG (ATTACH HERETO).

REMARKS: Static c/s .62 R North

ALL CONSTRUCTION COMPLETED

Shaver
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

824'

EL PASO NATURAL GAS COMPANY
DRILLING DEPARTMENT

DAILY DRILLING REPORT

LEASE Sun. 29-7 WELL NO. 65 CONTRACTOR L.E. Wilson RIG NO. D-2 REPORT NO. 9703 DATE 12-15 1962

MORNING										DAYLIGHT										EVENING														
Driller					Total Men In Crew					Driller					Total Men In Crew					Driller					Total Men In Crew									
FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.										
0	20	SS.	800																															
20	56	SS.	"																															
56	87	SS.	"																															
87	130	SS.	"																															
BIT NO.					NO. DC					NO. DC					NO. DC					NO. DC														
SERIAL NO.					STANDS					STANDS					STANDS					STANDS														
SIZE					SINGLES					SINGLES					SINGLES					SINGLES														
TYPE					DOWNHOLE KELLY					DOWNHOLE KELLY					DOWNHOLE KELLY					DOWNHOLE KELLY														
MAKE					TOTAL DEPTH					TOTAL DEPTH					TOTAL DEPTH					TOTAL DEPTH														
MUD RECORD					MUD ADDITIVES USED AND RECEIVED					MUD RECORD					MUD ADDITIVES USED AND RECEIVED					MUD RECORD					MUD ADDITIVES USED AND RECEIVED									
TIME					TIME					TIME					TIME					TIME					TIME									
FROM					TO					FROM					TO					FROM					TO									
TIME BREAKDOWN					TIME BREAKDOWN					TIME BREAKDOWN					TIME BREAKDOWN					TIME BREAKDOWN					TIME BREAKDOWN									
REMARKS					REMARKS					REMARKS					REMARKS					REMARKS					REMARKS									
Dec. 13. Drilled To 80' Lost Circulation AT 20' 3 hrs Water. 5 hrs																																		
Dec. 16 Sunday. DEF.																																		
Dec. 17. Drilled From 80' To 130' 1 1/2 hrs Water. 4 hrs.																																		

SIGNED: Toolpusher

Company Supervisor

[Signature]