

#1 30-045-11262
#100 30-045-26840

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 29 Twp 32 Rng 10

Name of Well/Wells or Pipeline Serviced SCOTT #1, #100

cps 520w

Elevation 6179 Completion Date 5/1/64 Total Depth 200' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A


Type & amount of coke breeze used: 2125 lbs.

Depths anodes placed: 182', 176', 170', 140', 134'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1



If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 5-1-64

WELL NAME Scott No. 1

CPS NO. 520520W

LOCATION NE 29-32-10

WORK ORDER NUMBER 52051

ANODE HOLE DEPTH 200

TOTAL DRILLING RIG TIME 10 Hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Rock W.M. 7705

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 182, #2 176, #3 170, #4 140 5 134

TOTAL LBS. COKE USED 2125 (175 sacks)

ANODE OUTPUTS 12.0 VOLTS, #1 3.3, #2 4.1, #3 4.0, #4 3.3 5 4.2

TOTAL CIRCUIT RESISTANCE: VOLTS 11.4 AMPERES 8.7 OHMS 1.3

NUMBER FEET SURFACE CABLE ~~CONDUIT~~ 540'

DRILLING LOG (ATTACH HERETO).


FORMATION LOG (ATTACH HERETO).

REMARKS: Static c/s. 90 R 600' E
P.E.M. 28-12 Ser. # 637211

ALL CONSTRUCTION COMPLETED

Corrals
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

1347'

EASE SCOTT WELL NO. 1 CONTRACTOR L.F. WILSON RIG NO. D-6 REPORT NO. DATE 4-27-64

MORNING										EVENING									
Total Men In Crew					Total Men In Crew					Total Men In Crew					Total Men In Crew				
FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.
0	35	SC			90'	145'	SH												
35	70	SS			145	170	SC & SH												
70	90	SH			170	190	SH												
90	90	SS			190	200	SC												
NO. DC					NO. DC					NO. DC					NO. DC				
SIZE					SIZE					SIZE					SIZE				
STANDS					STANDS					STANDS					STANDS				
SINGLES					SINGLES					SINGLES					SINGLES				
DOWN ON KELLY					DOWN ON KELLY					DOWN ON KELLY					DOWN ON KELLY				
TOTAL DEPTH					TOTAL DEPTH					TOTAL DEPTH					TOTAL DEPTH				
MUD, ADDITIVES USED AND RECEIVED					MUD, ADDITIVES USED AND RECEIVED					MUD, ADDITIVES USED AND RECEIVED					MUD, ADDITIVES USED AND RECEIVED				
MUD RECORD					MUD RECORD					MUD RECORD					MUD RECORD				
Time					Time					Time					Time				
Vis.					Vis.					Vis.					Vis.				
RIG TIME 10 H					RIG TIME 10 H					RIG TIME 10 H					RIG TIME 10 H				
TIME BREAKDOWN					TIME BREAKDOWN					TIME BREAKDOWN					TIME BREAKDOWN				
FROM					FROM					FROM					FROM				
TO					TO					TO					TO				
4-27-64 FINISHED LAST HOLE AT 11:00 PM					4-27-64 FINISHED LAST HOLE AT 11:00 PM					4-27-64 FINISHED LAST HOLE AT 11:00 PM					4-27-64 FINISHED LAST HOLE AT 11:00 PM				
4-28-64 MOVED RIG FROM YARD AT 6:00 AM					4-28-64 MOVED RIG FROM YARD AT 6:00 AM					4-28-64 MOVED RIG FROM YARD AT 6:00 AM					4-28-64 MOVED RIG FROM YARD AT 6:00 AM				
FINISHED HOLE AT 3:00 PM					FINISHED HOLE AT 3:00 PM					FINISHED HOLE AT 3:00 PM					FINISHED HOLE AT 3:00 PM				
REMARKS -					REMARKS -					REMARKS -					REMARKS -				
4-28-64 DRILLED FROM 0' TO 200'					4-28-64 DRILLED FROM 0' TO 200'					4-28-64 DRILLED FROM 0' TO 200'					4-28-64 DRILLED FROM 0' TO 200'				
BLOOMFIELD					BLOOMFIELD					BLOOMFIELD					BLOOMFIELD				
REMARKS -					REMARKS -					REMARKS -					REMARKS -				
4-27-64					4-27-64					4-27-64					4-27-64				
1111					1111					1111					1111				

SIGNED: Toolpusher

SIGNED: Supervisor

Offshore