<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 1301 W. Grand Avenue. Artesia. NM 88210 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Form C-144
June 1, 2004

d production facilities, submit to

District IV 1220 S. St. Francis Dr . Santa Fe, NM 87505

Approval:

Printed Name/Title

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Date: AUG 0 2 2007

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank (505)-326-9200 ___e-mail address:_ BP AMERICA PROD. CO. Telephone: Address: 200 ENERGY COURT. FARMINGTON. NM 87410 Facility or well name: RIDDLE F LS #5 API#: 30-045- 07052 U/L or Qtr/Qtr A Sec 32 T 28N R 8W Longitude 107.69903 County: SAN JUAN Latitude 36.62291 NAD: 1927 🗌 1983 🛛 Surface Owner Federal 🖾 State 🗌 Private 🔲 Indian 🗍 RCVD APR5'07 Pit Below-grade tank OIL CONS. DIV. Type: Drilling ☐ Production ☒ Disposal ☐ Volume: DIST. 3 Workover ☐ Emergency ☐ Construction materia Lined Unlined STEEL TANK Liner type: Synthetic Thickness mil Clay Pit Volume Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 0 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic 0 No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) 0 irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) **Ranking Score (Total Points)** 0 If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if . (3) Attach a general description of remedial action taken including your are burying in place) onsite \(\square\) offsite \(\square\) If offsite, name of facility remediation start date and end date. (4) Groundwater encountered: No 🖾 Yes 🔲 If yes, show depth below ground surface Attach soil sample results and a diagram of sample locations and excavations. 69 FT. S8W Additional Comments PIT LOCATED APPROXIMATELY FROM WELL HEAD. PIT EXCAVATION: WIDTH N/Aft., LENGTH N/Aft., DEPTH N/Aft. PIT REMEDIATION: CLOSE AS IS: ☑, LANDFARM: ☐, COMPOST: ☐, STOCKPILE: ☐, OTHER ☐ (explain) N/A Cubic vards: I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an alternative OCD-approved plan . 12/12/06 Date Jeff Blagg - P.E. # 11607 Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Deputy Oil & Gas Inspector.

District #3



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5 - Point @ 8'	Date Reported:	12-08-06
Laboratory Number:	39411	Date Sampled:	12-06-06
Chain of Custody No:	14732	Date Received:	12-07-06
Sample Matrix:	Soil	Date Extracted:	12-07-06
Preservative:	Cool	Date Analyzed:	12-08-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Riddle F LS #5

Dehy/Sep Tank Pit

Analyst

Mestrem Walter



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5 - Point @ 8'	Date Reported:	12-08-06
Laboratory Number:	39411	Date Sampled:	12-06-06
Chain of Custody:	14732	Date Received:	12-07-06
Sample Matrix:	Soil	Date Analyzed:	12-08-06
Preservative:	Cool	Date Extracted:	12-07-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	10.0	1.7
Ethylbenzene	28.9	1.5
p,m-Xylene	37.0	2.2
o-Xylene	21.9	1.0
Total BTEX	97.8	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Riddle F LS #5 Dehy/Sep Tank Pit

Analyst P. Off

Mister Walles
Review



Chloride

Project #: Client: Blagg / BP 94034-010 5 - Point @ 8' Date Reported: 12-08-06 Sample ID: 39411 Date Sampled: 12-06-06 Lab ID#: Date Received: 12-07-06 Sample Matrix: Soil Preservative: Cool Date Analyzed: 12-08-06 Chain of Custody: 14732 Condition: Cool and Intact

Parameter Concentration (mg/Kg)

Total Chloride 27.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Riddle F LS #5 Dehy/Sep Tank Pit

Analyst Review Review

CHAIN OF CUSTODY RECORD

Client / Project Name	CONTRACTOR OF THE PROPERTY OF	NOW NOT PROPERTY OF STREET	Project Location		A Lawrence and Control of the Contro				ANIAI	YSIS / PAR	AMETERS	ALL DESCRIPTION OF THE PARTY OF	a proposanti anno interes	
Bungo 160			RIDDLE F L	5 *5					ANAL	:010 / PAM	AMETERS			
Sampler: Dea	66		Client No.	- 010		No. of Containers	7	x 27			R	emarks		
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sam Mat		Contr	HOLL BOIS	87Ex 8021	3					
Stantes"	12-6-06	1230	39411	50	اد		×	*	X		DEHT/SEI	> TAI	u)= i	37_
5-24-168	ė,	1245	39412	1,		١	×	×	×		BLOW # 1	TAA	K	Pir
5- famile 9	11	1300	39413	11		i	×	×	х		5ww #2			
							-					-		
Refinquished by: (Signal			12	Date Tir	33	eceived by:	برر (C. (4	1			Date /		me 7.333
Relinquished by: (Signat	<u></u> uie)				Re	eceived by:	(Signatı	ure)						
				NIR	OTI	FCH		G			Sample I	Receipt	<u></u>	
												Υ	N	N/A
				5796 Farmingto		Highway 6 v Mexico		4			Received Intact	×		
						2-0615					Cool - Ice/Blue Ice	X		



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC		Project #:		N/A
Sample ID:	12-08-06 QA/C	C	Date Reported:		12-08-06
Laboratory Number:	39408		Date Sampled:		N/A
Sample Matrix:	Methylene Chlori	de	Date Received:		N/A
Preservative:	N/A		Date Analyzed:		12-08-06
Condition:	N/A		Analysis Reques	sted:	TPH
	∴ ∷I-Cal Date	Í-Cal RF∷	C-Cal RF:	% Difference	Accept Range
Gasoline Range C5 - C10	07-11-05	9.9355E+002	9.9454E+002	a supplement of	0 - 15%
Diesel Range C10 - C28	07-11-05	9.9458E+002	9.9657E+002	0.20%	0 - 15%
Blank Conc. (mg/L - mg/Kg)		Concentration		Detection Limit	}
Gasoline Range C5 - C10	The Control of the Co	ND	and a series of Shirts	0.2	
Diesel Range C10 - C28		ND		0.1	
Total Petroleum Hydrocarbons		ND		0.2	
Duplicate Conc. (mg/Kg)	Sample ***	Duólicate	ે '‰ Differrence ૈ	Accept. Range	
Gasoline Range C5 - C10	1.460	1,450	0.7%	0 - 30%	
Diesel Range C10 - C28	443	440	0.6%	0 - 30%	
Spike Conc. (mg/kg)	Sample	Spike Added	"Spike Result 🍌	√% Řecovery.	Âccept. Rangé
Gasoline Range C5 - C10	1,460	250	1,700	99.4%	75 - 125%
Diesel Range C10 - C28	443	250	692	99.9%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 39408 - 39414

Analyst

Review Malter



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A		Project #:		N/A
Sample ID:	12-08-BTEX QA/Q		Date Reported:		12-08-06
Laboratory Number:	39408	-	Date Sampled:		N/A
Sample Matrix:	Soil		Date Received:		N/A
Preservative:	N/A		Date Analyzed:		12-08-06
Condition:	N/A	Д	Analysis:		BTEX
Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF: Accept: Rang	%Diff. e 0 - 15%	Blank Conc	Detect.
Benzene	3 1840E+007	3.1904E+007	0.2%	ND	0.2
Toluene	4.7880E+007	4.7976E+007	0.2%	ND	0.2
Ethylbenzene	2 2867E+007	2 2913E+007	0.2%	ND	0.2
p,m-Xylene	8 9657E+007	8.9837E+007	0.2%	ND	0.2
o-Xylene	4 4677E+007	4.4766E+007	0.2%	ND	0.1
Duplicate Conc. (ug/Kg)		*Ouplicate :	Section 2 State	Accept Range	***
Duplicate Conc. (ug/Kg) Benzene Toluene Ethylbenzene p,m-Xylene p-Xylene	992 2,930 5,590 12,570 4,580	991 2,920 5,580 12,560 4,570	%Diff. 0.1% 0.3% 0.2% 0.1% 0.2%	Accept Range 0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30%	1.8 1.7 1.5 2.2 1.0
Benzene Toluene Ethylbenzene o,m-Xylene o-Xylene Spike Conc. (ug/Kg)	992 2,930 5,590 12,570 4,580 Sample	991 2,920 5,580 12,560 4,570 Amount Spiked	0.1% 0.3% 0.2% 0.1% 0.2% Spiked Sample	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30%	1.8 1.7 1.5 2.2 1.0
Benzene Toluene Ethylbenzene o,m-Xylene o-Xylene Spike Conc. (úg/Kg)	992 2,930 5,590 12,570 4,580 Sample 992 2,930	991 2,920 5,580 12,560 4,570 Amount Spiked	0.1% 0.3% 0.2% 0.1% 0.2% Spiked Sample 1,040 2,970	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30% % Recovery 99.8% 99.7%	1.8 1.7 1.5 2.2 1.0 Accept Range
Benzene Toluene Ethylbenzene o,m-Xylene o-Xylene Spike Conc. (ug/Kg)	992 2,930 5,590 12,570 4,580 Sample 992 2,930 5,590	991 2,920 5,580 12,560 4,570 Amount Spiked	0.1% 0.3% 0.2% 0.1% 0.2% Spiked Sample 1,040 2,970 5,630	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30%	1.8 1.7 1.5 2.2 1.0
Benzene Toluene Ethylbenzene o,m-Xylene o-Xylene Spike Conc. (úg/Kg)	992 2,930 5,590 12,570 4,580 Sample 992 2,930	991 2,920 5,580 12,560 4,570 Amount Spiked	0.1% 0.3% 0.2% 0.1% 0.2% Spiked Sample 1,040 2,970	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30% % Recovery 99.8% 99.7%	1.8 1.7 1.5 2.2 1.0 Accept Range

ND - Parameter not detected at the stated detection limit.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using

Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 39408 - 39414

Analyst