

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410

District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
June 1, 2004

For drilling and production facilities, submit to  
appropriate NMOC District Office.  
For downstream facilities, submit to Santa Fe  
office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP AMERICA PROD. CO. Telephone: (505)-326-9200 e-mail address: \_\_\_\_\_  
Address: 200 ENERGY COURT, FARMINGTON, NM 87410  
Facility or well name: JOHNSON GC C #1E API #: 30-045- 24004 U/L or Qtr/Qtr L Sec 7 T 29N R 12W  
County: SAN JUAN Latitude 36.73771 Longitude 108.14390 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

RCVD APR5'07

**Pit**

Type: Drilling ☐ Production ☐ Disposal ☒ SEPARATOR

Workover ☐ Emergency ☐

Lined ☒ Unlined ☐ STEEL TANK

Liner type: Synthetic ☐ Thickness \_\_\_\_\_ mil Clay ☐

Pit Volume \_\_\_\_\_ bbl

**Below-grade tank**

Volume: \_\_\_\_\_ bbl Type of fluid: \_\_\_\_\_

Construction material: N/A

Double-walled, with leak detection? Yes ☐ If not, explain why not. \_\_\_\_\_

OIL CONS. DIV.

DIST. 3

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)	0
	50 feet or more, but less than 100 feet	(10 points)	
	100 feet or more	( 0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)	0
	No	( 0 points)	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)	0
	200 feet or more, but less than 1000 feet	(10 points)	
	1000 feet or more	( 0 points)	
Ranking Score (Total Points)			0

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☒ If offsite, name of facility BP CROUCH MESA LF. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5)

Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments PIT LOCATED APPROXIMATELY 90 FT. N24W FROM WELL HEAD.

PIT EXCAVATION: WIDTH 12 ft., LENGTH 12 ft., DEPTH 8 ft.

PIT REMEDIATION: CLOSE AS IS: ☐, LANDFARM: ☐, COMPOST: ☐, STOCKPILE: ☐, OTHER ☒ EXCAVATE

Cubic yards: 21

BEDROCK BOTTOM

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOC District guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date: 02/08/06

Printed Name/Title Jeff Blagg - P.E. # 11607

Signature Jeff Blagg

Your certification and NMOC District approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval.

Deputy Oil & Gas Inspector,

Printed Name/Title

District #3

Signature Don Bell

Date:

AUG 03 2007

CLIENT: <u>BP</u>	<b>BLAGG ENGINEERING, INC.</b> <b>P.O. BOX 87, BLOOMFIELD, NM 87413</b> <b>(505) 632-1199</b>	LOCATION NO. <u>81755</u> COCR NO. <u>15515</u>
-------------------	-----------------------------------------------------------------------------------------------------	----------------------------------------------------

**FIELD REPORT: PIT CLOSURE VERIFICATION**

LOCATION: NAME: <u>Johnson GC C</u> WELL #: <u>1E</u> TYPE: <u>SEP</u> QUAD/UNIT <u>L</u> SEC: <u>7</u> TWP: <u>29N</u> RNG: <u>12W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: <u>1465 FSL x 1150 FWL</u> CONTRACTOR: <u>HDI (MIKE)</u>	PAGE No: <u>1</u> of <u>1</u> DATE STARTED <u>2-7-06</u> DATE FINISHED <u>2-7-06</u> ENVIRONMENTAL SPECIALIST: <u>JCB</u>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------

EXCAVATION APPROX. 12 FT. x 12 FT. x 8 FT. DEEP. CUBIC YARDAGE: 21 ±

DISPOSAL FACILITY: BP CROWN MESA L.F. REMEDIATION METHOD: EXCAVATE

LAND USE: RANGE-RURAL RES. LEASE: NM-073606 FORMATION: DK

**FIELD NOTES & REMARKS:** PIT LOCATED APPROXIMATELY 90 FT. N24W FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000

NMOC D RANKING SCORE: 0 NMOC D TPH CLOSURE STD: 5000 PPM

**SOIL AND EXCAVATION DESCRIPTION:**

OVM CALIB. READ. = 52.8 ppm  
 OVM CALIB. GAS = 100 ppm RF = 0.52  
 TIME 1000 am/pm DATE 2/7

SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK SS 12 ft.

SOIL COLOR: DARK TAN

COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - V. Minor Rust Stains

HC ODOR DETECTED: YES / NO EXPLANATION - None

SAMPLE TYPE GRAB / COMPOSITE # OF PTS. 5

ADDITIONAL COMMENTS: 12' x 12' x 4' Deep Wash Water Collected w/ 95 Gall  
BEADROCK BOTTOM Steel tank. Use Backhoe to pull tank & remove stained soils to  
BEDROCK @ 8'

**SCALE**

0 1 FT

**PIT PERIMETER**

**FIELD 418.1 CALCULATIONS**

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

**OVM READING**

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @	
2 @	
3 @	
4 @	
5 @	
5-Point	
Composite	194
@ 8'	

**LAB SAMPLES**

SAMPLE ID	ANALYSIS	TIME
5-Point	TOI	0930
	STP	
	CL	

PRISSED

**PIT PROFILE**

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5 - Point @ 8'	Date Reported:	02-08-06
Laboratory Number:	36159	Date Sampled:	02-07-06
Chain of Custody No:	15515	Date Received:	02-07-06
Sample Matrix:	Soil	Date Extracted:	02-07-06
Preservative:	Cool	Date Analyzed:	02-08-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	9.4	0.2
Diesel Range (C10 - C28)	88.7	0.1
Total Petroleum Hydrocarbons	98.1	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Johnson GC C 1E Separator.**

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5 - Point @ 8'	Date Reported:	02-08-06
Laboratory Number:	36159	Date Sampled:	02-07-06
Chain of Custody:	15515	Date Received:	02-07-06
Sample Matrix:	Soil	Date Analyzed:	02-08-06
Preservative:	Cool	Date Extracted:	02-07-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	73.6	1.5
p,m-Xylene	314	2.2
o-Xylene	35.7	1.0
Total BTEX	423	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Johnson GC C 1E Separator.

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5 - Pt @ 8'	Date Reported:	02-08-06
Lab ID#:	36159	Date Sampled:	02-07-06
Sample Matrix:	Soil	Date Received:	02-07-06
Preservative:	Cool	Date Analyzed:	02-08-06
Condition:	Cool and Intact	Chain of Custody:	15515

Parameter


Concentration (mg/Kg)


Total Chloride

0.6

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Johnson GC C 1E Separator.

  
Analyst

  
Review

155 15

san juan reproduction 578-129

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

### Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	02-08-06 QA/QC	Date Reported:	02-08-06
Laboratory Number:	36150	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	02-08-06
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
Gasoline Range C5 - C10	02-04-05	9.9237E+002	9.9337E+002	0.10%	0 - 15%
Diesel Range C10 - C28	02-04-05	1.0044E+003	1.0064E+003	0.20%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	32.9	33.2	0.9%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	250	100.0%	75 - 125%
Diesel Range C10 - C28	32.9	250	282	99.8%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 36150 - 36151, 36153 - 36154, 36156 - 36161.

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	02-08-BTEX QA/QC	Date Reported:	02-08-06
Laboratory Number:	36150	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	02-08-06
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF:	%Diff.	Blank Conc	Detect. Limit
		Accept Range	0 - 15%		
Benzene	1.3635E+007	1.3663E+007	0.2%	ND	0.2
Toluene	2.3246E+007	2.3293E+007	0.2%	ND	0.2
Ethylbenzene	1.9107E+007	1.9146E+007	0.2%	ND	0.2
p,m-Xylene	4.1729E+007	4.1812E+007	0.2%	ND	0.2
o-Xylene	1.9115E+007	1.9153E+007	0.2%	ND	0.1

Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff.	Accept Range	Detect. Limit
Benzene	ND	ND	0.0%	0 - 30%	1.8
Toluene	9.2	9.1	1.1%	0 - 30%	1.7
Ethylbenzene	4.3	4.2	2.3%	0 - 30%	1.5
p,m-Xylene	ND	ND	0.0%	0 - 30%	2.2
o-Xylene	ND	ND	0.0%	0 - 30%	1.0


Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	50.0	49.9	99.8%	39 - 150
Toluene	9.2	50.0	59.1	99.8%	46 - 148
Ethylbenzene	4.3	50.0	54.2	99.8%	32 - 160
p,m-Xylene	ND	100	99.9	99.9%	46 - 148
o-Xylene	ND	50.0	49.9	99.8%	46 - 148


ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 36150 - 36151, 36153 - 36154, 36156 - 36159.

  
Analyst

  
Review