

District I  
1625 N French Dr., Hobbs, NM 88240  
District II  
1301 W Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to  
appropriate NMOCD District Office  
For downstream facilities, submit to Santa Fe  
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator <u>BP America Production Company</u> Telephone: <u>(505)326-9200</u> e-mail address: _____		
Address <u>200 Energy Ct, Farmington, NM 87401</u>		
Facility or well name <u>Callow #11E</u> API #: <u>30045 24295</u> U/L or Qtr/Qtr <u>L</u> Sec <u>28</u> T <u>29</u> N R <u>13</u> W		
County <u>San Juan</u> Latitude _____ Longitude _____ NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/>		
Surface Owner Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>		
<b>Pit</b>		
Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl		
<b>Below-grade tank</b>		
Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not _____		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	( 0 points)
Wellhead protection area (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	( 0 points)
Distance to surface water (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	( 0 points)
Ranking Score (Total Points)		0

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_ (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft and attach sample results (5) Attach soil sample results and a diagram of sample locations and excavations

Additional Comments
See Attached Documentation
RCVD JUN8'07
OIL CONS. DIV.
DIST. 3

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations



Approval Deputy Oil & Gas Inspector,  
District #3

Printed Name/Title \_\_\_\_\_

Signature Bob Dill

Date: \_\_\_\_\_

AUG 10 2007

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO <u>80924</u> CDC NO: <u>8892</u>																																								
FIELD REPORT: CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																								
LOCATION: NAME <u>CANON</u> WELL # <u>11E</u> PIT DEPTH QUAD/UNIT <u>L SEC: 28 TWP: 29N RNG: 13W PM: Nm CNTY: SJ ST Nm</u> QTR/FOOTAGE: <u>1620'S 140'W NW1SW</u> CONTRACTOR <u>FUNT</u>		DATE STARTED <u>1/16/02</u> DATE FINISHED _____ ENVIRONMENTAL SPECIALIST <u>NV</u>																																								
EXCAVATION APPROX. <u>20</u> FT x <u>18</u> FT. x <u>7</u> FT. DEEP CUBIC YARDAGE <u>90</u> DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>DILUTED/AERATED</u> LAND USE: <u>RANGE - BLM</u> LEASE: <u>NM 0468126</u> FORMATION: <u>OK</u>																																										
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>105</u> FT. <u>N64E</u> FROM WELL HEAD DEPTH TO GROUNDWATER: <u>&gt;100'</u> NEAREST WATER SOURCE: <u>&gt;1000'</u> NEAREST SURFACE WATER <u>&gt;1000'</u> NMDCD RANKING SCORE: <u>0</u> NMDCD TPH CLOSURE STD: <u>5000</u> PPM																																										
SOIL AND EXCAVATION DESCRIPTION: SOIL TYPE: <u>SAND</u> / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u>BEDROCK (SANDSTONE)</u> SOIL COLOR: <u>MED. GRAY TO BLACK</u> BEDROCK - <u>LT. GRAY</u> COHESION (ALL OTHERS): <u>NON COHESIVE</u> / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): <u>LOOSE</u> / <u>FIRM</u> / DENSE / VERY DENSE PLASTICITY (CLAYS): <u>NON PLASTIC</u> / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): <u>SOFT</u> / FIRM / STIFF / VERY STIFF / HARD MOISTURE: <u>DRY</u> / <u>SLIGHTLY MOIST</u> / <u>MOIST</u> / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: <u>YES</u> / NO EXPLANATION - <u>ENTIRE TEST HOLE INTERVAL &amp; BEDROCK SURFACE</u> HC ODOR DETECTED: <u>YES</u> / NO EXPLANATION - <u>TEST HOLE / PIT AREA &amp; OVM SAMPLE</u> SAMPLE TYPE: <u>GRAB</u> / COMPOSITE - # OF PTS. <u>-</u> ADDITIONAL COMMENTS: <u>BEDROCK ENCOUNTERED @ 8 FT. BELOW GRADE, FRIABLE, VERY HARD @ PIT BOTTOM</u> <u>(SAMPLED), INSTRUCTED OPERATOR TO EXCAVATE PIT AREA DOWN TO 10 FT. BELOW GRADE, THEN DILUTE &amp; AERATE &amp; PLACE BACK INTO EXCAVATION.</u>		CHECK ONE <input checked="" type="checkbox"/> PIT ABANDONED <input type="checkbox"/> STEEL TANK INSTALLED <input type="checkbox"/> FIBERGLASS TANK INSTALLED																																								
SCALE  0 FT																																										
FIELD 418.1 CALCULATIONS																																										
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMPLE I.D.</th> <th>LAB No:</th> <th>WEIGHT (g)</th> <th>mL. FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. ppm</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>			SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																																
SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																																			
PIT PERIMETER 	OVM RESULTS <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE PID (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 10'</td><td>318</td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> </tbody> </table>	SAMPLE ID	FIELD HEADSPACE PID (ppm)	1 @ 10'	318	2 @		3 @		4 @		5 @		PIT PROFILE <div style="text-align: center; font-size: 24px; margin-top: 100px;">NOT APPLICABLE</div>																												
SAMPLE ID	FIELD HEADSPACE PID (ppm)																																									
1 @ 10'	318																																									
2 @																																										
3 @																																										
4 @																																										
5 @																																										
LAB SAMPLES <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>1210</td><td>TPH (80158)</td><td>0850</td></tr> <tr><td>"</td><td>BTX (80218)</td><td>"</td></tr> <tr><td colspan="3" style="text-align: center;"><u>BOTH PASSED</u></td></tr> </tbody> </table>			SAMPLE ID	ANALYSIS	TIME	1210	TPH (80158)	0850	"	BTX (80218)	"	<u>BOTH PASSED</u>																														
SAMPLE ID	ANALYSIS	TIME																																								
1210	TPH (80158)	0850																																								
"	BTX (80218)	"																																								
<u>BOTH PASSED</u>																																										
PD = PIT DEPRESSION; BG = BELOW GRADE TH = TEST HOLE TRAVEL NOTES: CALLOUT: <u>1/15/02 - AFTER.</u> ONSITE: <u>1/16/02 - MORN.</u>																																										

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 10'	Date Reported:	01-18-02
Laboratory Number:	21825	Date Sampled:	01-16-02
Chain of Custody No:	8892	Date Received:	01-16-02
Sample Matrix:	Soil	Date Extracted:	01-17-02
Preservative:	Cool	Date Analyzed:	01-17-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	668	0.2
Diesel Range (C10 - C28)	730	0.1
Total Petroleum Hydrocarbons	1,400	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Callow #11E Dehydrator Pit Grab Sample.**

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 10'	Date Reported:	01-17-02
Laboratory Number:	21825	Date Sampled:	01-16-02
Chain of Custody:	8892	Date Received:	01-16-02
Sample Matrix:	Soil	Date Analyzed:	01-17-02
Preservative:	Cool	Date Extracted:	01-17-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	349	1.8
Toluene	1,090	1.7
Ethylbenzene	770	1.5
p,m-Xylene	1,770	2.2
o-Xylene	1,170	1.0
Total BTEX	5,150	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Callow #11E Dehydrator Pit Grab Sample.

  
Analyst

  
Review