

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT(Other instructions on
reverse side)

Expires: February 28, 1995

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1 a TYPE OF WELL

OIL WELL ☐GAS WELL ☒

2007 AUG 22 10 56

b TYPE OF COMPLETION

NEW ☒WORK OVER ☐DEEP-EN ☐PLUG BACK ☐DIFF. CENTR. ☐ RECEIVED
070 FARMINGTON NM

2. Name of Operator

Dugan Production Corp.

3 Address and Telephone No

P.O. Box 420, Farmington, NM 87499 (505) 325 - 1821

4 LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 1150' FSL & 800' FEL (SE/4 SE/4)

At top prod. interval reported below same

At total depth same

14 PERMIT NO

DATE ISSUED

12 COUNTY OR PARISH

13 STATE

San Juan

NM

15 DATE SPUDDED

5/21/2007

16 DATE T.D. REACHED

5/24/2007

17. DATE COMPL (Ready to prod.)

8/16/2007

18 ELEVATIONS (OF, RKB, RT, GR, ETC)*

6728' GL

19 ELEV CASINGHEAD

20 TOTAL DEPTH, MD & TVD

1490'

21. PLUG BACK T.D., MD & TVD

1435'

22 IF MULTIPLE COMPL., HOW MANY*

23 INTERVALS DRILLED BY

ROTARY TOOLS

CABLE TOOLS

TD

24 PRODUCING INTERVAL(S), OF THIS COMPLETION - TOP, BOTTOM, NAME (MD AND TVD)*

1270'-1289' (Fruitland Coal)

25. WAS DIRECTIONAL SURVEY MADE

no

26 TYPE ELECTRIC AND OTHER LOGS RUN

GR-CNL-CCL

27. WAS WELL CORED

no

28 CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
8-5/8" J-55	24#	128'	12-1/4"	95 sx Type 5 cement w/2% CaCl2 w/1/4# celloflake/sx	112 cu ft total slurry
5-1/2" J-55	15.5#	1479'	7"	85 sx Type 5 cement w/2% Lodense, 2# PhenoSeal & 1/4# celloflake/sx.	
				Tail w/50 sx Type 5 cement w/2# PhenoSeal & 1/4# celloflake/sx	
				241 cu ft total slurry	

29 LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SBT (MD)
					2-3/8"	1355'	N/A

31 PERFORATION RECORD (Interval, size and number)

1270'-1289' w/4 spf (total 76 holes)

32 ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC

DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED

1270'-1289' 76,000# 20/40 Brady sand, 41,250 gals AquaSafe gel

RCVD AUG 24 07

OIL CONS. DIV.
DIST. 3

33 * PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping - size and type of pump)	WELL STATUS (Producing or shut in)
N/A	Pumping	Shut in

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL - BBL	GAS - MCF	WATER - BBL	GAS - OIL RATIO
FLOW TUBING PRESS	CASING PRESSURE	CALCULATED 24 - HOUR RATE	OIL - BBL	GAS - MCF	WATER - BBL	OIL GRAVITY - API (CORR)	

34 DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Vented - to be sold - a sundry notice of well test will be submitted in the future

TEST WITNESSED BY

35 LIST OF ATTACHMENTS

36 I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

John Alexander

Title

Vice-President

Date

8/17/2007

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

NMOC

ACCEPTED FOR RECORD

AUG 23 2007

FARMINGTON FIELD OFFICE
BY T. Salyers

229/22 JF

37. SUMMARY OF POROUS ZONES (Show all important zones of porosity and contents thereof: cored intervals; and all drill-stem, tests, including depth interval tested on used, time tool open, flowing and shut-in pressures, and recoveries)				38	GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC	NAME	TOP		TRUE VERT DEPTH
					MEAS DEPTH		
				Ojo Alamo	510'		
				Kirtland	608'		
				Fruitland	974'		
				Pictured Cliffs	1293'		
				TOTAL DEPTH	1490'		

1293' 1490'