

submitted in lieu of Form 3160-5

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

2007 AUG 24 PM 4:19

GAS

RECEIVED
BLM
210 FARMINGTON NM

2. Name of Operator

CONOCOPHILLIPS

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

Unit H (SENE), 1840' FNL & 660' FEL, Sec. 35, T31N, R8W, NMPM

5.

Lease Number
NM012641
Tribe Name

7.

Unit Agreement Name

8.

Blanco
Well Name & Number

9.

Blanco #9B
API Well No.

10.

30-045-33023

Field and Pool

11.

Blanco Mesaverde
County and State
San Juan Co., NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

Notice of Intent

Abandonment

Change of Plans

Other - Cathodic Protection

Subsequent Report

Recompletion

New Construction

Final Abandonment

Plugging

Non-Routine Fracturing

Casing Repair

Water Shut off

Altering Casing

Conversion to Injection

13. Describe Proposed or Completed Operations

ConocoPhillips proposes to change the design of the cathodic protection shown in the APD. The new design will use AC cable and set the rectifier at the access to the pad. See the attached cathodic protection plan that H&H Technical Services has prepared.

RCVD AUG 27 '07
OIL CONS. DIV.
DIST. 3

14. I hereby certify that the foregoing is true and correct.

Signed

Patsy Clugston

Patsy Clugston

Title Regulatory Specialist

Date 8/23/07

(This space for Federal or State Office use)

APPROVED BY

Bue Jones

Title EPTL

Date 8/27/07

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

INM000


H

H & H TECHNICAL SERVICES A CORROSION COMPANY

CATHODIC PROTECTION PLAN FOR NEW WELLS

WELL NAME: BLANCO #08 LEGALS: H-85-31-B COUNTY: SJ.

PURPOSED C.P. SYSTEM: Plow in 130' A.C. Cable. Set Rectifier
DRILL G.B. SET SOLAR AT EAST CORNER OF LOTATION. TREAT
at 100' x 100' REC. FROM SOLAR TO W.H. at Entrance & Plow Neg. 100' to
well head.



EXISTING WELLHEAD	METER HOUSE	O.B.	POWER SOURCE	CABLE	NEW WELL	OVERHEAD A.C.
⊕	-H- H-	△	☒	----	8	-S-S-

COMMENTS: RECOMMEND PLACING SOLAR DUE TO ALL THE PIPELINES IN ROAD LEADING
TO WELL

NEAREST POWER SOURCE: 110V A.C. DISTANCE: 130'
 PIPELINES IN THE AREA: (4) 1- COPC 2- WFS 1- E.P.S.

TECHNICIAN: [Signature] DATE: 11-5-07

Revised 8-23-07 W.C. Tuttle