<u>District I</u> 1625 N French Dr , Hobbs, NM 88240 District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No

Type of action Registration of a pit or below-grade tank Closure of a pit or below-grade tank		
Operator XTO Energy Inc. Telephone 505 324-1090 e-mail address kim_champlin@xtoenergy.com		
Address 2700 Farmington Ave., Bldg. K, Ste. 1 Farmington, NM 87401		
Facility or well nameJicarilla Apache #13FAPI # 30-039-29788U/L or Qtr/QtrSec33KT26NR 5W		
County Rio Arriba Latitude	36.4432500 Longitude 107.3	663611 NAD 1927 🗆 1983 🗆
Surface Owner Federal State Private Indian I		
Pit Below-grade tank		
Type Drilling X Production Disposal	Volumebbl Type of fluid	
Workover ☐ Emergency ☐	Construction material	
Lined 🛛 Unlined 🗆	Double-walled, with leak detection? Yes If not, explain why not	
Liner type Synthetic Thickness 12 mil Clay		
Pit Volumebbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water)	50 feet or more, but less than 100 feet	(10 points)
mgii water olevation of ground water y	100 feet or more	(0 points) 0 Points
Wellhead protection area (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources)	No	(0 points)
water source, or less than 1000 feet from an other water sources)	7 - 1 - 200 C	0 Points
Distance to surface water (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points) 0 Points
	Ranking Score (Total Points)	0 Points
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location (check the onsite box if		
your are burying in place) onsite 🛛 offsite 🗌 If offsite, name of facility		
remediation start date and end date (4) Groundwater encountered No 🛛 Yes 🗌 If yes, show depth below ground surface ft and attach sample results		
(5) Attach soil sample results and a diagram of sample locations and excavations		
Additional Comments		
The drilling reserve pit associated with the subject well was closed per NMOCD and BLM guidelines and in accordance with XTO's drilling		
pit closure plan RCVD SEP 6 '07		
OIL CONS. DIV.		
DIST. 3		
	100-100-100-100-100-100-100-100-100-100	LIJI. O
I hereby certify that the information above is true and complete to the best of my knowledge and belief I further certify that the above-described pit or below-grade tank		
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
Date August 30, 2007		
Date August 30, 2007 Printed Name/Title Kim Champlin/Environmental Assistant Signature Mim Champlin		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval Deputy Oil & Gas Inspector, Printed Name/Title District #3	Signature Sell Hull	SEP 2 0 2007

XTO ENERGY INC. LAT. = 36'26'35.7" JICARILLA APACHE No.13F, 2600 FSL 1940 FWL LONG. = 107"21"58.9" SECTION 33, T26N, R5W, N.M.P.M., RIO ARRIBA COUNTY, N. M. **NAD 27** GROUND ELEVATION: 6593', DATE: JUNE 8, 2005 CONSTRUCTION ZONE B (3) **6** F 2.2 F 4.3 WILL THAN FIFE ON F 0.9 THURLAND FORMATIONS ONLY 8" DEEP BLOW PIT 10° DEEP 8 12 15 LAYDOWN S 40"47" W Wellhead to Back Wellhead to Front 0 F 1.9 REAR 120 120 C 0.0 C 3.1 **NEW ACCESS** 3 Weithead to side 852 FEET _c.Ø O A ₿ C 8.1 C 4.9 C 3.8 (305' X 340') = 2.38 ACRES 205' X 240' RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW - 3' WIDE AND 1" ABOVE SHALLOW SIDE), BLOW PIT: OVERFLOW PIPE HALFWAY BETWEEN TOP AND BOTTOM AND TO EXTEND OVER PLASTIC LINER AND INTO BLOW PIT. DAGGETT ENTERPRISES, INC. IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPILINES, NEW MEDICO CHE CALL TO BE INSTITUTED 48 HOURS PRIOR TO EXCLANTION OR CONSTRUCTION. NOTE: ELEV. A-A' 5810 6600 6590 6580 C/ ELEV. B-B 6610 6600 6590 6580 C/L ELEY. C-6610 6600

CENTRACTOR SHOULD CALL ENE-CALL FOR LOCATION OF ANY MATERIOD OR LIMMARKED BLITTED PIPELINES OR CABLES ON WELL PAD AND OR ACCESS ROAD AT LEAST TWO (2) WORKING BAYS PRIOR TO CONSTRUCTION.

<u>6590</u> 6580 đ