

1A-30-045-21726
6-30-045-09228
251-30-045-27038

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NW Sec. 29 Twp 30 Rng 9

Name of Well/Wells or Pipeline Serviced MANSFIELD #6, MANSFIELD #1A,
MANSFIELD COM #251 cps 65w

Elevation 6027' Completion Date 11/6/62 Total Depth 100' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 850 lbs.

Depths anodes placed: 85', 50', 44', 36', 24', 18'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

1A - 30-045-21726
6 - 30-045-09228
251 - 30-045-27038

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NW Sec. 29 Twp 30 Rng 9

Name of Well/Wells or Pipeline Serviced MANSFIELD #6, MANSFIELD #1A,

MANSFIELD COM #251

cps 65w

Elevation 6027' Completion Date 10/13/69 Total Depth 310' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 160'

Depths gas encountered: N/A

Type & amount of coke breeze used: 4500 lbs.

Depths anodes placed: 272', 262', 252', 227', 221', 209', 203', 197'

Depths vent pipes placed: 262' OF 3/4" HOSE

Vent pipe perforations: 262'

Remarks: gb #2 EPOXY POURED ABOVE SHRINK SLEEVE

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

1A - 30-045-21726

6 - 30-045-09228

251-30-045-27038

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit E Sec. 29 Twp 30 Rng 9

Name of Well/Wells or Pipeline Serviced MANSFIELD #1A, MANSFIELD #6,

MANSFIELD COM #251 cps 65w

Elevation 6136' Completion Date 7/20/90 Total Depth 290' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

RECEIVED

MAY 31 1991

Depths gas encountered: N/A

OIL CON. DIV.
DIST. 3

Type & amount of coke breeze used: 3850 lbs.

Depths anodes placed: 265', 245', 235', 225', 210', 200', 190', 180', 125', 115'

Depths vent pipes placed: 290' of 1" VENT PIPE

Vent pipe perforations: 210'

Remarks: qb #3 DRILLER SAID HIT SAND WITH POSS. WATER AND GAS, STOPPED DRILLING.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.