

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS

MD-3

NORTHWESTERN NEW MEXICO
(Submit 3 Copies to OCD Aztec Office)

30-045-26329

Operator: BLACKWOOD & NICHOLS CO. Location: Unit D, Sec. 12, Twp 31N, Rng 7W.Name of Well/Wells or Pipeline Served NEBU 213Elevation 6610' Completion Date 8-4-93 Total Depth 365' Land Type* Surface: P Mineral: FeeCasing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7-7/8" Open HoleIf Casing is cemented, show amounts & types used 20 sks Portland Zia I-II - 90# ea.If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. Fresh, 240', no Sample takenDepths gas encountered: N/AType & amount of coke breeze used: Asbury 4,800#Depths anodes placed: 250' - 340'Depths vent pipes placed: TD to 4' above ground levelVent pipe perforations: Bottom - 260'Remarks: Ground bed 282° from North and 135' from wellhead.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

Signed by: James K. AllenTitle: Operations EngineerDate: 8/27/93

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS' REPORT

MD-3 WELL# NERU#213

S 12 T 31N R 7W

DEPTH	STRATA	NOTES	DEPTH	STRATA	NOTES
5'					
10'					
15'	↗				
20'	NE				
25'	NE				
30'	NE				
35'	NE				
40'	✓				
45'					
50'					
55'					
60'	NE				
65'	NE				
70'	NE				
75'	NE				
80'	NE				
85'					
90'					
95'					
100'	✓				

LLER sepe maximo

INSPECTOR

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

P# MD-3 WELL# N.E.B.U. # 213

D S 12 T 31 R 7

[illegible]

DRILLER 

INSPECTOR *MDM*