

30045-20613

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit P Sec. 10 Twp 26 Rng 10

Name of Well/Wells or Pipeline Serviced HUERFANO UNIT #122

cps 959w

Elevation 6673' Completion Date 7/28/88 Total Depth 380' Land Type\* N/A

Casing, Sizes, Types & Depths 35' OF 8" PVC CASING

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. 165'

Depths gas encountered: N/A

RECEIVED  
MAY 31 1991

Type & amount of coke breeze used: N/A

OIL CON.  
DIST. 3

Depths anodes placed: 350', 340', 330', 320', 310', 300', 280', 270', 215', 205'

Depths vent pipes placed: 385' OF 1" PVC VENT PIPE

Vent pipe perforations: BOTTOM 280'

Remarks: gb #2

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

30-045-20613

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SE Sec. 10 Twp 26 Rng 10

Name of Well/Wells or Pipeline Serviced HUERFANO UNIT #122

cps 959w

Elevation 6673' Completion Date 9/4/75 Total Depth 350' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. 165'

RECEIVED

Depths gas encountered: N/A

MAY 31 1991

Type & amount of coke breeze used: 3800 lbs.

OIL CON  
DIST.

Depths anodes placed: 240', 230', 222', 214', 206', 198', 190', 182', 174', 160'

Depths vent pipes placed: N/A

Vent pipe perforations: 200'

Remarks: gb #1

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

30-045-20613

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NW Sec. 10 Twp 26 Rng 10

Name of Well/Wells or Pipeline Serviced HUERFANO UNIT #211

cps 958w

Elevation 6721' Completion Date 8/19/75 Total Depth 480' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 300'

RECEIVED

MAY 31 1991

Depths gas encountered: N/A

Type & amount of coke breeze used: 4400 lbs.

OIL COR  
DIST

Depths anodes placed: 430', 420', 410', 400', 390', 380', 370', 360', 350', 335'

Depths vent pipes placed: N/A

Vent pipe perforations: 215'

Remarks: gb #1

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.