

67- 30- 045- 06079
259- 30- 045- 21411

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDAIN OIL Location: Unit C Sec. 6 Twp 26 Rng 10

Name of Well/Wells or Pipeline Serviced HUERFANO UNIT #67, #259

cps 952w

Elevation 6528' Completion Date 7/19/88 Total Depth 260' Land Type* N/A

Casing, Sizes, Types & Depths 40' OF SURFACE CASING

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 30' & 95'

Depths gas encountered: N/A

Type & amount of coke breeze used: N/A

Depths anodes placed: 155', 145', 135', 125', 115'

Depths vent pipes placed: 265' OF 1" PVC VENT PIPE

Vent pipe perforations: BOTTOM 220'

Remarks: gb #3

RECEIVED

MAY 31 1991

OIL CON.
DIST. 5

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

67-30-045-06079
259-30-045-21411

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NW Sec. 6 Twp 26 Rng 10

Name of Well/Wells or Pipeline Serviced HUERFANO UNIT #67, #259

cps 952w

Elevation 6528' Completion Date 8/9/83 Total Depth 600' Land Type* N/A

Casing, Sizes, Types & Depths 80' OF 8" PVC CASING

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 480'

Depths gas encountered: N/A

Type & amount of coke breeze used: 4200 lbs.

Depths anodes placed: 505', 495', 485', 475', 465', 455', 445', 435', 325', 415'

Depths vent pipes placed: 530' OF 1" PVC VENT PIPE

Vent pipe perforations: 350'

Remarks: gb #2 FIRST HOLE CAVED AT 420'.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. 3

67- 30-045-06079
259- 30-045-21411

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NW Sec. 6 Twp 26 Rng 10

Name of Well/Wells or Pipeline Serviced HUERFANO UNIT #67, #259

cps 952w

Elevation 6528' Completion Date 9/4/75 Total Depth 375' Land Type* N/A

Casing, Sizes, Types & Depths 78' OF STEEL PIPE

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/a

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 190'

RECEIVED

MAY 31 1991

Depths gas encountered: N/A

OIL CON DIV.

Type & amount of coke breeze used: 4000 lbs.

DIST. 3

Depths anodes placed: 340', 330', 320', 310', 300', 290', 280', 220', 210', 200'

Depths vent pipes placed: N/A

Vent pipe perforations: 200'

Remarks: gb #1

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.