

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS


SN-8

NORTHWESTERN NEW MEXICO
(Submit 3 Copies to OCD Aztec Office)

30-039-21695

Operator: BLACKWOOD & NICHOLS CO. Location: Unit E, Sec. 9, Twp 30N, Rng 7W.Name of Well/Wells or Pipeline Served NEBU 17AElevation 6300' Completion Date 7-1-93 Total Depth 357' Land Type* F, Lease No. SF-079043Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', Open HoleIf Casing is cemented, show amounts & types used 20 sks Portland Zia I-IIIf Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 250' Small Amount, no sample takenDepths gas encountered: N/AType & amount of coke breeze used: Asbury 5,000#Depths anodes placed: 347' to 266'Depths vent pipes placed: 357' to 4' above ground levelVent pipe perforations: 357' to 97'Remarks: 320° W of North & 168' from wellhead

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

Signed by: James K. AllenTitle: Operations EngineerDate: 10/14/93

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

CP# SN-8 WELL# NEBU-17A

ES 9 T 30 R 7

[illegible]

DRILLER



INSPECTOR

Mary D. McFarland