

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N French Dr., Hobbs, NM 87240  
District II  
1301 W Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
May 27, 2004

|                                                                                                                                                                                                                                                                                                                                         |  |                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------|
| <b>SUNDRY NOTICES AND REPORTS ON WELLS</b><br>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)                                                                                                                           |  | WELL API NO.<br>30-045-24444                                                                        |
| 1. Type of Well:<br>Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other                                                                                                                                                                                                                                |  | 5. Indicate Type of Lease<br>STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> |
| 2. Name of Operator<br>XTO ENERGY INC.                                                                                                                                                                                                                                                                                                  |  | 6. State Oil & Gas Lease No.<br>RCUD MAR 3 '08                                                      |
| 3. Address of Operator<br>382 CR 3100 AZTEC, NM 87410                                                                                                                                                                                                                                                                                   |  | 7. Lease Name or Unit Agreement Name:<br>PAYNE A OIL CONS. DIV.                                     |
| 4. Well Location<br>Unit Letter N : 530 feet from the SOUTH line and 2080 feet from the WEST line<br>Section 19 Township 29N Range 10W NMPM County SAN JUAN                                                                                                                                                                             |  | 8. Well Number<br>DIST. 3<br>1E                                                                     |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.)<br>5,476' GR 5,488' KB                                                                                                                                                                                                                                                               |  | 9. OGRID Number                                                                                     |
| Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/><br>Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____<br>Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____ |  | 10. Pool name or Wildcat<br>BLANCO MV/OTERO CH/BASIN DK                                             |

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☒  
CASING TEST AND CEMENT JOB ☐ *Dakota - plug back. to -4,308. ~~to -4,308.~~*  
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

*2/20/08*  
XTO Energy Inc. plugged & abandoned the Dakota in this well per the attached morning report.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE *Lorri D. Bingham* TITLE REGULATORY COMPLIANCE TECH DATE 2/29/08  
Type or print name LORRI D. BINGHAM E-mail address: Lorri\_bingham@xtoenergy.com  
Telephone No. 505-333-3100

For State Use Only

APPROVED BY *H. Villanueva* TITLE Deputy Oil & Gas Inspector, District #3 DATE MAR 04 2008  
Conditions of Approval, if any:

Payne A #1E P

2/5/08 Anchors tstd @ 1/08. MIRU A-Plus Rig #7. Bd well. ND WH. NU BOP. Unseat seal assy fr/model "D" pkr. Reseat seal assy into pkr. TOH w/86 jts 2-3/8" tbg w/SHC, SN & NC fr/MV. No rep fr/BLM or NMOCD on loc to witness operations. SDFN.

2/6/08 Bd well. TOH w/86 jts 2-3/8" tbg (SHCs), SN & NC fr/CH. Att to PT tbg w/o success. TOH w/1 jt 2-3/8" tbg, 2 - 2-3/8" tbg subs (6' & 8'), 136 jts tbg, seal assy fr/Model D pkr, 55 jts 2-3/8" tbg, SN & NC fr/DK. Found 90th to 95th jts tbg FS (2,868' - 3,000') w/HIT fr/corr. TIH w/7" scr & 88 jts tbg. EOT @ 2,793'. No rep fr/BLM or NMOCD on loc to witness operations. SDFN.

2/7/08 Bd well. TOH w/88 jts 2-3/8" tbg & csg scr. MIRU Hurricane AFU & blw tk. PU & stand in derrick w/4 - 3-1/2" DCs. LD extra 2-3/8" tbg. Rpt to Henry Villanueva w/NMOCD @ 8:00 a.m. 2/6/08 for P&A operations 2/9/08. No rep fr/BLM or NMOCD on loc to witness operations. SDFN.

2/8/08 Bd well. TIH w/spear, 5-3/4" ml shoe. 3-3/4" jars. 4 - 3-1/2" DCs. XO & 134 jts 2-7/8" tbg. Estb circ w/ AFU. Tgd top of model "D" pkr @ 4,402'. MI pkr slips fr/4,202' - 4,405'. MI pkr free. TOH & LD w/ 87 jts 2-7/8" tbg. SWI. SDFN.

2/9/08 Bd well. TOH & LD 76 jts of 2-7/8" tbg, XO, 4 - 3-1/2" DCs, 3-3/4" jars, pkr plucker tl, 5-3/4" ml shoe w/7" model "D" pkr. TIH w/3-7/8" bit, 4-1/2" csg scr & 192 jts 2-3/8" tbg to 6,100'. TOH w/192 jts tbg, csg scr & bit. TIH w/4-1/2" CICR & 140 jts tbg (79' abv 4-1/2" lnr). SWI. SDFWE.

2/12/08 Bd well. TIH w/4-1/2" CICR & 190 jts 2-3/8" tbg. Attd to set CICR @ 6,066'. Wkd to 20K tens in att to set. Could not set CICR. Stung out fr/CICR. PU & TIH w/1 jt tbg. Pushed CICR to 6,098'. TOH w/190 jts tbg & setting tl. TIH w/4-1/2" CICR & 142 jts tbg. TIH w/48 jts tbg. Set CICR @ 6,066'. PT tbg to 1,700 psig for 10" w/10 bbls 2% KCl wtr. Tstd OK. Rlsd press. Stung out fr/CICR. TOH w/2 jts tbg. Ppd dwn tbg w/50 bbls 2% KCl wtr. SWI. SDFN. Monica Kuehling w/NMOCD on loc & witnessed operations.

2/13/08 Bd well. TIH w/2 jts of 2-3/8" tbg. Tgd @ 6,066' (CICR). Ppd dwn tbg w/10 bbls of KCl wtr to clear stinger. Stung into CICR. EIR @ 1.5 BPM & 200 psig. Sqzd DK perfs fr/6,106' - 6,243' w/12 sxs Type III cmt (mixed @14.8 ppg & 1.32 cu ft/sx yield, 15.8 cu/ft). Ppd dwn tbg w/3.0 bbls cmt dwn tbg. Flush dwn tbg w/5 BFW. Stung out fr/CICR. Spotted 18 bbls cmt on CICR top. Cmt fr/6,066' to 5,889'. TOH & LD w/26 jts 2-3/8" tbg (EOT @ 5,217'). TOH w/164 jts tbg. WOC 4 hrs as requested by Monica Kuehling w/NMOCOD. RIH w/3-1/16" csg gun. Tgd @ 5,227'. POH w/csg gun. TIH w/ 3-7/8" bit & 167 jts of 2-3/8" tbg. Tgd @ 5,227' (cmt stringer). Wkd bit thru cmt stringers fr/5,227' - 5,314' (TOC). TOH w/167 jts of 2-3/8" tbg. Henry Villanueva w/NMOCD on loc & witnessed operations. SWI. SDFN.

2/14/08 RU WLU. RIH w/3-1/8" csg gun. Tgd @ 5,248'. POH w/csg gun. Csg gun btm showed scars fr/tong die. Tong die dropd 2/13/08 w/TOH. TIH w/3-7/8" bit, XO & 169 jts 2-3/8" tbg. Tgd @ 5,250'. PU pwr swivel. Wrkd dwn 1' & stpd making hole. RD pwr swivel. TOH w/169 jts tbg & BHA. TIH w/Concave ml XO, & 169 jts tbg. RU pwr swivel. Tgd @ 5,251'. Wrkd ml thru 5,251'. TIH w/5 jts tbg. EOT @ 5,412'. TOH w/174 jts tbg & BHA. Henry Villanueva & Monica Kuehling w/NMOCD on loc & witnessed operations. SWI. SDFN.

Payne A #1E P

2/15/08 RU WLU. Perf 3 sqz holes @ 5,280' w/3-1/8" csg gun. POH w/csg gun. RIH w/CICR. Set CICR @ 5,220'. TIH w/stinger & 165 jts 2-3/8" tbg. Sting into CICR @ 5,220'. EIR @ 1 BPM & 70 psig. Plug #2 w/33 sxs Type III cmt (mixed @ 14.8 ppg, 1.32 cu ft/sx yield, 43.56 cu/ft). Ppd dwn tbg w/8.1 bbls cmt. Sting out fr/CICR. Ppd 21 sxs cmt below & 12 sxs abv CICR. Cmt fr/5,220' to 5,044'. TOH w/165 jts tbg & stinger. Monica Kuehling w/NMOCD on loc & witnessed operations. SWI. SDFN.

2/16/08 TIH w/plg sub, & 141 jts 2-3/8" tbg. Tgd cmt @ 4,450'. TOH w/141 jts tbg & plg sub. TIH w/6-1/4" bit, XO & 141 jts tbg. RU pwr swivel. DO cmt stringers fr/4,450' - 4,522'. TOH w/143 jts tbg & BHA. Monica Kuehling w/NMOCD on loc & witnessed operations. SWI. SDFN.

2/19/08 TIH w/3-7/8", XO & 143 jts 2-3/8" tbg. Tgd Liner top @ 4,522'. RU pwr swivel. DO cmt fr/4,522' to 4,525'. BOC @ 4,525'. RD pwr swivel. TIH w/22 jts tbg. Tgd @ 5,220' (CICR). TOH w/165 jts tbg & BHA. MIRU WLU. RIH w/dmp blr & 2.5 sxs Type III cmt. Dmp cmt on top CICR @ 5,220'. POH w/dmp blr. Rec approval fr/Henry Villanueva w/NMOCD. No reg rep on loc to witness operations. SDFN. WOC.

2/20/08 RU WLU. RIH w/3-1/8" csg gun. Tgd TC @ 5,180'. Perf 3 sqz holes @ 4,700'. POH w/csg gun. RIH w/7" CICR & set @ 4,472'. POH w/WL. TIH w/stinger & 141 jts 2-3/8" tbg. EIR thru sqz holes @ 1.0 BPM & 800 psig. Plug #3 w/39 sxs cmt (mixed # 14.8 ppg, 1.32 cu ft/sx yield, 50.1 cu/ft). Ppd dwn tbg w/9.3 bbls cmt, w/6 sxs cmt outside csg, 13 sxs below CICR (cmt fr/4,700' to 4,472, CICR) & 9 sxs cmt to cover lnr top. TOH & LD w/37 jts 2-3/8" tbg. TOH w/104 jts tbg & stinger. RIH w/dmp blr & 2.5 sxs Type III cmt (mixed @ 14.8 ppg, 1.32 cu ft/sx yield). Tgd TOC @ 4,308'. Spot cmt @ 4,308' as approved by Henry Villanueva w/NMOCD. POH w/dmp blr. SDFN. Monica Kuehling w/NMOCD on loc & witnessed operations.