

657

22- 30-045-28301

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Bonneville Fuels Corp. Location: Unit NW Sec. 25 Twp 27 Rng 11
Name of Well/Wells or Pipeline Serviced Scott "E" Federal #25-22

Elevation 6249' Completion Date 5/22/91 Total Depth 300' Land Type* F

Casing, Sizes, Types & Depths 8" ID - 8 7/8" dia. O.P. PVC Casing
From 0 to 60 Ft. Deep.

If Casing is cemented, show amounts & types used NA - None

If Cement or Bentonite Plugs have been placed, show depths & amounts used
NA - None

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. First & Only water (clear)
streak at 110' Depth.

Depths gas encountered: NA - None

Type & amount of coke breeze used: Loresco SW - 99.9% Carbon = 1500 LBS.

Depths anodes placed: 205', 215', 225', 235', 245' + 255' Deep.

Depths vent pipes placed: 0' to 300' Deep, 0' to 100' Deep = Solid 1" dia. PVC.

Vent pipe perforations: Laser Cut Slots From 100' to 300' Deep

Remarks: _____

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Private
If Federal or Indian, add Lease Number.

RECEIVED
MAY 28 1991
OIL CON. DIV.
DICT

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Bonneville Fuels Corp. Location: Unit NW Sec. 25 Twp 27 Rng 11
Name of Well/Wells or Pipeline Serviced Scott "E" Federal #25-22

Elevation 6249' Completion Date 5/22/91 Total Depth 300' Land Type* F
Casing, Sizes, Types & Depths 8" ID - 8 5/8" dia. O.P. PVC Casing
From 0 to 60 Ft. Deep.

If Casing is cemented, show amounts & types used NA - None

If Cement or Bentonite Plugs have been placed, show depths & amounts used
NA - None

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. First & Only water (clear)
streak at 110' Deep.

Depths gas encountered: NA - None

Type & amount of coke breeze used: Loresco SW - 99.9% Carbon = 1500 LBS

Depths anodes placed: 205', 215', 225', 235', 245' + 255' Deep.

Depths vent pipes placed: 0' to 300' Deep, 0' to 100' Deep = Solid 1" dia. PVC.

Vent pipe perforations: Laser Cut Slots From 100' to 300' Deep

Remarks: _____

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Private
If Federal or Indian, add Lease Number.

RECEIVED

MAY 28 1991

OIL CON. DIV.
DIST 2

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Bonneville Fuels Corp. Location: Unit NW Sec. 25 Twp 27 Rng 11
Name of Well/Wells or Pipeline Serviced Scott "E" Federal #25-22

Elevation 6249' Completion Date 5/22/91 Total Depth 300' Land Type* F
Casing, Sizes, Types & Depths 8" ID - 8 7/8" dia. O.P. PVC Casing
From 0 to 60 Ft. Deep.

If Casing is cemented, show amounts & types used NA - None

If Cement or Bentonite Plugs have been placed, show depths & amounts used.
NA - None

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. First & Only water (clear)
streak at 110' Depth.

Depths gas encountered: NA - None

Type & amount of coke breeze used: Loresco SW-99,9% Carbon = 1500 LBS.

Depths anodes placed: 205', 215', 225', 235', 245' & 255' Deep.

Depths vent pipes placed: 0' to 300' Deep, 0' to 100' Deep = Solid 1" dia. PVC.

Vent pipe perforations: Laser Cut Slots From 100' to 300' Deep

Remarks: _____

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Private
If Federal or Indian, add Lease Number.

RECEIVED

MAY 28 1991

OIL CON. DIV

PAGE 2