

686

22- 30-045-30898

32- 30-045-28257

E

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator Bonneville Fuels Corp. Location: Unit NE Sec. 22 Twp 27 Rng 11Name of Well/Wells and Pipeline Serviced Scott "E" Fed. #22-32+ #22-22Elevation 6559' Completion Date 5-14-91 Total Depth 300' Land Type* FCasing, Sizes, Types & Depths PVC Casing 8" I.D., 8 5/8" O.D.,
Schedule 40, B.E. to 25' Deep.If Casing is cemented, show amounts & types used NA-NoneIf Cement or Bentonite Plugs have been placed, show depths & amounts used
NA-None

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. First + only Water (Clear) Streak
at 95 Foot Depth.Depths gas encountered: NA-NoneType & amount of coke breeze used: CARBO 40, 99.9% Carbon, 1,500 LBS,Depths anodes placed: 200', 210', 220', 230', 240' and 250' Deep.Depths vent pipes placed: 0' to 300' Deep.Vent pipe perforations: Laser Cut Slots from 100' to 300' Deep.Remarks: Solid 1" diameter PVC (vent) pipe from 0' to 100'
Deep.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Federal
If Federal or Indian, add Lease Number.

RECEIVED

MAY 28 1991

OIL CON. DIV.
DIST. 3

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator Bonneville Fuels Corp. Location: Unit NE Sec. 22 Twp 27 Rng 11

Name of Well/Wells and Pipeline Serviced Scott "E" Fed. #22-32 + #22-22

1780' FNL 1480' FEL
Elevation 6559' Completion Date 5-14-91 Total Depth 300' Land Type* F

Casing, Sizes, Types & Depths PVC Casing 8" I.D., 8 5/8" O.D.,
Schedule 40, B.E. to 25' Deep.

If Casing is cemented, show amounts & types used NA - None

If Cement or Bentonite Plugs have been placed, show depths & amounts used
NA - None

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. First + only Water (Clear) Streak
at 95 Foot Depth.

Depths gas encountered: NA - None

Type & amount of coke breeze used: CARBO 40, 99.9% Carbon, 1,500 LBS,

Depths anodes placed: 200', 210', 220', 230', 240' and 250' Deep.

Depths vent pipes placed: 0' to 300' Deep.

Vent pipe perforations: Laser Cut Slots from 100' to 300' Deep.

Remarks: Solid 1" diameter PVC (vent) pipe from 0' to 100'
Deep.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Federal
If Federal or Indian, add Lease Number.

RECEIVED

MAY 28 1991

OIL CON. DIV
DIST 2

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS

NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator Bonneville Fuels Corp. Location: Unit NE Sec. 22 Twp 27 Rng 11

Name of Well/Wells and Pipeline Serviced Scott "E" Fed. #22-32 + #22-22

1780' FNL & 1480' FEL

Elevation 6559' Completion Date 5-14-91 Total Depth 300' Land Type* F

Casing, Sizes, Types & Depths PVC Casing 8" I.D., 8 5/8" O.D.,

Schedule 40, B.E. to 25' Deep.

If Casing is cemented, show amounts & types used NA-None

If Cement or Bentonite Plugs have been placed, show depths & amounts used

NA-None

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. First + only Water (Clear) Streak
at 95 Foot Depth.

Depths gas encountered: NA-None

Type & amount of coke breeze used: CARBO 40, 99.9% Carbon, 1,500 LBS,

Depths anodes placed: 200', 210', 220', 230', 240' and 250' Deep.

Depths vent pipes placed: 0' to 300' Deep.

Vent pipe perforations: Laser Cut Slots from 100' to 300' Deep.

Remarks: Solid 1" diameter PVC (vent) pipe from 0' to 100'
Deep.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Federal
If Federal or Indian, add Lease Number.

RECEIVED

MAY 28 1991

OIL CON. DIV
DIST ?