

682

41-30-045-28255

E

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Bonnerville Fuels Corp Location: Unit NE Sec. 13 Twp 27 Rng 11
Name of Well/Wells or Pipeline Served Fullerton Fed. 13-41
1055 FNL & 790' FEL
Elevation 6028 Completion Date 5-17-91 Total Depth 300' Land Type* F
Casing, Sizes, Types & Depths 8" ID - 8 3/8" OD Sched. 40 BE PVC
surface casing from 0 to 40' Deep.
If Casing is cemented, show amounts & types used NA-None

If Cement or Bentonite Plugs have been placed, show depths & amounts used
NA-None

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. First & only Clear Water Streak
at 80' Depth.

Depths gas encountered: NA-None

Type & amount of coke breeze used: Loresco SW 99.9% Carbon = 1750 LBS.
Depths anodes placed: 175', 185', 195', 205', 215' & 225' Deep
Depths vent pipes placed: 0 to 300' Deep.
Vent pipe perforations: Laser Cut Slots from 100' to 300' Deep
Remarks: Solid 1" dia PVC vent pipe from 0' to 100' Deep

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Federal
If Federal or Indian, add Lease Number.

RECEIVED

MAY 23 1991

OIL CO. OF CALIF.
DST 3

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Bonnerville Fuels Corps Location: Unit NE Sec. 13 Twp 27 Rng 11

Name of Well/Wells or Pipeline Serviced Fullerton Fed. 13-41

1055 FNL & 790' FEL

Elevation 6228 Completion Date 5-17-91 Total Depth 300' Land Type* F

Casing, Sizes, Types & Depths 8" ID - 8 3/8" OD Sched. 40 BE PVC
surface casing from 0 to 40' Deep.

If Casing is cemented, show amounts & types used NA-None

If Cement or Bentonite Plugs have been placed, show depths & amounts used
NA-None

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. First & only Clear Water Streak
at 80' Depth.

Depths gas encountered: NA-None

Type & amount of coke breeze used: Loresco SW 99.9% Carbon = 1750 LBS.

Depths anodes placed: 175', 185', 195', 205', 215' + 225' Deep

Depths vent pipes placed: 0 to 300' Deep.

Vent pipe perforations: Laser Cut Slots from 100' to 300' Deep

Remarks: Solid 1" dia PVC vent pipe from 0' to 100' Deep

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Private.
If Federal or Indian, add Lease Number.

RECEIVED

MAY 28 1991

OIL CON DIV.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Bonnerville Fuels Corps Location: Unit NE Sec. 13 Twp 27 Rng 11

Name of Well/Wells or Pipeline Serviced Fullerton Fed. 13-41

1055 FNL & 790' FEL

Elevation 6028 Completion Date 5-17-91 Total Depth 300' Land Type* F

Casing, Sizes, Types & Depths 8" ID - 8 3/8" OD Sched. 40 BE PVC
surface casing from 0 to 40' Deep.

If Casing is cemented, show amounts & types used NA-None

If Cement or Bentonite Plugs have been placed, show depths & amounts used
NA-None

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. First & only Clear Water Streak
at 80' Depth.

Depths gas encountered: NA-None

Type & amount of coke breeze used: Loresco SW 99.9% Carbon = 1750 LBS.

Depths anodes placed: 175', 185', 195', 205', 215' + 225' Deep

Depths vent pipes placed: 0 to 300' Deep.

Vent pipe perforations: Laser Cut Slots from 100' to 300' Deep

Remarks: Solid 1" dia PVC vent pipe from 0' to 100' Deep

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Private
If Federal or Indian, add Lease Number.

RECEIVED

MAY 28 1991

OIL CON. DIV
DIST. 3