

DAILY DRILLING REPORT

JICARILLA "G" #7-A

JICARILLA "G" #7-A, 990' FNL & 990' FWL Sec 36, T27N, R3W,
Rio Arriba Co, NM. OBJECTIVE: Drill & complete gas well in
Mesa Verde form.

9/4/75 Bldg pad & road, drlg contract awarded to Arapahoe Drlg Co.

9/5 JICARILLA "G" #7-A
Bldg pad.

9/6 JICARILLA "G" #7-A
Bldg pad.

9/8 Finish pad, WOR.

9/9 JICARILLA "G" #7-A
WOR.

9/10 JICARILLA "G" #7-A
WOR.

9/11 JICARILLA "G" #7-A
Prep to MIR.

9/12 JICARILLA "G" #7-A
MI&RUT.

9/13 JICARILLA "G" #7-A
(1) 318 ND sh, WOC 8-5/8 csg, 12 $\frac{1}{4}$ hole, st @ 318, S. Mud.
Arapahoe Drlg Co spudded @ 1:30 pm 9/12/75, ran 8 jts 8-5/8
OD 40.0 8rd ST&C csg, BJ Serv cmt d csg 318' w/ 200x Class A
cmt w/ 2% CaCl, PD @ 8:05 pm 9/12/75, cmt circ, WOC, now
instl BOP's.

9/15 (3) 2800 drlg sd & sh, 7-7/8 hole, 8.9-30-4.8.
 $\frac{1}{2}$ @ 818; $\frac{1}{2}$ @ 1318; 2 $^{\circ}$ @ 2309; 2 $\frac{1}{2}$ @ 2779.
WOC 18 hrs, tested csg 800#/ok.

9/16 JICARILLA "G" #7-A
(4) 3480 drlg sd & sh, 7-7/8 hole, 8.9-30-10.4.
3 $^{\circ}$ @ 3315.

9/17 JICARILLA "G" #7-A
(5) 3810 ND lm, 7-7/8 hole, 3 $^{\circ}$ @ 3480, 8.8-34-8.8.
fishing for rock bit cone past 4 hrs.

9/18 JICARILLA "G" #7-A
(6) 4035 ND lm, 7-7/8 hole, NND, 8.8-32-8.8.
lost 100% circ @ 4035, mixing mud & LCM to regain circ.

9/19 JICARILLA "G" #7-A
(7) 4406 drlg lm, 7-7/8 hole, NND, 8.9-43-8.8.
down addl 7 hrs regaining circ.



JICARILLA "G" #7-A
 9/21. (9) 5048 drlg lm, 7-7/8 hole, NND. 9.0-47-8.8.

9/22 (10) 5258 drlg lm & sh, 7-7/8 hole, 1-1/4° 5196. 9.1-45-6.4.

JICARILLA "G" #7-A
 9/23 (11) 5541 drlg sh & sd, 7-7/8 hole, NND. 9.1-43-6.4.

JICARILLA "G" #7-A
 9/24 (12) 5802 drlg lm & sd, 7-7/8 hole, 1° 5756. 9.1-45-8.8.

JICARILLA "G" #7-A
 9/25 (13) 6045 drlg lm & sd, 7-7/8 hole, NND. 9.1-42-4.8.

JICARILLA "G" #7-A
 9/26 (14) 6244 drlg sd & sh, 7-7/8 hole, NND. 9.1-65-8.4.

JICARILLA "G" #7-A
 9/27 (15) 6250 ND sd & sh, 7-7/8 hole, NND, 9.1-110-6.8.
 circ @ 6250/3 hrs, POH, w/o Dresser-Atlas/4 hrs, ran ES
 log, stopped @ 4751, RD loggers, ran bit to 6250, cond mud
 2 hrs, POH, Dresser-Atlas ran IES log 300-6250, now running
 Acoustic log.

9/29 (17) 6250 TD, WOC 5½ csg, Dresser-Atlas ran Acoustic Log
 from 300-6250, ran bit to bottom, circ 2½ hrs, P & LD DP &
 DC's, ran 149 jts 5½ OD 15.5# K55 8rd LT&C csg to 6250 w/
 baffle collors @ 5995, 5743 & 5657 w/ DV Tool@ 4094, Howco
 cmtd 1st stage w/ 75x TllW cmt + 380x Class B Neat cmt, open
 DV Tool, circ 3 hrs, cmt did not circ, Howco cmtd 2nd stage
 thru DV Tool w/ 540x TllW cmt + 150x Class B cmt, PD @ 8 pm
 9/28/75, cmt did not circ, set slips on csg, rel Arapahoe
 Drlg Co rig @ 11 pm 9/28/75, prep to MOR.

JICARILLA "G" #7-A, 6250 TD.
 9/30 MOR - hold for compl.

JICARILLA "G" #7-A, 6250 TD.
 10/1 WO unit.


JICARILLA "G" #7-A, 6250 TD.
 10/2 WO unit.

JICARILLA "G" #7-A, 6250 TD.
 10/3 MIRU Drake Well Serv unit 10/2/75, SDFN.

JICARILLA "G" #7-A, 6250 TD.
 10/4 Inst BOP, ran 4-3/4 bit, 5½ csg scraper on 3 - 3" DC's &
 2-3/8 tbg to 4094, drill DV Tool, circ clean, test csg to
 1500#/ok, ran bit to top baffle collar @ 5995, circ clean,
 SDFN.

10/5 POH w/ 4-3/4 bit, LD DC's, ran 2½ bit on 24 jts 1½ tbg &
 2-3/8 tbg, CO to 6212, circ clean, SDFN.

10/6 CO to 6216, circ clean, displ hole w/ fr wtr, POH w/ 4 jts
 of tbg, SDFN.



JICARILLA "G" #7-A, 6250 TD.

10/7 Unit SD, moving frac equip & frac wtr in prep to perf & frac bottom zone.

JICARILLA "G" #7-A, 6250 TD.

10/8 Ran bit back to 6216, Howco spotted 500 gals 15% NEA @ 6216, POH, Schl ran GR-Collar-Corr log from 3000-6216, then perf 5½ csg in the Mesa Verde @ 6018; 20; 22; 25; 28; 30; 32; 34; 36; 42; 44; 56; 60; 71; 74; 77; 81; 6170; 74; 76; 79; 82; 84; 86; & 6188, w/ 1 JSPF, total of 25 holes, SDFN.

JICARILLA "G" #7-A, 6250 TD.

10/9 Howco SWF perfs 6018-6188 down 5½ csg, pmpd 7000 gals pad + 7000 gals w/ ¼# PPG 20/40 sd + 7000 gals w/ ½# PPG 20/40 sd + 8000 gals w/ ¾# 20/40 sd PPG + 48,000 gals w/ 1# PPG 20/40 sd flushed w/ csg cap all fluid was fresh wtr w/ 2½# friction reducer/1000 gals BDCP 2450, TCP 1500, AIR 56.0 BPM, ISIP zero, dropped seating ball, spotted 500 gals 15% NEA, press up on ball seated in baffle collar @ 5995, Schl perf 5½ csg in the Middle Mesa Verde @ 5868; 70; 88; 90; 92; 98; 5900; 02; 04; 06; 08; 10; 12; 14; 16; 18; 70; & 5972 w/ 1 JSPF, total of 18 holes, Howco SWF perfs down 5½ csg, pmpd 5000 gals pad + 7000 gals w/ ¼# PPG 20/40 sd + 7000 gals w/ ¼# PPG + 8000 gals w/ ¾# PPG + 18,000 gals w/ 1 PPG 20/40 sd flushed w/ cap BDCP 1200, TCP 2100, AIR 56.0 BPM, ISIP 300, 30 min zero, job compl @ 4 pm 10/8/75, dropped ball, spotted 500 gals 15% NEA, press up on ball, seated ball in baffle collar @ 5143, Schl attempted to perf Upper Mesa Verde, unable to get down w/ gun, SDFN, prep to CO w/ tbg & bit.

JICARILLA "G" #7-A, 6250 TD.

10/10 Ran 2½ bit on 1½ & 2-3/8 tbg, CO from 5638-5743, spotted 500 gals 15% NEA on bottom, POH, Schl perf 5½ csg in the Upper Mesa Verde @ 5669; 71; 73; 77; 80; 82; 5706; 10; 13; 17; 20; 23; 25; 27; 30; 37; 40; & 5141 w/ 1 JSPF, total of 18 holes, Howco SWF perfs down 5½ csg, pmpd 6000 gals pad 7000 gals w/ ¼# PPG 20/40sd+7000 gals w/ ½# PPG sd + 8000 gals w/ ¾# PPG sd + 22,000 gals w/ 1# PPG sd, BDCP 800, TCP 1650, AIR 56.0 BPM, ISIP 50, 5 min zero, job compl 4:45 pm 10/9/75, short from Mesa Verde zones 4643 BLW, dropped ball seated in baffle collar @ 5657, spotted 500 gals acid, Schl perf 5½ csg in the Pictured Cliffs @ 3871; 73; 74; 75; 77; 79; 81; 3931; 33; 35; 37; 39; 41; 43; 47; 49; 51; 53; 55; & 3957 w/ 1 JSPF, total of 20 holes, then Howco SWF perfs, pmpd 6000 gals pad, 7000 gals w/ ¼# PPG, 20/40 sd + 7000 gals w/ ½# PPG sd + 8000 gals ¾# PPG sd + 27,000 gals w/ 1# PPG sd, BDCP 1100, TCP 900, AIR 56.0 BPM, ISIP 200, 5 min SIP 100, job compl @ 8 pm 10/9/75 - 1500 BLW from zone. Schl lost 8' strip perf gun in hole while perf Pictured Cliff zone.

JICARILLA "G" #7-A, 6250 TD.


10/11 SI 12 hrs CP zero, ran 4-3/4 bit on 5½ csg scraper, 3 - 3" DC's & 2-3/8 tbg, tag fillup @ 5383, pmpd 250 BW, attempted to circ w/ no success, SDFN.

10/13 SD for rprs on pump engine on rev unit, rpr same.

IAN 12 1976

INDIAN. COM.

10/13/75



JICARILLA "G" #7-A, 6250 TD.

10/14 Mixed 2 pits of gelled wtr w/LCM, pumped down tbg had 15% circulation, mixed 2 pits of gelled wtr w/LCM pumped down csg, had 15% circulation, SD for nite.

JICARILLA "G" #7-A, 6250 TD.

10/15 Pumped 125 BW W/O circulation, POH w/bit, ran hydrostatic bailer on tbg, CO from 5383 to 5617, POH, SD for nite.

JICARILLA "G" #7-A, 6250 TD.

10/16 Ran hydrostatic bailer on 2-3/8 tbg to 5617, CO to 5657, POH, rec frac sd & 3' of Schl strip gun, ran Baker 4" drill bailer on SL, DO plug & baffle collar @ 5657, ran bailer to 5667, LD bailer, now GIH w/ Globe bskt on 2 jts 4 1/2 WP & hydrostatic bailer.

JICARILLA "G" #7-A, 6250 TD.

10/17 FIH w/ SP & Globe bskt, stop @ 5720, POH, rec piece of top plug & 6" of strip gun, ran WP, CO to 5743, pull WP, rec 1' of strip gun.

JICARILLA "G" #7-A, 6250 TD.

10/18 Ran 2 jts 4 1/2 WP w/ globe shoe, mill & DO 5720-5753, pull WP, rec 16' of strip gun & 1' weight from bottom of strip guns, ran Baker drill bailer on SL, DO to 5918, LD bailer, pickup hydrostatic bailer & 12 jts of tbg, SDFN.

10/19 Finish in w/ hydrostatic bailer, clean 5918-5943, Pull & LD hydrostatic bailer, ran 2 jts WP w/ 4-5/8 globe shoe, CO to 5995, drill baffle plate @ 5995, wash & CO to 6216, pull WP, rec 2 balls for baffle plate & wadded up pieces of strip gun, ran Baker drlg bailer on wire line checking for fill, clean hole to 6209, pull & LD bailer, SDFN.

10/20 LD WP & DC's, Schl ran guage ring & junk bskt to 5640, then set Baker 5 1/2 model D pkr @ 5610, RD Schl, LD 125 jts 2-3/8, SDFN.

JICARILLA "G" #7-A, 6250 TD.


10/21 Finish LD 2-3/8 tbg, ran 2-3/8 x 5' flow tube, Baker seal assembly, 1 1/4 OD, 1-1/8 ID SN on 120 jts 1 1/4 GST tbg, SDFN.

JICARILLA "G" #7-A, 6250 TD.

10/22 FIH w/ Mesa Verde tbg, end of flow tube @ 5618, Baker locator type seal assembly landed in Baker Model D pkr @ 5610 w/ 10,000# wt, Baker 1.660 OD x 1.18 ID, SN @ 5608, 172 jts + 1 - 6' & 1 - 8' sub, 1 1/4 GST tbg, then ran Pictured Cliff tbg to 3977, bull plugged T. Perfs 3975-77, Baker 1.660 OD x 1.18 ID, SN @ 3974, 121 jts 1 1/4 I.J. tbg, instl tree, RD & Rel Drake Well Serv unit @ 6 pm 10/21/75, prep to MI sw unit.

JICARILLA "G" #7-A, 6250 TD.

10/23 MIRU Drake Well Serv sw unit 10/22/75, ran sw in Pictured Cliff tbg, 2450' FIH, from Pictured Cliff perfs 3871-3957 sw 42 BLW/7 hrs, 2450' FIH, NS of gas, SDFN. - 1458 BLW.



JICARILLA "G" #7-A, 6250 TD.

10/24 SI 14 hrs TP zero, 2450' FIH, S 60 BLW/10 hrs, 2450' FIH, 3
L hr sw 6 bbls, S/O 100% wtr, SI & SD. - 1398 BLW.

JICARILLA "G" #7-A, 6250 TD.

10/25 SI 14 hrs TP & CP zero, 2400' FIH, S 55 BLW/10 hrs, 2250'
FIH, L hr sw 5½ bbls, S/O 100%, wtr-gas cut, CP 20, SI & SD.
- 1343 BLW.

10/26 SI 14 hrs TP zero, CP 60, 2450' FIH, S 60 BLW/10 hrs, 2100'
FIH, L hr sw 6 bbls, gas cut wtr.

JICARILLA "G" #7-A

10/27 SI 14 hrs TP 40, CP 900, sw 1 run, fl 1-3/4 hrs open ck,
TP zero, CP 610, sw 4 hrs, fl 1 hr & died, rec 80 BLW/10
hrs, L hr sw 4½ bbls wtr w/ tr of oil, 1950' FIH, SI & SD,
Mesa Verde SI 115 hrs TP 1200.

JICARILLA "G" #7-A, 6250 TD.

10/28 Pictured Cliff zone SI 14 hrs CP 700, TP 50, fl 3½ hrs on
48/64 ck, ran sw 3 runs, fl 1½ hrs & died, sw 5½ hrs, rec
total 60 BLW, 2000' FIH.
Mesa Verde TP 1325, open on 48/64 ck, fl 2 hrs TP 250, fl
gas wtr & tr of oil, SI, TP 800 5 min, SDFN.

JICARILLA "G" #7-A, 6250 TD.

10/29 Mesa Verde SI 14 hrs TP 1325, Pictured Cliff SI 14 hrs
TP 50, CP 750, tied Mesa Verde tbg into csg, open Pictured
Cliff, fl 6 hrs on 32/64 ck, TP 50, csg line plugged w/ ice,
sw Pictured Cliff 2 hrs, rec total of 95 BLW, fl & sw, SDFN.

JICARILLA "G" #7-A, 6250 TD.

10/30 Mesa Verde SI 14 hrs, TP 1325, Pictured Cliff SI 14 hrs
TP 20, CP 540, ran sw, 2000' FIH, hooked Mesa Verde tbg
into csg 3 hrs, fl 50 BLW, then sw 2 hrs, hooked Mesa Verde
tbg into Pictured Cliff tbg, fl 29 BLW out csg, then sw
Pictured Cliff tbg, 900' FIH, wtr dark possibly form wtr,
will run wtr sample today, SDFN.

JICARILLA "G" #7-A, 6250 TD.

10/31 Mesa Verde SI 14 hrs TP zero, tbg frozen, prep to pump
methonal down tbg.
Pictured Cliff SI 14 hrs TP 20, CP 20, ran sw 400' FIH,
failed to sw any fluid, SDFN.

JICARILLA "G" #7-A, 6250 TD.

11/1 Mesa Verde SI 18 hrs TP 1325#.
Pictured Cliff SI 18 hrs TP 20# CP 20#, ran swab 1500' FIH
hooked Mesa Verde tbg into csg, ran sw 6 runs 1-1/4 hrs &
died, swab 21 BW, water sample indicates formation wtr.
Tefteller Wire Line Co ran BHPB out end of tbg in Mesa Verde
Zone 5625', SI 3 hrs, attempt to pull bomb, clutch failed on
unit, SD for repairs.

11/3 Mesa Verde SI 15 hrs TP 1325#.
Pictured Cliff SI 15 hrs TP zero CP 320#. F Mesa Verde 1-1/2
hrs on 48/64 ck, TP 280#, pull BHP3 indicated BHP 1500# @

JICARILLA Mobil Oil Corporation

6
P.O. BOX 633
MIDLAND, TEXAS 79701

5900, ran swab in Pictured Cliff tbg 500' FIH, flow Mesa Verde tbg into csg sw & F 10 BW from Pictured Cliff, sw dry, F Mesa Verde 3 hrs on 48/64 ck, rec gas, oil & tr of wtr, SI & SD for nite & Sunday.

JICARILLA "G" #7-A, 6250 TD.

11/4 Mesa Verde SI 38 hrs TP zero, frozen up, pmpd 1 gal methonal down tbg after 7 hrs thawed out, then fl 35 BLW w/ tr of oil in 8 hrs on 48/64 ck, TP 250-150.
Pictured Cliff TP zero, no FIH, SI & SD.

JICARILLA "G" #7-A, 6250 TD.

11/5 RD & rel Drake Well Serv sw unit @ 7 am 11/4/75, Mesa Verde SI 14 hrs TP 1300, F 25 BLW w/ tr of oil/11 1/2 hrs on 48/64 ck, TP 120-130, rel well to Prod @ 6 pm 11/4/75.

JICARILLA "G" #7-A, 6250 TD.

11/6 SI.

JICARILLA "G" #7-A, 6250 TD.

11/7 SI.

JICARILLA "G" #7-A, 6250 TD.

11/10 MIRU Drake Well Serv unit 11/8/75, load csg & tbg w/ TFW, removed wellhead, instl BOP, P & LD Pictured Cliff & Mesa Verde tbg, SDFN & Sunday.

JICARILLA "G" #7-A, 6250 TD.

11/11 Ran Howco 5 1/2 ret BP & RTTS pkr on 2-3/8 tbg set BP @ 5535, tested plug w/ 2000#/ok, spotted 2x of sd on plug, P & set RTTS pkr @ 3561, Howco sqzd Pictured Cliff perfs 3871-3957 w/ 300x Class D cmt containing .6% Halad 9 + 2% CaCl, TP 600, job compl @ 4:30 pm 11/10/75, rel pkr, POH, SI & SD.

JICARILLA "G" #7-A, 6250 TD.

11/12 Ran 4-3/4 bit on 4 - 3 1/2 DC's and 2-3/8 tbg, drill cmt 3721-3910, circ clean, SDFN.

JICARILLA "G" #7-A, 6250 TD.

11/13 Drld cmt from 3910-3957 & cmt stringers to 4077, circ clean, press up on csg, PI Pictured Cliff perfs 2.0 BPM @ 700#, POH w/ bit, ran RTTS pkr on 2-3/8 tbg set @ 3561, SDFN, prep to sqz.

JICARILLA "G" #7-A, 6250 TD.


11/14 Howco sqzd Pictured Cliff perfs 3871-3977 w/ 200x Class B cmt containing .6% Halad 9 + 2% CaCl, TP 650, job compl @ 1 pm 11/13/75, WOC 3 hrs, POH, changed out wellheads, ran 4-3/4 bit on 4 - 3 1/2 DC's & 2-3/8 tbg to 3137, SDFN.

Mobil Oil Corporation

P.O. BOX 633

MIDLAND, TEXAS 79701

- 11/15 FIH w/ bit, drill cmt from 3820-3975, circ clean, test csg to 700#, hold steady @ 600#, SDFN.
- 11/16 Ran bit, wash sd off BP @ 5539, POH, ran ret tool on 2-3/8 tbg, caught BP @ 5539, unable to rel BP, SDFN.
- 11/17 Down 4 hrs thawing out frozen equip, attempted to rel BP 3 hrs w/ no success, McCullough Tool Co cut 2-3/8 tbg @ 5478, POH w/ 68 jts of tbg, SDFN.
- JICARILLA "G" #7-A, 6250 TD.
- 11/18 Finish POH w/ tbg, ran OS w/ 2-3/8 grapples on BS, jars, 4 - 3 1/2 DC's, accel sub & 2-3/8 tbg to 5478, caught fish, jarred fish up hole, 5' in 2 hrs, come loose, POH w/ fishing tools, cut off piece of tbg, 1 jt tbg & Howco ret tool, LD OS, rerun ret tool on fishing tools & 30 jts of tbg, SDFN.
- JICARILLA "G" #7-A, 6250 TD.
- 11/19 FIH w/ ret tool, circ clean on top of BP @ 5535, ret BP work loose, POH, rec BP, LD fishing tools, ran Bowen pkr picker on 4 - 3 1/2 DC's & 2-3/8 tbg, milled on Baker Model D pkr @ 5610/1 1/2 hrs, milled 9" w/o circ, SDFN.
- JICARILLA "G" #7-A, 6250 TD.
- 11/20 SI 16 hrs CP 200, bled off press, finish milling over Baker Model D pkr @ 5610/3 1/2 hrs w/o circ, ran mill to 5938, pull mill to 5600, SDFN.
- JICARILLA "G" #7-A, 6250 TD.
- 11/21 SI 16 hrs, CP 300#, bled pressure, ran packer picker to 6156, milled on pkr junk 45 min POH, rec 2.85' of Model D pkr, ran 3-1/2" SP CO from 6156 to 6186, 30' 2 hrs, SDFN.
- JICARILLA "G" #7-A, 6250 TD.
- 11/22 SI 14-1/2 hrs, CP 450#, bled off pressure ran sand pump, CO from 6156 to 6210, 5 hrs, ran 2-3/8 tbg in hole, LD 93 jts, SD for nite.
- 11/23 SI 15 hrs CP 400#, bled pressure, finish LD 2-3/8 tbg, changed rams in BOP, well started flowing, kill well w/80 BFW down csg SI & SD.
- 11/24 Ran 1-1/4" bull plugged T perfs, SN & 186 jts 1-1/4" IJ tbg, tag fill up @ 6135, pull end of tbg to 6114, T perfs 6110-14, SN & 6109, inst tree ran swab 4100' FIH, swab 17 BLW/2 hrs, 3600 FIH, CP 100#, SI & SD.
- JICARILLA "G" #7-A, 6250 TD.
- 11/25 SI 14 hrs TP zero, CP 500#, 4100' FIH, swab est 30 BLW/9-1/2 hrs, 4100' FIH, sl sh of gas, CP 720#, SI & SD.
- JICARILLA "G" #7-A, 6250 TD.
- 11/26 SI 14-1/2 hrs TP 100#, CP 1000#, 3900' FIH, swab est 50 BLW/9-1/2 hrs, L hr sw 7 bbls 3900' FIH, st sh of gas, CP 1120#, SI & SD.



Mobil Oil Corporation

P.O. BOX 633
MIDLAND, TEXAS 79701

- JICARILLA "G" #7-A, 6250 TD.
- 11/28 SI 14-1/2 hrs TP 1100#, CP 1220#, bled off press ran sw 3900' FIH, swab est 15 BLW (gd sh of gas) in 4 hrs then F csg 1 hr, CP 1220# to 180#, ran swab in tbg jars unscrewed, left swab & jars in hole, SI & SD for nite & holiday.
- 11/29 SI 39 hrs TP 80#, CP 1200#, 2800' FIH, swab est 8 BLW/3-1/2 hrs then started flowing, flowed swab & jars into lubricator rec same, F to test tank 5-1/2 hrs on 48/64 ck TP 220#, CP 980#, flowing spray of LW, SI & SD.
- 12/1 SI 15-1/2 hrs TP 850#, CP 1200#, F spray of water to pits 8 hrs on 48/64 ck, TP 70#, CP 840#, SD for nite & Sunday.
- JICARILLA "G" #7-A, 6250 TD.
- 12/2 SI 39-1/2 hrs TP 750#, CP 1180#, F slug of LW in 1 hr on 48/64 ck, SITP 1000#, CP 1120#, rig down rel unit & well to Prod @ 11:00 AM, 12/1/75.
- JICARILLA "G" #7-A, 6250 TD.
- 12/3 SI 96 hrs TP 1000, CP 1175, opened well on 1-1/4 ck, F 25 BFW/9 hrs, est rate of 800 MCFPD, SITP 70, CP 840.
- JICARILLA "G" #7-A, 6250 TD.
- 12/4 SI 15 hrs TP 740, CP 1160, F 0 BO + 25 BW/9 hrs, 1-1/4" ck, TP 70#, CP 840#.
- JICARILLA "G" #7-A, 6250 TD.
- 12/5 SI 15 hrs TP 730, CP 1160, F 0 BNO + 5 BW/9 hrs, 1-1/4" ck, TP 70, CP 840.
- JICARILLA "G" #7-A, 6250 TD.
- 12/6 SI 15 hrs TP 770, CP 1160, F 9 hrs, no measurement, TP 70, CP 860.
- 12/7 SI 15 hrs TP 800, CP 1125, F 9 hrs, no measurement, TP 80, CP 820.
- 12/8 SI 24 hrs.
- JICARILLA "G" #7-A, 6250 TD.
- 12/9 SI 15 hrs TP 760, CP 1160, F 9 hrs, no measurement, TP 80, CP 880.
- JICARILLA "G" #7-A, 6250 TD.
- 12/10 SI.
- JICARILLA "G" #7-A, 6250 TD.
- 12/11 SI.
- JICARILLA "G" #7-A, 6250 TD.
- 12/12 SI.

Mobil Oil Corporation

P.O. BOX 633
MIDLAND, TEXAS 79701

12/15 JICARILLA "G" #7-A, 11,400 TD
SI

12/16 JICARILLA "G" #7-A, 6259 TD.
SI

12/17 JICARILLA "G" #7-A, 6259 TD
SI

12/18 JICARILLA "G" #7-A, 6250 TD.
SI.

12/19 JICARILLA "G" #7-A, 6250 TD.
SI.

JICARILLA "G" #7-A, 6250 TD.

12/22/75 9-day SITP 691, CP 1137. NMOCC POT: F 8 BNO + 1 BW, 664
TENTIAL MCFGPD/3 hrs, 48-64 ck, TP 123#, CP 960#, GV 0.688, GOR
10,375:1, CAOF 680 MCFPD, Completed 10/21/75.
FINAL REPORT.

