

88-30-039-07684

100-30-039-08118

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 6 Twp 29 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 29-7 UNIT #88, #100

cps 265w

Elevation 6322' Completion Date 8/31/68 Total Depth 400' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 225' - 235'

**RECEIVED**

MAY 31 1991

Depths gas encountered: N/A

**OIL CON. DIV**  
**DIST. 3**

Type & amount of coke breeze used: 7200 lbs.

Depths anodes placed: 351', 345', 324', 318', 304', 298', 278', 272', 240', 234'

Depths vent pipes placed: 351' OF 3/4" HOSE

Vent pipe perforations: 351'

Remarks: qb #2

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

WELL CASING  
CATHODIC PROTECTION CONSTRUCTION REPORT  
DAILY LOG

No. 2  
G.B.

Date 8-31-68

4 1/2" 7148 = 225'

Well Name SJ. 29-7 #100			CPS No. 265W			
Location SW 6-29-7			Work Order No. 184-20586-50-20			
Anode Hole Depth 400	Total Drilling Rig Time 23 Hrs	Type & Size Bit Used 7 7/8-1522033-400'	No. Sacks Mud Used 0			
No. Sacks Lost Circulation Mat'l Used 0	Anode Depth					
	# 1 351	# 2 345	# 3 324	# 4 318	# 5 304	# 6 298
Total Lbs. Coke Used 7200	Anode Output (Volts)					
	# 1 2.0	# 2 2.1	# 3 3.5	# 4 3.4	# 5 2.7	# 6 2.8
Total Circuit Resistance	No. Ft. Surface Cable Conduit					
Volts 12.8	Amps 11.4	Ohms 1.12	31690 ft Anodes 266 surface = 3430			
Drilling Log (Attach Hereto) <input type="checkbox"/>		7 278	8 272	9 240	10 234	
Remarks:		7 4.1	8 3.6	9 3.3	10 3.5	

3/4" Hose to #1 Anode Perforated 351'  
50 lbs Barafos  
100 lbs Salt.

Note - 8 Anodes = 10.0 A 13.3 V = 1.33 W

All Construction Completed

*Barrels*  
(Signature)

GROUND BED LAYOUT SKETCH



